

CP Name	Product	Specifications	Approvals	FUCHS Recommendations	Product Text English (Subtext in PI)
	Motorenöle für PKW	Engine Oils for Passenger Cars			Engine Oils for Passenger Cars
TITAN GT1 PRO GLV-1 0W-8	TITAN GT1 PRO GLV-1 SAE 0W-8 BlueV Technology	JASO GLV-1	-	-	Premium performance engine oil, ultra low viscosity, specially designed for extreme fuel-economy characteristics and reduced CO ₂ emissions. Excellent cold starting behaviour, very fast oil circulation and outstanding performance reserves. With BlueV Technology additionally applicable in hybrid vehicles of different manufacturers such as
TITAN GT1 FLEX 5 0W-20	TITAN GT1 FLEX 5 SAE 0W-20 BlueV Technology	ACEA C6, C5 API SN PLUS RC API SP RC ILSAC GF-6A	BMW LONGLIFE-17 FE+ JAGUAR LAND ROVER STJLR.03.5006 MB-APPROVAL 229.71 MB-APPROVAL 229.72 OPEL OV0401547 – A20	CHRYSLER MS-12145 FIAT 9.55535-GSX FORD WSS-M2C947-A FORD WSS-M2C947-B1 FORD WSS-M2C962-A1 ILSAC GF-5 JAGUAR LAND ROVER STJLR.51.5122 VOLVO VCC RBS0-2AE	Premium Performance Engine Oil specially designed for highly stressed downsized engines with maximum power output, for extreme fuel-economy characteristics and reduced CO ₂ emissions. Excellent cold starting behaviour, very fast oil circulation and outstanding performance reserves. With BlueV Technology additionally applicable in
TITAN GT1 FLEX 952 0W-20	TITAN GT1 FLEX 952 SAE 0W-20 BlueV Technology	ACEA C6, C5 API SN PLUS API SP FORD WSS-M2C952-A1	JAGUAR LAND ROVER STJLR.03.5006 MB-APPROVAL 229.71 OPEL OV0401547 – A20	FORD WSS-M2C947-A FORD WSS-M2C947-B1 FORD WSS-M2C962-A1 ILSAC GF-5	designed for modern FORD vehicles, for extreme fuel-economy characteristics and reduced CO ₂ emissions. Excellent cold starting behaviour, very fast oil circulation and outstanding performance reserves. With BlueV Technology additionally applicable in
TITAN GT1 PRO F 0W-20	TITAN GT1 PRO F SAE 0W-20 BlueV Technology	ACEA C5 API SP	-	FIAT 9.55535-DM1/-DSX	hybrid vehicles of different manufacturers
TITAN GT1 PRO V 0W-20	TITAN GT1 PRO V SAE 0W-20 XTL	ACEA C5 API SP	VOLVO VCC RBS0-2AE	ACEA A1/B1	Premium Performance Engine Oil specially designed for modern diesel FIAT vehicles, for extreme fuel-economy characteristics and reduced CO ₂ emissions. Excellent cold starting behaviour, very fast oil circulation and outstanding performance reserves. With BlueV Technology additionally applicable in
TITAN GT1 LONGLIFE IV 0W-20	TITAN GT1 LONGLIFE IV SAE 0W-20 BlueV Technology	ACEA C5 FORD WSS-M2C956-A1	PORSCHE C20 VW 508 00/509 00	-	hybrid vehicles of different manufacturers
TITAN GT1 PRO RN17 FE 0W-20	TITAN GT1 PRO RN17 FE SAE 0W-20	ACEA C5 API SN	RENAULT RN17 FE	-	Premium Performance Engine Oil in ground-breaking viscosity class. Specially designed for modern VW vehicles, for extreme fuel-economy characteristics and reduced CO ₂ emissions. Excellent cold starting behaviour, very fast oil circulation and outstanding performance reserves.
TITAN GT1 PRO 2010 0W-20	TITAN GT1 PRO 2010 SAE 0W-20 ACT	ACEA C5 API SP	PSA B71 2010	-	XTL-Technology in ground-breaking viscosity class. Specially designed for modern VOLVO vehicles, for extreme fuel-economy characteristics and reduced CO ₂ emissions. Excellent cold starting behaviour, very fast oil circulation and outstanding performance reserves.
TITAN GT1 LL-12 FE 0W-30	TITAN GT1 LL-12 FE SAE 0W-30 XTL	ACEA C2	-	JAGUAR LAND ROVER STJLR.03.5007	Premium Performance Engine Oil with new
TITAN GT1 FLEX C2 0W-30	TITAN GT1 FLEX C2 SAE 0W-30 BlueV Technology	ACEA C2 ACEA A5/B5 API SP API SP RC ILSAC GF-6A FORD WSS-M2C950-A	BMW LONGLIFE-12 FE MB-APPROVAL 227.61 MB-APPROVAL 229.61	FIAT 9.55535-GS1 JAGUAR LAND ROVER STJLR.03.5007 VVC 53035	XTL-Technology. Specially developed for latest BMW gasoline and diesel vehicles with exhaust after treatment. Excellent cold starting, lower oil consumption and outstanding performance reserves.
TITAN GT1 FLEX C3 0W-30	TITAN GT1 FLEX C3 SAE 0W-30 BlueV Technology	ACEA C3	BMW LONGLIFE-04 MB-APPROVAL 229.31 MB-APPROVAL 229.51 MB-APPROVAL 229.52 PORSCHE C30 VW 504 00/507 00	API SN CHRYSLER MS-11106 FIAT 9.55535-S3 RENAULT RN0700/0710	Premium Performance Engine Oil for modern cars and vans. Especially developed for BMW and Mercedes-Benz vehicles with exhaust gas aftertreatment and turbochargers. Excellent Cold-Start properties, low oil consumption and reduced emissions. With BlueV Technology additionally applicable in hybrid vehicles of
TITAN GT1 LONGLIFE III 0W-30	TITAN GT1 LONGLIFE III SAE 0W-30	ACEA C3	PORSCHE C30 VW 504 00/507 00	-	different manufacturers such as BMW
TITAN GT1 PRO 2312 0W-30	TITAN GT1 PRO 2312 SAE 0W-30	ACEA C2	PSA B71 2312	CHRYSLER MS-13340 CHRYSLER MS.90047 FIAT 9.55535-DS1/GS1 IVECO 18-1811 CLASSE SC1 LV IVECO 18-1811 CLASSE SC1 LV-16	Premium Performance Engine Oil for modern passenger cars and light commercial vehicles with or without extended service intervals. Specially developed for VW vehicles with exhaust after treatment and turbocharger. Excellent cold starting, lower oil consumption and minimized exhaust emissions.
TITAN GT1 FLEX C23 5W-30	TITAN GT1 FLEX C23 SAE 5W-30 BlueV Technology	ACEA C3, C2 API SP	BMW LONGLIFE-04 MB-APPROVAL 229.31 MB-APPROVAL 229.51 MB-APPROVAL 229.52 OPEL OV0401547 – D30 OPEL OV0401547 – G30	CHRYSLER MS-11106 FIAT 9.55535-S1 / -S3 GM-LL-A-025 GM-LL-B-025 IVECO 18-1811 CLASSE SC1 VW 505 00/505 01	Premium Performance, extreme fuel-economy engine oil with optimum cold start ability and outstanding performance reserves. For modern passenger cars and light commercial vehicles with or without extended service intervals. With BlueV Technology additionally applicable in hybrid vehicles of different
TITAN GT1 PRO C-3 5W-30	TITAN GT1 PRO C-3 SAE 5W-30 BlueV Technology	ACEA C3 API SN	BMW LONGLIFE-04 MB-APPROVAL 229.51 PORSCHE C30 VW 504 00/507 00	CHRYSLER MS-11106 FIAT 9.55535-S3 MB 229.52	Premium Performance, extreme fuel-economy engine oil for optimum cold start ability and outstanding performance reserves. For modern passenger cars and light commercial vehicles with or without extended service intervals. Specially developed for BMW, VW and Mercedes-Benz vehicles with exhaust after treatment and turbocharger. With BlueV
TITAN GT1 FLEX 34 5W-30	TITAN GT1 FLEX 34 SAE 5W-30	ACEA C4, C3	MB-APPROVAL 226.51 MB-APPROVAL 229.51 RENAULT RN0720	FIAT 9.55535-S4	Technology additionally applicable in
TITAN GT1 FLEX FR 5W-30	TITAN GT1 FLEX FR SAE 5W-30 BlueV Technology	ACEA C3, C2 API SP	MB-APPROVAL 226.52 MB-APPROVAL 229.51 MB-APPROVAL 229.52 PSA B71 2290 RENAULT RN17	FIAT 9.55535-S1 RENAULT RN0700/0710 MB 229.31	Premium Performance, extreme fuel-economy engine oil for modern passenger cars and light commercial vehicles with or without extended service intervals. Specially developed for PSA and RENAULT vehicles with exhaust after treatment and turbocharger. Optimum cold starting, lower oil consumption and minimized exhaust emissions. With

TITAN GT1 PRO C-1 5W-30	TITAN GT1 PRO C-1 SAE 5W-30	-	JAGUAR LAND ROVER STJLR.03.5005	ACEA C1 JASO DL-1 FORD WSS-M2C934-B	Premium Performance, extreme fuel-economy engine oil for modern passenger cars and light commercial vehicles with or without extended service intervals. Specially developed for vehicles with exhaust after treatment and turbocharger. Optimum cold starting, lower oil consumption and minimized exhaust emissions.
TITAN GT1 FLEX 3 5W-40	TITAN GT1 FLEX 3 SAE 5W-40 XTL	ACEA C3 API SN	BMW LONGLIFE-04 MB-APPROVAL 229.31 MB-APPROVAL 229.51 MB-APPROVAL 229.52 PORSCHE C40 RENAULT RN0700/RN0710 VW 511 00	APICF CHRYSLER MS-10725 FIAT 9.55535-GH2 FIAT 9.55535-S2 FIAT 9.55535-T2 FORD WSS-M2C917-A MB 226.5 VW 502 00/505 00	Premium Performance, fuel-economy engine oil with new XTL-Technology for optimum cold start ability and outstanding performance reserves. For modern passenger cars and light commercial vehicles with or without extended service intervals. Specially developed for vehicles with exhaust after treatment and turbocharger.
TITAN SUPERSYN LL PLUS 0W-30	TITAN SUPERSYN LONGLIFE PLUS SAE 0W-30	-	VW 506 01	VW 503 00/506 00	Ultra High Performance, extreme fuel-economy engine oil formulated with fully synthetic base oil for VW engines. Specially developed for VW LongLife Technology. For all passenger car gasoline and diesel engines with or without pump injector technology. Excellent cold starting and lower oil consumption.
TITAN SUPERSYN LONGLIFE 0W-30	TITAN SUPERSYN LONGLIFE SAE 0W-30	ACEA A3/B4 API SL	-	MB 229.5 VW 502 00/505 00	Ultra High Performance, extreme fuel-economy engine oil for a variety of vehicles with or without extended service intervals. Excellent cold starting and lower oil consumption.
TITAN SUPERSYN LONGLIFE 0W-40	TITAN SUPERSYN LONGLIFE SAE 0W-40	ACEA A3/B4 API SP API SN	MB-APPROVAL 229.5 VW 502 00/505 00	BMW LONGLIFE-01 FORD WSS-M2C937-A MB 229.3 MB 226.5 RENAULT RN0700/RN0710	Ultra High Performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals. Excellent cold starting and lower oil consumption.
TITAN SUPERSYN LONGLIFE 5W-40	TITAN SUPERSYN LONGLIFE SAE 5W-40	ACEA A3/B4 API SN	BMW LONGLIFE-01 MB-APPROVAL 226.5 MB-APPROVAL 229.5 PSA B71 2296 RENAULT RN0700/RN0710 VW 502 00/505 00	CHRYSLER MS-12991 FIAT 9.55535-H2/M2/N2/Z2 PORSCHE A40	Ultra High Performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals. Optimum cold starting and lower oil consumption.
	TITAN SUPERSYN HI-TBN SAE 5W-40	ACEA A3/B4 API SN	MB-APPROVAL 229.5 VW 508 88/509 99	PORSCHE A40 RENAULT RN0700/RN0710	Ultra High Performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals. Optimum cold starting and lower oil consumption.
TITAN SUPERSYN FE 0W-30	TITAN SUPERSYN FE SAE 0W-30	ACEA A5/B5 API SL	VOLVO VCC 95200377	RENAULT RN0700	Ultra High Performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals. Excellent cold starting properties and low oil consumption.
	TITAN SUPERSYN PRO LL01 FE SAE 5W-30	ACEA A5/B5 API SN	BMW LONGLIFE-01 FE	-	Ultra High Performance, extreme fuel economy engine oil, specially developed for gasoline engines requiring a BMW LONGLIFE-01 FE fluid. Optimum cold starting, lower oil consumption and minimised exhaust emissions.
TITAN SUPERSYN F ECO-FE 0W-30	TITAN SUPERSYN F ECO-FE SAE 0W-30	ACEA C2 FORD WSS-M2C950-A	JAGUAR LAND ROVER STJLR.03.5007	VWC 53035	Ultra High Performance, extreme fuel-economy engine oil especially developed for modern Ford Diesel engines. Excellent cold starting and lower oil consumption.
TITAN SUPERSYN F ECO-B 5W-20	TITAN SUPERSYN F ECO-B SAE 5W-20	ACEA C5 API SN FORD WSS-M2C948-B	JAGUAR LAND ROVER STJLR.03.5004	ACEA A1/B1 CHRYSLER MS 6395 FIAT 9.55535-CR1 FORD WSS-M2C925-A FORD WSS-M2C925-B FORD WSS-M2C945-A	Ultra High Performance, extreme fuel-economy engine oil especially developed for Ford EcoBoost gasoline engines. Optimum cold starting and lower oil consumption.
TITAN SUPERSYN F ECO-DT 5W-30	TITAN SUPERSYN F ECO-DT SAE 5W-30	ACEA A5/B5 API SL FORD WSS-M2C913-D	JAGUAR LAND ROVER STJLR.03.5003	ACEA A1/B1 API CF CHRYSLER MS 6395 FORD WSS-M2C913-A FORD WSS-M2C913-B FORD WSS-M2C913-C IVECO 18-1811 CLASSE S1/S2 JAGUAR M2C913-B RENAULT RN0710	Ultra High Performance, extreme fuel-economy engine oil especially suitable for Ford DuraTorq-Diesel engines. Optimum cold starting and lower oil consumption.
TITAN SUPERSYN D1 0W-20	TITAN SUPERSYN D1 SAE 0W-20	API SN PLUS RC API SP RC ILSAC GF-6A	dexos1™ Gen 3 (D335BDDH075)	CHRYSLER MS 6395 CHRYSLER MS-12145 FIAT 9.55535-CR1 FIAT 9.55535-GSX FORD WSS-M2C947-A FORD WSS-M2C962-A1 ILSAC GF-5	Ultra High Performance engine oil offering excellent fuel economy, specifically developed for General Motors petrol engines requiring dexos1™ Gen 3 fluid. Optimum cold start properties and ageing stability for a very good fuel economy throughout the drain interval.
TITAN SUPERSYN D1 5W-30	TITAN SUPERSYN D1 SAE 5W-30	API SN PLUS RC API SP RC ILSAC GF-6A	dexos1™ Gen 3 (D335ABDF075)	FORD WSS-M2C929-A FORD WSS-M2C946-A FORD WSS-M2C946-B1 FORD WSS-M2C961-A1 FIAT 9.55535-CR1 CHRYSLER MS 6395 GM 6094M GM 4718M ILSAC GF-5	Ultra High Performance engine oil offering excellent fuel economy, specifically developed for General Motors petrol engines requiring dexos1™ Gen 3 fluid. Optimum cold start properties and ageing stability for a very good fuel economy throughout the drain interval.
TITAN SUPERSYN D2 5W-30	TITAN SUPERSYN D2 SAE 5W-30	ACEA C3 API SM	dexos2™ (D235AFCG075)	GM-LL-A-025 GM-LL-B-025	Ultra High Performance, extreme fuel-economy engine oil, specially developed for vehicles requiring dexos2™ fluid. Optimum cold starting, lower oil consumption and minimised exhaust emissions.
TITAN SUPERSYN C3 5W-40	TITAN SUPERSYN C3 SAE 5W-40	ACEA C3 API SP	MB-APPROVAL 229.31	FIAT 9.55535-GH2/-S2 FORD WSS-M2C917-A VW 505 00/505 01	Ultra High Performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals. Optimum cold starting and lower oil consumption.
TITAN SUPERSYN 5W-30	TITAN SUPERSYN SAE 5W-30	ACEA A3/B4 API SL	MB-APPROVAL 229.3 RENAULT RN0700/RN0710 VW 502 00/505 00	API CF BMW LONGLIFE-98 GM-LL-A-025 GM-LL-B-025	Ultra High Performance, extreme fuel-economy engine oil for a variety of vehicles with or without extended service intervals. Optimum cold starting and lower oil consumption.
TITAN SUPERSYN 5W-40	TITAN SUPERSYN SAE 5W-40	ACEA A3/B4 API SN/SM	MB-APPROVAL 229.3 RENAULT RN0700/RN0710 VW 502 00/505 00	API CF BMW LONGLIFE-98 CHRYSLER MS-12991 FIAT 9.55535-H2/M2/N2/Z2 GM-LL-A-025	Ultra High Performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals. Optimum cold starting and lower oil consumption.
TITAN SUPERSYN 5W-50	TITAN SUPERSYN SAE 5W-50	-	-	ACEA A3/B4 API SL/CF	Ultra High Performance, fuel-economy engine oil for passenger cars. Optimum cold starting behaviour and low oil consumption. Highly durable lubricating film and high oil pressure.
TITAN SUPERSYN 10W-60	TITAN SUPERSYN SAE 10W-60	-	-	ACEA A3/B3 API SL/CF FIAT 9.55535-H3	Ultra High Performance, fuel-economy engine oil for passenger cars. Low oil consumption. Highly durable lubricating film and high oil pressure.
TITAN SYN MC 10W-40	TITAN SYN MC SAE 10W-40	ACEA A3/B4 API SN	MB-APPROVAL 229.3 RENAULT RN0700/RN0710 VW 501 01/505 00	API CF FIAT 9.55535-D2/G2 MB 229.1 PSA B71 2300	Ultra High Performance, fuel-economy engine oil based on MC-synthesis for a variety of gasoline and diesel engines in passenger cars. Lower oil consumption.
TITAN SYN SN 0W-20	TITAN SYN SN SAE 0W-20	API SN	-	ILSAC GF-5	Ultra High Performance, fuel-economy engine oil for a variety of gasoline engines in passenger cars. Good cold starting behaviour.
TITAN FORMULA 15W-40	TITAN FORMULA SAE 15W-40	ACEA A3/B3 API SL	-	API CG-4 FIAT 9.55535-D2/G2 MB 229.1 PSA B71 2295 VW 501 01/505 00	High Performance Engine Oil specially for all normally aspirated and turbocharged gasoline and diesel engines in passenger cars operated under normal conditions.
Motorenöle für PKW und Nutzfahrzeuge		Engine Oils for Passenger Cars and Commercial Vehicles		Engine Oils for Passenger Cars and Commercial Vehicles	

TITAN UNIMAX ULTRA MC 10W-40	TITAN UNIMAX ULTRA MC SAE 10W-40	ACEA E7, A3/B3, A3/B4 API CI-4 GLOBAL DHD-1 JASO DH-1	CUMMINS CES 2007/7/8 DETROIT DIESEL 93K215 DEUTZ DQC II-10 DTRF 15B110 (MB 228.3) DTFR 13D100 (MB 235.27) MACK EO-M PLUS MAN M 3275-1 MB-APPROVAL-228-3 MTU DDC TYPE 2 RENAULT RLD/RLD-2 VOITH-RETARDER "A"	ALLISON C-4 CAT ECF-2 CUMMINS CES 20071/2/6 MB 229.1 VW 500 00/501 01/505 00	Ultra High Performance Engine Oil based on MC-synthesis for all commercial vehicles, off-highway equipment and passenger cars. Substantial rationalisation opportunities for mixed fleets. Prolongation of drain intervals possible with many manufacturers. Good cold starting and lower oil consumption.
TITAN UNIMAX ULTRA MC 10W-40	TITAN UNIMAX ULTRA MC SAE 10W-40 ACT	ACEA E7 API CI-4 GLOBAL DHD-1 JASO DH-1	DEUTZ DQC II-18 MACK EO-N MAN M 3275-1 MB-APPROVAL 228.3 MTU DDC TYPE 2 RENAULT RLD/RLD-2 VOLVO VDS-3	ALLISON C-4 CAT ECF-2 CUMMINS CES 20071/2/6/7/8 DETROIT DIESEL 93K215 DTFR 13D100 (MB 235.27) MB 229.1 VOITH-RETARDER "A" VW 500 00/501 01/505 00	Ultra High Performance engine oil based on the FUCHS Advanced Circular Technologies (ACT) for all commercial vehicles, off-highway equipment, and passenger cars. Improved cold starting and reduced oil consumption. Substantial rationalisation opportunities for mixed fleets.
TITAN UNIMAX PLUS MC 10W-40	TITAN UNIMAX PLUS MC SAE 10W-40	ACEA E7, A3/B3 API CH-4	DEUTZ DQC II-10 DTFR 15B110 (MB 228.3) DTFR 13D100 (MB 235.27) MAN M 3275-1 MB-APPROVAL-228-3 MB-APPROVAL-235-27 MTU DDC TYPE 2 RENAULT RD/RD-2 VOITH-RETARDER "A"	ALLISON C-4 CUMMINS CES 20071/2/6/7 MACK EO-M PLUS MB 229.1	Ultra High Performance, fuel-economy engine oil based on MC-synthesis for all commercial vehicles, off-highway equipment and passenger cars. Substantial rationalisation opportunities for mixed fleets. Prolongation of drain intervals possible with some manufacturers. Good cold starting and lower oil consumption.
TITAN UNIMAX PLUS MC 10W-40	TITAN UNIMAX PLUS MC SAE 10W-40 ACT	ACEA E7 API CI-4	DEUTZ DQC II-18 DTFR 15B110 (MB 228.3) MAN M 3275-1 MTU DDC TYPE 2 RENAULT RLD/RLD-2 VOLVO VDS-3	ALLISON C-4 CUMMINS CES 20071/2/6/7 DTFR 13D100 (MB 235.27) MACK EO-M PLUS MB 229.1 VOITH-RETARDER "A"	Ultra High Performance engine oil based on the FUCHS Advanced Circular Technologies (ACT) for all commercial vehicles, off-highway equipment, and passenger cars. Improved cold starting and reduced oil consumption. Substantial rationalisation opportunities for mixed fleets.
TITAN UNIVERSAL HD 15W-40	TITAN UNIVERSAL HD SAE 15W-40	ACEA A3/B3 API SL	DEUTZ DQC I-02 MTU DDC TYPE 2	ACERTEZ API CG-4/CF MB 229.1 MIL-L-2104 E ALLISON C-4 CASE MS 1120 MACK EO-L MAN 271 NH 330G STEYR A-202 XCELYO E2	High Performance Engine Oil for mixed fleets operated under normal conditions. Good performance in normally aspirated and turbocharged diesel engines.
TITAN UNIVERSAL HD 15W-40	TITAN UNIVERSAL HD SAE 15W-40 ACT	CAT ECF-2	DEUTZ DQC II-18 DTFR 15B110 (MB 228.3) MACK EO-N MTU DDC TYPE 2 RENAULT RLD-2 VOLVO VDS-3	ACEA A3/B3 ALLISON C-4 API SL API CI-4 MAN M 3275-1 (level) MB 229.1 MIL-L-2104 E CASE MS 1120 NH 330G STEYR A-202 VW 501 01/505 00	High Performance Engine Oil based on the sustainable FUCHS Advanced Circular Technology (ACT). Substantial rationalisation opportunities for mixed fleets.
Motorenöle für Nutzfahrzeuge		Engine Oils for Commercial Vehicles			Engine Oils for Commercial Vehicles
TITAN CARGO MAXX II 5W-30	TITAN CARGO MAXX II SAE 5W-30 XTL	ACEA E11, E8, E7, E4 API CK-4/CI-4 CAT ECF-3 JASO DH-1/DH-2/DL-0	CUMMINS CES 20081 CUMMINS CES 20086 DETROIT DIESEL 93K222 DEUTZ DQC IV-18 LA DTFR 15C100 (MB 228.31) DTFR 15C110 (MB 228.51) DTFR 15C120 (MB 228.52) MACK EOS-4.5 MAN M 3677 MAN M 3775 MAN M 3777 MB-APPROVAL-228-34 MB-APPROVAL-228-64 MB-APPROVAL-228-62 MTU DDC TYPE 2.1 MTU DDC TYPE 3.1	ACEA E9, E6 DAF PSOL 2.1E-LD DETROIT DIESEL 93K218 DETROIT DIESEL 93K222 IVECO 18-1804 CLASSE TLS E6 LIEBHERR LH-00-ENG LA MAN M 3271-1 MAN M 3477 MAN M 3575 RENAULT RLD-4 SCANIA LA	Premium MAXX Performance Engine Oil with new XTL-Technology. Specially developed for vehicles with modern exhaust after treatment and turbocharger. Optimum cold starting properties and ageing stability for extreme fuel-economy over the whole drain-interval.
TITAN CARGO MAXX 5W-30	TITAN CARGO MAXX SAE 5W-30 XTL	API CJ-4 CAT ECF-3 JASO DH-2 SCANIA-LA	DEUTZ DQC IV-18 LA (incl. TTCD) DTFR 15C100 (MB 228.31) DTFR 15C110 (MB 228.51) MACK EO-O PREMIUM PLUS MAN M 3677 MTU DDC TYPE 3.1 RENAULT RLD-3 SCANIA-LDF-4 VOLVO VDS-4	ACEA E9, E7, E6, E4 DEUTZ DQC IV-18 LA (incl. TTCD) MB 228-34 MB 228-64 CUMMINS CES 20081 IVECO 18-1804 CLASSE TLS E6 MACK EO-O PREMIUM PLUS MAN M 3271-1 MAN M 3477 MAN M 3575 MTU DDC TYPE 3.1 RENAULT RLD-3 SCANIA LA	Premium MAXX Performance Engine Oil with new XTL-Technology. Specially developed for vehicles with modern exhaust after treatment and turbocharger. Optimum cold starting properties and ageing stability for extreme fuel-economy over the whole drain-interval.
TITAN CARGO MAXX 10W-30	TITAN CARGO MAXX SAE 10W-30	ACEA E11, E7 API CK-4/SN CAT ECF-3	DEUTZ DQC IV-18 LA DTFR 15C100 (MB 228.31) DTFR 15C110 (MB 228.51) MACK EOS-4.5 MAN M 3677 MB-APPROVAL 228.31 MB-APPROVAL 228.51 MTU DDC TYPE 3.1 RENAULT RLD-3 VOLVO VDS-4.5	ACEA E9, E6 CUMMINS CES 20086 DAF PSOL 2.1E-LD DETROIT DIESEL 93K218 DETROIT DIESEL 93K222 JASO DH-2 MAN M 3477 RENAULT RLD-4 SCANIA LA	Premium MAXX Performance Engine Oil specially developed for vehicles with modern exhaust after treatment and turbocharger. Good cold starting properties and excellent ageing stability for fuel-economy over the whole drain-interval.
TITAN CARGO MAXX II 10W-40	TITAN CARGO MAXX II SAE 10W-40 XTL	ACEA E11, E8, E7, E4 API CK-4/CI-4 CAT ECF-3 JASO DH-1/DH-2/DL-0	CUMMINS CES 20081 CUMMINS CES 20086 DETROIT DIESEL 93K222 DETROIT DIESEL 93K218 DEUTZ DQC IV-18 LA DTFR 15C100 (MB 228.31) DTFR 15C110 (MB 228.51) DTFR 15C120 (MB 228.52) MACK EOS-4.5 MAN M 3775 MB-APPROVAL-228-34 MB-APPROVAL-228-64 MB-APPROVAL-228-62 MTU DDC TYPE 2.1 MTU DDC TYPE 3.1	ACEA E9, E6 DETROIT DIESEL 93K218 DETROIT DIESEL 93K222 IVECO 18-1804 CLASSE TLS E9 IVECO 18-1809 CLASSE NG2 LIEBHERR LH-00-ENG LA MAN M 3271-1 MAN M 3477 MAN M 3575 RENAULT RLD-4 SCANIA LA VOITH-RETARDER "B"	Premium MAXX Performance Engine Oil with new XTL-Technology. Specially developed for vehicles with modern exhaust after treatment and turbocharger. Good cold starting properties and ageing stability for fuel-economy over the whole drain-interval.
TITAN CARGO MAXX 10W-40	TITAN CARGO MAXX SAE 10W-40 XTL	API CJ-4 JASO DH-2 CAT ECF-3	DEUTZ DQC IV-18 LA (incl. TTCD) DTFR 15C100 (MB 228.31) DTFR 15C110 (MB 228.51) MACK EO-O PREMIUM PLUS RENAULT RLD-3 SCANIA LA VOLVO VDS-4	ACEA E9, E7, E6, E4 CUMMINS CES 20081 DETROIT DIESEL 93K218 DEUTZ DQC IV-18 LA (incl. TTCD) IVECO 18-1804 CLASSE TLS E9 IVECO 18-1809 CLASSE NG2 MACK EO-O PREMIUM PLUS MAN M 3271-1 MAN M 3477 MAN M 3575 MB 235.28 RENAULT RLD-3 SCANIA LA VOLVO VDS-4	Premium MAXX Performance Engine Oil with new XTL-Technology. Specially developed for vehicles with modern exhaust after treatment and turbocharger. Good cold starting properties and ageing stability for fuel-economy over the whole drain-interval.

TITAN CARGO FLEX LD 5W-30	TITAN CARGO FLEX LD SAE 5W-30	ACEA E9, E7, E6 ACEA E11, E8, E7 API CK-4/SN CAT ECF-3 FORD WSS-M2C213-A1 JASO DH-2	DEUTZ DQC IV-18 LA DTFR 15C100 (MB 228.31) DTFR 15C110 (MB 228.51) MACK EOS-4.5 MAN M 3677 MAN M 3775 MB-APPROVAL-228.34 MB-APPROVAL-228.54 MTU DDC TYPE 3.1 RENAULT RLD-3 SCANIA LDF-4 VOLVO VDS 4.5	ACEA E9, E6 CUMMINS CES 20086 DAF PSQL 2.1E-LD DETROIT DIESEL 93K222 IVECO 18-1804 TLS E6 MAN M 3271-1/3477/3575 RENAULT RLD-4	Premium economy, extreme fuel-economy engine oil, specially developed for commercial vehicles with modern exhaust after treatment systems and turbocharger. Offers good cold starting and lower oil consumption.
TITAN CARGO FLEX LD 10W-40	TITAN CARGO FLEX LD SAE 10W-40	ACEA E11, E8, E7 API CK-4/SN CAT ECF-3 JASO DH-2	DEUTZ DQC IV-18 LA DTFR 15C100 (MB 228.31) DTFR 15C110 (MB 228.51) MACK EOS-4.5 MAN M 3775 MB-APPROVAL-228.34 MB-APPROVAL-228.54 MTU DDC TYPE 3.1 RENAULT RLD-3 VOLVO VDS 4.5	ACEA E9, E6 CUMMINS CES 20086 DETROIT DIESEL 93K222 IVECO 18-1804 TLS E9 MAN M 3477/3575 RENAULT RLD-4 SCANIA LA	Premium Performance, extreme fuel-economy engine oil, specially developed for commercial vehicles with modern exhaust after treatment systems and turbocharger. Offers good cold starting and lower oil consumption.
TITAN CARGO SL 5W-30	TITAN CARGO SL SAE 5W-30	ACEA E7, E4 FORD WSS-M2C212-A1	DEUTZ DQC IV-18 DTFR 15B120 (MB 228.5) MACK EO-N MAN M 3277 MB-APPROVAL 235.28 MTU DDC TYPE 3 RENAULT RLD-2 SCANIA LDF-3 VOITH-RETARDER 'B'	CUMMINS CES 20077 IVECO 18-1804 CLASSE TFE SCANIA LDF-2	Premium Performance, extreme fuel-economy engine oil for a variety of commercial vehicle diesel engines, with optimum cold starting and lower oil consumption. Specially developed for extended service intervals.
TITAN CARGO FLEX K-4 5W-30	TITAN CARGO FLEX K-4 SAE 5W-30	ACEA E11, E8, E7 API CK-4 CAT ECF-3 JASO DH-2	DEUTZ DQC IV-18 LA DTFR 15C110 (MB 228.51) MACK EOS-4.5 MAN M 3775 RENAULT RLD-3 VOLVO VDS 4.5	ACEA E9, E6 CUMMINS CES 20086 DETROIT DIESEL 93K222 IVECO 18-1804 TLS E9	Premium Performance, extreme fuel-economy engine oil, specially developed for commercial vehicles with modern exhaust after treatment systems and turbocharger. Offers good cold starting and lower oil consumption.
TITAN CARGO FLEX K-4 10W-40	TITAN CARGO FLEX K-4 SAE 10W-40	ACEA E11, E8, E7 API CK-4 CAT ECF-3	DETROIT DIESEL 93K222 DEUTZ DQC IV-18 LA DTFR 15C110 (MB 228.51) MACK EOS-4.5 MAN M 3775 RENAULT RLD-3 VOLVO VDS 4.5	ACEA E9, E6 CUMMINS CES 20086	Premium Performance, fuel-economy engine oil, specially developed for commercial vehicles with modern exhaust after treatment systems and turbocharger. Offers good cold starting and lower oil consumption.
TITAN CARGO LA 10W-40	TITAN CARGO LA SAE 10W-40	ACEA E11, E8, E7 API C1-4 JASO DH-2	DEUTZ DQC IV-18 LA DTFR 15C110 (MB 228.51) MACK EO-N MAN M 3271-3 MB-APPROVAL-228.54 MTU DDC TYPE 3.1 RENAULT RLD-2/RXD/RGD VOLVO VDS 5	ACEA E9, E6 CUMMINS CES 20076/7 MAN M 3271-1 MAN M 3477	Premium Performance, fuel-economy engine oil, specially developed for commercial vehicles with modern exhaust after treatment systems and turbocharger. Offers good cold starting and lower oil consumption.
TITAN CARGO PRO 228.61 5W-30	TITAN CARGO PRO 228.61 SAE 5W-30	API FA-4	MB-APPROVAL 228.61	CUMMINS CES 20087 DETROIT DIESEL 93K223 FORD WSS-M2C214-B1 MACK EOS-5 RENAULT RLD-5 VOLVO VDS-5	Premium Performance, extreme fuel-economy engine oil. Specially developed for Mercedes-Benz commercial vehicles with modern exhaust after treatment systems. Suitable for Euro VI engines. Offers good cold starting and lower oil consumption.
TITAN CARGO PRO T 5W-20	TITAN CARGO PRO T SAE 5W-20	-	MAN M 3977 SCANIA LDF-5	-	Premium Performance, extremely fuel-economy engine oil. Specially developed for MAN and SCANIA Euro VI-d commercial vehicle engines with modern exhaust after treatment systems. Offers good cold starting and lower oil consumption.
TITAN CARGO PRO 3977 5W-20	TITAN CARGO PRO 3977 SAE 5W-20	-	MAN M 3977	-	Premium Performance, extremely fuel-economy engine oil. Specially developed for MAN Euro VI-d commercial vehicle engines with modern exhaust after treatment systems. Offers good cold starting properties and lower oil consumption.
TITAN CARGO PRO 3677 5W-30	TITAN CARGO PRO 3677 SAE 5W-30	-	MAN M 3677	-	Premium Performance, extreme fuel-economy engine oil. Specially developed for MAN vehicles with modern exhaust after treatment systems. Suitable for Euro VI engines. Offers good cold starting and lower oil consumption.
TITAN CARGO LD4 5W-30	TITAN CARGO LD4 SAE 5W-30	-	SCANIA LDF-4	-	Premium Performance, fuel-economy engine oil for use in Scania Euro VI vehicles. Specially developed for extended service intervals.
TITAN CARGO LD3 10W-40	TITAN CARGO LD3 SAE 10W-40	ACEA E7, E4	DTFR 15B120 (MB 228.5) MACK EO-N MAN M 3277 MB-APPROVAL-228.5 RENAULT RLD-2 SCANIA LDF-3 VOLVO VDS-3	API CF SCANIA LDF-2	Premium Performance, fuel-economy engine oil for use in Scania Euro VI vehicles. Specially developed for extended service intervals.
TITAN CARGO LD3 EVO 10W-40	TITAN CARGO LD3 EVO SAE 10W-40	ACEA E7, E4	DEUTZ DQC IV-18 DTFR 15B120 (MB 228.5) MACK EO-N MAN M 3277 MB-APPROVAL-228.5 MTU DDC TYPE 3 RENAULT RLD-2 SCANIA LDF-3 VOLVO VDS-3	API CF CUMMINS CES 20077 DAF Extended Drain Interval SCANIA LDF-2	Premium Performance, fuel-economy engine oil for use in Scania Euro VI vehicles. Specially developed for extended service intervals.
TITAN CARGO MC 10W-40	TITAN CARGO MC SAE 10W-40	ACEA E7, E4 API C1-4 GLOBAL DHD-1 JASO DH-1	CUMMINS CES 20077/8 DETROIT DIESEL 93K215 DEUTZ DQC III-18 DTFR 15B120 (MB 228.5) MACK EO-N MAN M 3277 MB-APPROVAL-228.5 MTU DDC TYPE 3 RENAULT RLD-2 VOLVO VDS-3	ALLISON C-4 FORD WSS-M2C344-A IVECO 18-1804 SDFG OM-1901A	Premium Performance, fuel-economy engine oil based on MC-synthesis for a variety of commercial vehicle diesel engines. Specially developed for extended service intervals. Good cold starting and lower oil consumption.
	TITAN CARGO SAE 0W-40	API CK-4/CJ-4 CAT ECF-3	-	CUMMINS CES 20086	Premium Performance, fuel-economy engine oil with excellent cold starting properties, specially developed for commercial vehicle diesel engines with extended service intervals, exhaust after treatment and turbocharger.
TITAN CARGO 5W-40	TITAN CARGO SAE 5W-40	ACEA E11 API CK-4/CJ-4/SN CAT ECF-3	CUMMINS CES 20086 DEUTZ DQC III-18 LA DTFR 15C100 (MB 228.31) FORD M2C171-F1 MACK EOS-4.5 MAN M 3775 MB-APPROVAL-228.34 MTU DDC TYPE 2.1 RENAULT RLD-3	ACEA E9 DETROIT DIESEL 93K222 MAN M 3575 RENAULT RLD-4	Premium Performance, fuel-economy engine oil, specially developed for commercial vehicle diesel engines with extended service intervals, exhaust after treatment and turbocharger.
TITAN CARGO 10W-30	TITAN CARGO SAE 10W-30	ACEA E11, E7 API CK-4/CJ-4 CAT ECF-3 JASO DH-2	CUMMINS CES 20086 DEUTZ DQC III-18 LA DTFR 15C100 (MB 228.31) FORD M2C171-F1 MACK EOS-4.5 MAN M 3775 MB-APPROVAL-228.34 MTU DDC TYPE 2.1 RENAULT RLD-3	ACEA E9 DETROIT DIESEL 93K222 MAN M 3575 RENAULT RLD-4	Premium Performance, fuel-economy engine oil, specially developed for commercial vehicle diesel engines with extended service intervals, exhaust after treatment and turbocharger.

TITAN CARGO 10W-40	TITAN CARGO SAE 10W-40	ACEA E11, E7 API CK-4/CJ-4/SN CAT ECF-3 JASO DH-2	DEUTZ DQC III-18 LA DTFR 15C100 (MB 228.31) MACK EOS-4.5 MAN M 3775 MB-APPROVAL-228-34 MTU DDC TYPE 2.1 RENAULT RLD-3 VOLVO VDS-4.5	ACEA E9 CUMMINS CES 20086 CNH MAT 3571 DETROIT DIESEL 93K222 MAN M 3575 RENAULT RLD-4	Premium Performance, fuel-economy engine oil, specially developed for commercial vehicle diesel engines with extended service intervals, exhaust after treatment and turbocharger.
TITAN CARGO 15W-40	TITAN CARGO SAE 15W-40	ACEA E11, E7 API CK-4/CJ-4/SN CAT ECF-3 JASO DH-2	ALLISON TES-439 (439-34862020) CUMMINS CES 20086 DETROIT DIESEL 93K222 DEUTZ DQC III-18 LA DTFR 15C100 (MB 228.31) FORD M2C171-F1 MACK EOS-4.5 MAN M 3775 MB-APPROVAL-228-34 MTU DDC TYPE 2.1 RENAULT RLD-3 VOLVO VDS-4.5	ACEA E9 MAN M 3575 RENAULT RLD-4	Premium Performance, fuel-economy engine oil for a variety of commercial vehicle diesel engines. Specially developed for vehicles with extended service intervals, exhaust after treatment and turbocharger.
TITAN TRUCK PLUS 15W-40	TITAN TRUCK PLUS SAE 15W-40	ACEA E7 API CI-4/SL GLOBAL DHD-1 CAT ECF-1a/ECF-2	CUMMINS CES 20076/7/8 DETROIT DIESEL 93K215 DEUTZ DQC III-18 DTFR 15B110 (MB 228.3) MACK EO-N MTU DDC TYPE 2 RENAULT RLD/RLD-2 VOLVO VDS-3	ALLISON C-4 CAT TO-2 CASE MS 1121 CUMMINS CES 20071/2 IVECO 18-1804 CLASSE T2 E7 MAN M 3275-1 NH 330H	Ultra High Performance Engine Oil for a variety of diesel and gasoline engines. Specially for highly-loaded commercial vehicle diesel engines. Lower oil consumption.
TITAN TRUCK PLUS 15W-40	TITAN TRUCK PLUS SAE 15W-40 ACT	ACEA E7 API CI-4/SL GLOBAL DHD-1 JASO DH-1 CAT ECF-1a / ECF-2	CUMMINS CES 20076/7/8 DEUTZ DQC III-18 MACK EO-N DETROIT DIESEL 93K215 DTFR 15B110 (MB 228.3) MTU DDC TYPE 2 RENAULT RLD/RLD-2 VOLVO VDS-3	ALLISON C-4 CAT TO-2 CUMMINS CES 20071/2 IVECO 18-1804 CLASSE T2 E7 MAN M 3275-1	Ultra High Performance engine oil based on the sustainable FUCHS Advanced Circular Technology (ACT) for a variety of diesel and petrol engines. Specially for highly loaded commercial vehicle diesel engines. Low oil consumption.
TITAN TRUCK PLUS 20W-50	TITAN TRUCK PLUS SAE 20W-50	ACEA E7 API CI-4/SL GLOBAL DHD-1 CAT ECF-1a/ECF-2	DTFR 15B110 (MB 228.3) MB-APPROVAL-228-3	MAN M 3275-1	Ultra High Performance Engine Oil for a variety of diesel and gasoline engines. Specially for highly-loaded commercial vehicle diesel engines. Lower oil consumption.
TITAN TRUCK 15W-40	TITAN TRUCK SAE 15W-40	ACEA E7 API CH-4/SJ CAT ECF-1-a	DEUTZ DQC II-18 DTFR 15B110 (MB 228.3) MACK EO-N MB-APPROVAL-228-3 MTU DDC TYPE 2 RENAULT RLD/RLD-2 VOLVO VDS-3	CUMMINS CES 20076/7 MAN M 3275-1	
	Motorenöle für gasbetriebene Nutzfahrzeuge	Engine Oils for Commercial Vehicles with Gas Engines			Engine Oils for Commercial Vehicles with Gas Engines
TITAN CARGO PRO GAS 10W-40	TITAN CARGO PRO GAS SAE 10W-40	ACEA E11, E8, E7	MAN M 3271-3	ACEA E9, E6	Premium Performance, extreme fuel-economy engine oil for highly-supercharged commercial vehicle gas engines as well as Diesel engines with exhaust gas after treatment systems. Specially developed for gas powered engines with and without turbocharger. Optimum cold starting, lower oil consumption and minimized exhaust emissions. For MAN gas engines extended drain intervals are possible.
TITAN CARGO PRO 20092 15W-40	TITAN CARGO PRO 20092 SAE 15W-40	-	CUMMINS CES 20092	CUMMINS CES 20085 DETROIT DIESEL 93K216	Premium Performance Engine Oil specially developed for highly-loaded gas fuelled engines in commercial vehicles. Lower oil consumption and minimized exhaust emissions.
TITAN CARGO PRO GAS 15W-40	TITAN CARGO PRO GAS SAE 15W-40	-	CUMMINS CES 20074	API CF/CF-4/CG-4/CF-2/CE/CD DETROIT DIESEL 93K216	Premium Performance Engine Oil specially developed for highly-loaded gas fuelled engines in commercial vehicles. Lower oil consumption and minimized exhaust emissions.
	Motorenöle mit Festschmierstoffzusätzen	Engine Oils with Solid Lubricant Additives			Engine Oils with Solid Lubricant Additives
TITAN CFE MC 5W-40	TITAN CFE MC SAE 5W-40	-	-	ACEA E3/A3/B3 API CG-4/SJ	High Performance, fuel-economy oil based on MC-Synthesis with solid lubricant additive MoS ₂ for engines in commercial vehicles and passenger cars. Reduces friction and suppresses noise. Optimum cold starting and lower oil consumption.
TITAN CFE MC 10W-40	TITAN CFE MC SAE 10W-40	-	-	ACEA E3/A3/B3 API CG-4/SJ	High Performance, fuel-economy oil based on MC-Synthesis with solid lubricant additive MoS ₂ for engines in commercial vehicles and passenger cars. Reduces friction and suppresses noise. Good cold starting and lower oil consumption.
	Motorenöle für Schienenverkehr	Railroad Engine Oils			Railroad Engine Oils
	TITAN RAILGEN 13 SAE 20W-40	-	GE Generation 4LL GM - EMD GENERATION 5	API CD/CF LMOA GENERATION 5 CATERPILLAR 3600	High Performance Rail Locomotive Multigrade Engine Oil according to API CF utilizing zinc and chlorine free additive technology.
TITAN RAILGEN 13 40	TITAN RAILGEN 13 SAE 40	-	GE Generation 4LL GM - EMD GENERATION 5	API CD/CF LMOA GENERATION 5 CATERPILLAR 3600	High Performance Rail Locomotive Monograde Engine Oil according to API CF utilizing zinc and chlorine free additive technology.
	Einbereichs-Motorenöle für Baumaschinen	Monograde Engine Oils for Construction Machinery			Monograde Engine Oils for Construction Machinery
TITAN UNIVERSAL HD 10W	TITAN UNIVERSAL HD SAE 10W	-	ZF TE-ML 03B (ZF002013)	ACEA E2 API CF-4/SG MAN 270 MIL-L-2104 D ALLISON C-4 CAT TO-2 MAN 270 MB 228.0 ZF TE-ML 02C	High Performance Monograde Engine Oil for gasoline and diesel engines. Specially developed for off-road vehicles. Depending upon manufacturer regulation also in other aggregates applicable.
TITAN UNIVERSAL HD 20W-20	TITAN UNIVERSAL HD SAE 20W-20	-	MB-APPROVAL 235.27 VOITH-RETARDER "A"	ACEA E2 API CF-4/SG MIL-L-2104 D ALLISON C-4 CAT TO-2 MAN 270 MB 228.0 ZF TE-ML 02C	High Performance Monograde Engine Oil for gasoline and diesel engines. Specially developed for off-road vehicles. Depending upon manufacturer regulation also in other aggregates applicable.
TITAN UNIVERSAL HD 30	TITAN UNIVERSAL HD SAE 30	-	DEUTZ DQC I-02 MTU DDC TYPE 2 ZF TE-ML 04B (ZF001189)	ACEA E2 API CF-4/SG MIL-L-2104 D ALLISON C-4 CAT TO-2 MAN 270 MB 228.0 ZF TE-ML 02C	High Performance Monograde Engine Oil for gasoline and diesel engines. Specially developed for off-road vehicles. Depending upon manufacturer regulation also in other aggregates applicable.
TITAN UNIVERSAL HD 40	TITAN UNIVERSAL HD SAE 40	-	DEUTZ DQC I-02 DTFR 13B120 (MB 235.12) MTU DDC TYPE 2 ZF TE-ML 04B (ZF001190)	ACEA E2 API CF-2/CF-4/SG DTFR-13B120 MB 228.2 MB-236-42 MIL-L-2104 D ALLISON C-4 CAT TO-2 MAN 270 ALLEN E22	High Performance Monograde Engine Oil for gasoline and diesel engines. Specially developed for off-road vehicles. Depending upon manufacturer regulation also in other aggregates applicable.
TITAN UNIVERSAL HD 50	TITAN UNIVERSAL HD SAE 50	-	DEUTZ DQC I-02 MAN M 3275-2	ACEA E2 API CF-4/SG MIL-L-2104 D ALLISON C-4 CAT TO-2 MAN 270 MB 228.0 ZF TE-ML 02C	High Performance Monograde Engine Oil for gasoline and diesel engines. Specially developed for off-road vehicles. Depending upon manufacturer regulation also in other aggregates applicable.
TITAN UNIVERSAL HD 30 MTU	TITAN UNIVERSAL HD SAE 30 MTU	-	MTU DDC TYPE 2	-	High Performance dedicated break in engine oil for MTU diesel and gas engines, developed to improve operating characteristics with enhanced corrosion protection.
TITAN UNIVERSAL XT 10W	TITAN UNIVERSAL XT SAE 10W	-	-	API SF/CD	Monograde Engine Oil for gasoline and diesel engines. Specially developed for off-road vehicles.
	Gasmotorenöle für stationäre	Gas Engine Oils for Stationary Gas			Gas Engine Oils for Stationary Gas

TITAN GANYMET ULTRA	TITAN GANYMET ULTRA	-	AGROGEN CATERPILLAR TR 0199-99-12105 INNIO JENBACHER TA 1000-1109 - A, CAT: series 2, 3, 4 (A, B), 6 (C, E) - B, CAT: series 2, 3, 4 (A, B), 6 (C, E) MAN M 3271-4 MTU Onsite Energy Series 400 (E, P, B with SRK), Series 4000 (L32FB, L62FB) MWM TR 0199-99-2105 SEVA TRS-07 SPANNER RE ²	-	Premium Performance Engine Oil, zinc-free, for stationary gas engines.
TITAN GANYMET ULTRA LA	TITAN GANYMET ULTRA LA	-	DEUTZ TR 0199-99-01213 INNIO JENBACHER TA 1000-1109 - A: series 2, 3, 4 (all versions), 6 (all versions incl. Steel piston gas engines versions F and J (J624)) MAN ES 4-Stroke Medium Speed Engines Bergen Engines B36:45, B35:40, C26:33 and K-	CATERPILLAR Series 3500 MWM TR 0199-99-2105 INNIO WAUKESHA	Premium Performance Engine Oil for stationary gas engines.
TITAN GANYMET PLUS	TITAN GANYMET PLUS	-	CATERPILLAR TR 0199-99-12105 DREYER & BOSSE INNIO JENBACHER TA 1000-1109 - B: series 2, 3 MTU Onsite Energy Series 400 (B) MWM TR 0199-99-2105 SEVA TRS-07	-	Ultra High Performance Engine Oil, zinc-free, for stationary gas engines.
TITAN GANYMET PLUS LA	TITAN GANYMET PLUS LA	-	CATERPILLAR TR 0199-99-12105 DEUTZ TR 0199-99-01213 MWM TR 0199-99-2105 SEVA TRS-07	CATERPILLAR CUMMINS WAUKESHA	Ultra High Performance Engine Oil with low sulphated ash content, zinc-free, for stationary gas engines.
TITAN GANYMET PRO MA	TITAN GANYMET PRO MA	-	CATERPILLAR TR 0199-99-12105 INNIO JENBACHER TA 1000-1109 - B, C: series 2, 3, 4 (A, B), 6 (C, E) MAN M 3271-4 MAN M 3271-5 MWM TR 0199-99-2105	CATERPILLAR (special gas)	Ultra High Performance Engine Oil for stationary gas engines.
TITAN GANYMET PRO 4000	TITAN GANYMET PRO 4000	-	Bergen Engines B36:45, B35:40, C26:33 and K-series CATERPILLAR TR 0199-99-12105 MTU Series 4000 (L64) MWM TR 0199-99-2105	-	Ultra High Performance Engine Oil with low sulphated ash content for stationary gas engines. Specially developed for MTU Series 4000 gas engines.
TITAN GANYMET PRO LA	TITAN GANYMET PRO LA	-	CATERPILLAR TR 0199-99-12105 INNIO JENBACHER TA 1000-1109 - A: series 2, 3, 4 (A, B), 6 (C, E) MAN M 3271-2 MWM TR 0199-99-2105 ROLLS-ROYCE BERGEN B35:40, C26:33, K-G1, -G2, -G3, -G4 WÄRTSILÄ GAS ENGINES 20DF, 31DF, 32DF, 34DF, 46DF, 50DF, 26SG, 28SG, 31SG, 34SG	CATERPILLAR CUMMINS INNIO JENBACHER - B: series 2, 3, 4 (A, B), 6 (C, E) WAUKESHA	Ultra High Performance Engine Oil with low sulphated ash content for stationary gas engines.
	TITAN GANYMET PRO RR	-	ROLLS-ROYCE BERGEN BV-G, CR-G, K-G1, -G2, -G3	-	Ultra High Performance Engine Oil for gas engines with or without Lean Burn technology. Provides excellent lubricating properties and keeps the engine free of soot and deposits. The product has a low ash content and is suitable for applications where natural gas is used as a fuel.
TITAN GANYMET	TITAN GANYMET	-	ASJA AMBIENTE ITALIA INNIO JENBACHER TA 1000-1109 - C: series 2, 3 MAN M 3271-4 MTU Onsite Energy Series 400 (B) SEVA TRS-07	-	High Performance Engine Oil for stationary gas engines.
TITAN GANYMET LA	TITAN GANYMET LA	-	CATERPILLAR TR 0199-99-12105 DEUTZ TR 0199-99-01213 INNIO JENBACHER TA 1000-1109 - A, CAT: series 2, 3, 4 (A, B), 6 (C, E) MAN M 3271-2 MTU Onsite Energy Series 400 (E, P), Series 4000 (L61, L62, L63) MWM TR 0199-99-2105 SEVA TRS-07	CATERPILLAR CUMMINS WAUKESHA	High Performance Engine Oil with low sulphated ash content for stationary gas engines.
Marine 4-Takt-Motorenöle		4-Stroke Marine Engine Oils		4-Stroke Marine Engine Oils	
TITAN MARINE MC 10W-40	TITAN MARINE MC SAE 10W-40	ACEA E7 API SJ/SL/CH-4/CI-4	-	ACEA A3/B4 CAT ECF-2 CUMMINS CES 20077/8 DETROIT DIESEL 93K215 DEUTZ DQC III-10 MAN M 3275-1 MTU DDC TYPE 2	Ultra High Performance MC Engine Oil for 4-strokes Diesel and petrol marine engines, in tourism or competition use.
	TITAN MARINE SAE 15W-40	-	-	API SG/CE/CF-4 CATERPILLAR CUMMINS PERKINS BOMBARDIER EVINRUDE	Marine lubricant for 4-strokes Diesel and petrol marine engines.
TITAN MARINE FC-W 10W-30	TITAN MARINE FC-W SAE 10W-30	-	NMMA FC-W (CAT)	HONDA JOHNSON MERCURY SEADOO SUZUKI	Ultra High Performance Engine Oil for marine leisure 4-stroke gasoline engines, in accordance with the latest requirements of NMMA.
Marine 2-Takt-Motorenöle		2-Stroke Marine Engine Oils		2-Stroke Marine Engine Oils	
TITAN MARINE TC-W3	TITAN MARINE TC-W3	-	NMMA TC-W3	BOMBARDIER EVINRUDE JOHNSON KAWASAKI MARINER MERCURY SEADOO SUZUKI TOHATSU YAMAHA	Ultra High Performance Engine Oil for marine leisure 2-stroke engines, in accordance with the latest requirements of NMMA.
Marine Einbereichs-Motorenöle		Monograde Marine Engine Oils		Monograde Marine Engine Oils	
	TITAN MARINE 30	MIL-L-2104 E	-	API CF/CD CCMC D4 BAUDOUIN UNIDIESEL (POYAUD - SACM)	Monograde Engine Oil for all Diesel engines turbocharged or naturally aspirated, in severe working conditions.
	TITAN MARINE 40	MIL-L-2104 E	-	API CF/CD CCMC D4 BAUDOUIN UNIDIESEL (POYAUD - SACM)	Monograde Engine Oil for all Diesel engines turbocharged or naturally aspirated, in severe working conditions.
	TITAN MARWAY 1030 SAE 30	SAE J300: SAE 30	MAN B&W ALPHA MODULE GEAR MAN DIESEL & TURBO WÄRTSILÄ	API CF MIL-L-2104 D	Ultra High Performance marine diesel engine oil.
	TITAN MARWAY 1040 SAE 40	SAE J300: SAE 40	MAN DIESEL & TURBO ROLLS-ROYCE BERGEN WÄRTSILÄ	API CF MIL-L-2104 D	Ultra High Performance marine diesel engine oil.
2-Takt-Motorenöle		2-Stroke Engine Oils		2-Stroke Engine Oils	
TITAN 2T ULTRA	TITAN 2T ULTRA	API TC JASO FD ISO L-EGD	-	HVA 346 HVA 372	Premium Performance two-stroke engine oil for Autolube and Premix systems formulated with high quality base oils. Product dyeing: blue.
	TITAN 2T S	API TC JASO FC ISO L-EGC	-	-	Ultra High Performance two-stroke engine oil. Mixes rapidly. Suitable for Autolube as well as Premix systems. Product dyeing: blue.
	TITAN 2T PLUS	-	-	-	-
Getriebeöle für PKW		Gear Oils for Passenger Cars		Gear Oils for Passenger Cars	

TITAN SINTOFLUID FE 75W	TITAN SINTOFLUID FE SAE 75W BluEV Technology	API GL-4	MB-APPROVAL 235.17	FIAT 9.55550-MZZ FORD WSS-M2C200-D2 GMW 17594 MB 235.73 PSA 871 2316 VW G 055 512 VW TL 521 71 (G 052 171 A1/A2) VW TL 521 78 (G 052 178 A2) VW TL 525 12 (G 052 512 A2) VW TL 525 27 (G 052 527 A2) VW TL 726 /G 052 726 A2/G 055 726	Premium Performance Manual Transmission Fluid offering increased efficiency in passenger cars due to its low viscosity and can be used in reducer gearboxes. Reduces fuel consumption and offers best properties at low temperature. Suitable as fill for life fluid according to manufacturer. With BluEV Technology additionally applicable in hybrid and electrical vehicles of different manufacturers.
TITAN SINTOFLUID 75W-80	TITAN SINTOFLUID SAE 75W-80	API GL-4	-	BMW 83 22 0 309 031 BMW 83 22 0 405 247 BMW 83 22 2 339 210 BMW 83 22 7 533 818 BMW 2300 1434 404 BMW 2300 7533 513 BMW 2300 7533 818 FORD WSS-M2C200 C3 OPEL 19 40 182 OPEL 19 40 757 OPEL 19 40 768 OPEL 19 40 776 VOLVO 97308 VW 501 50 (G 005 000 05/G 005 000/G	Premium Performance Manual Transmission Fluid for passenger cars. Offering good gearbox efficiency. Suitable as fill for life fluid according to manufacturer.
TITAN SINTOPOID FE 75W-85	TITAN SINTOPOID FE SAE 75W-85	API GL-5	MB-APPROVAL 235.7 MB-APPROVAL 235.74 MB-APPROVAL 239.72 ZF TE-ML 18 (ZF002195)	MB 239.71 VW TL 521 45-X (G 052 145 A1) VW TL 521 90 (G 052 190 A2/ G 055 190 A2)	Premium Performance fuel-economy passenger car axle fluid offering increased gearbox efficiency in passenger cars due to low viscosity level. Reduces fuel consumption and offers best properties at low temperature. Suitable as fill for life fluid according to manufacturer.
TITAN SINTOPOID 4218 70W-80	TITAN SINTOPOID 4218 SAE 70W-80 BluEV Technology	API GL-5	BMW G3 (BMW 83 22 2 413 512) BMW 83 22 2 460 180 BMW 83 22 2 471 423	-	Premium Performance Axle Gear Oil passenger cars incl. high-offset hypoid drives offering good gearbox efficiency. Suitable as fill for life fluid according to the manufacturer. With BluEV Technology additionally applicable in hybrid vehicles of different manufacturers.
TITAN SINTOPOID 75W-90	TITAN SINTOPOID SAE 75W-90	API GL-5	-	MIL-L-2105 D VW TL 521 45-Y (G 052 145 A2)	Premium Performance Axle Gear Oil for passenger cars, also for high-offset hypoid drives offering good gearbox efficiency. Suitable as fill for life fluid according to manufacturer.
TITAN SINTOPOID LS 75W-90	TITAN SINTOPOID LS SAE 75W-90	API GL-4/5 incl. LS	-	FORD WSS-M2C200-C/C2 VW G50/G51	Premium Performance, fully-synthetic multifunctional gear oil, formulated with fully-synthetic base oils. Suitable for axles and transfer gear-boxes with or without self-locking differentials and also as trouble shooter for conventional manual transmissions
TITAN SINTOPOID LS 75W-140	TITAN SINTOPOID LS SAE 75W-140	API GL-5	-	BMW 83 22 2 282 583 BMW 83 22 9 407 870 CHRYSLER MS-8985 FORD WSL-M2C192-A GM 12346140 JOHN DEERE JDM J11G SCANIA STO 1:0	Premium Performance Gear Oil for axle and transfer gearboxes, formulated with fully-synthetic base oils. Suitable for axle and transfer gearboxes with and without limited slip differential.
Getriebeöle für PKW und Nutzfahrzeuge		Gear Oils for Passenger Cars and Commercial Vehicles		Gear Oils for Passenger Cars and Commercial Vehicles	
TITAN SUPERGEAR MC 80W-90	TITAN SUPERGEAR MC SAE 80W-90	API GL-4/GL-5	DTRF 12B100 (MB 235.0) EvoBus 26.000-032 EvoBus 26.000-034 MAN 341 TYPE Z2 MAN 342 TYPE M2 MB-APPROVAL 235.6 SCANIA STO 1:0 SCANIA STO 1:1 G ZF TE-ML 02B, 05A, 12E, 12M, 16B, 17H, 19B, 21A (ZF000722)	API MT-1 CASE MS 1316 FORD WSP-M2C197-A JOHN DEERE JDM J11E MAN M 3343 TYPE M MAN 341 TYPE E2 NH 520A SDFG OP 1705 STEYR B-101 VOLVO 97310	Ultra High Performance Gear Oil based on MC-Synthesis for extended oil change intervals.
TITAN SUPERGEAR MC 80W-140	TITAN SUPERGEAR MC SAE 80W-140	-	ZF TE-ML 05A, 12M, 16C, 21A (ZF006028)	API MT-1 JOHN DEERE JDM J11E OPEL 19 42 386 RENAULT VI SCANIA STO 1:0 VOLVO 97310 ZF TE-ML 08	Ultra High Performance Gear Oil based on MC-Synthesis for extended oil change intervals.
TITAN SUPERGEAR PRO S1 80W-140	TITAN SUPERGEAR PRO S1 SAE 80W-140	API GL-5	SCANIA STO 1:0	VOLVO 97321	Ultra High Performance Gear Oil especially for axle- and manual transmissions in SCANIA commercial vehicles.
TITAN SUPERGEAR PLUS 80W-90	TITAN SUPERGEAR PLUS SAE 80W-90	API GL-4/GL-5 SAE J2360	MAN 342 TYPE M2 MB-APPROVAL 235.6 ZF TE-ML 05A, 12E, 16C, 17B, 19B, 21A (ZF010958)	MB 235.0 MIL-L-2105 D/E NH 520A STEYR B-101 VOLVO 97310	Ultra High Performance Gear Oil for extended oil change intervals.
TITAN SUPERGEAR 80W-90	TITAN SUPERGEAR SAE 80W-90	API GL-4/GL-5	EvoBus 26.000-025 MAN 342 TYPE M2 ZF TE-ML 05A, 12E, 17B, 19B, 21A (ZF000647)	MIL-L-2105 D VOLVO 97310 NH 520A STEYR B-101	Ultra High Performance Gear Oil for extended oil change intervals.
TITAN SUPERGEAR 85W-140	TITAN SUPERGEAR SAE 85W-140	API GL-4/GL-5	EvoBus 26.000-025 ZF TE-ML 05A, 12E, 16D, 21A (ZF000650)	MIL-L-2105 D VOLVO 97310	Ultra High Performance Gear Oil for extended oil change intervals.
TITAN SUPERGEAR LS 80W-90	TITAN SUPERGEAR LS SAE 80W-90	API GL-5 SAE J306: 80W-90	ZF TE-ML 05N, 21N (ZF008289)	FORD M2C104-A JOHN DEERE JDM J11F NH 520B VOLVO 97310 VOLVO 97321 ZF TE-ML 05C	High Performance LS (Limited Slip) hypoid gear oil for axles with or without limited slip differentials.
TITAN GEAR LS 90	TITAN GEAR LS SAE 90	API GL-5 SAE J306: 85W-90	ZF TE-ML 05C, 16E, 21C (ZF000651)	MIL-L-2105 D FORD M2C104-A JOHN DEERE JDM J11F NH 520B VOLVO 97310 ZF TE-ML 12C	High Performance LS (Limited Slip) hypoid gear oil for axles with or without limited slip differentials.
TITAN GEAR MP 80	TITAN GEAR MP SAE 80	API GL-4	DTRF 13B100 MB-APPROVAL 235.14 ZF TE-ML 17A (ZF000654)	BMW MTF 1 (BMW 81 22 2 339 384) BMW 81 22 9 407 052 BMW 81 22 9 407 053 FORD M2C9008-A MB 235.1 VW TL 726 ZF TE-ML 08	High Performance Gear Oil for synchronized and non-synchronized manual gearboxes as well as auxiliary drives, axles and differentials in commercial vehicles and passenger cars.
TITAN GEAR MP 90	TITAN GEAR MP SAE 90	API GL-4	-	MAN 341 TYPE E1, Z1 MB 235.1 ZF TE-ML 02A, 16A, 17A, 19A	High Performance Gear Oil for synchronized and non-synchronized manual gearboxes as well as auxiliary drives, axles and differentials in commercial vehicles and passenger cars.
TITAN GEAR HYP 90	TITAN GEAR HYP SAE 90	API GL-5 SAE J306: 85W-90	DTRF 12B100 (MB 235.0) MB-APPROVAL 235.6 ZF TE-ML 16C, 17B, 19B, 21A (ZF000656)	FORD SR-M2C9102-A JOHN DEERE JDM J11E MAN 342 TYPE M1 OPEL 19 42 387 VOLVO 97310 VW TL 727 ZF TE-ML 07 08	High Performance Gear Oil for highly-stressed differentials in commercial vehicles and passenger cars.
Getriebeöle für Nutzfahrzeuge		Gear Oils for Commercial Vehicles		Gear Oils for Commercial Vehicles	
TITAN CYTRAC TD 75W-90	TITAN CYTRAC TD SAE 75W-90	API GL-4/GL-5 API MT-1 SAE J2360	DETROIT DIESEL 93K219.01 MAN 341 TYPE Z2 MAN 342 TYPE S1 MB-APPROVAL 235.8 MERITOR O-76-E SCANIA STO 1:0 SCANIA STO 1:1 G SCANIA STO 2.0 A FS VOLVO 97312 ZF TE-ML 02B, 05A, 12L, 12N, 16F, 17B, 19C, 21A (ZF002341)	JOHN DEERE JDM J11E JOHN DEERE JDM J11G MAN 341 TYPE E3 MAN 342 TYPE M3	Premium Performance Gear Oil for highly-stressed manual transmissions and hypoid axles in commercial vehicles formulated with fully-synthetic base oils. Developed for the longest oil change intervals.

TITAN CYTRAC SL 75W-90	TITAN CYTRAC SL SAE 75W-90	API GL-5	MAN 342 TYPE S1 SCANIA STO 1:0	JOHN DEERE JDM J11E JOHN DEERE JDM J11G MB 235.8 VOLVO 97312 ZF TE-ML 05B, 07A, 08A, 09A, 10A, 11A, 12A, 13A, 14A, 15A, 16A, 17A, 18A, 19A, 20A, 21A	Premium Performance Gear Oil for highly-stressed hypoid axles in commercial vehicles formulated with fully-synthetic base oils. Developed for the longest oil change intervals.
TITAN CYTRAC PRO 235.31 75W-85	TITAN CYTRAC PRO 235.31 SAE 75W-85	API GL-5	DTRFR 12B120 (MB 235.31) MB-APPROVAL-235.31	DETROIT DIESEL 93K219.03	Premium Performance Gear Oil for highly-stressed hypoid axles in Mercedes-Benz commercial vehicles formulated with selected base oils. Developed for the longest oil change intervals.
TITAN CYTRAC PRO GA2 75W-90	TITAN CYTRAC PRO GA2 SAE 75W-90	API GL-5 SCANIA STO 1:1 G	MAN 341 TYPE GA2 SCANIA STO 2:0 G	-	Premium Performance Transmission Oil for manual transmissions in commercial vehicles, especially for SCANIA and MAN. Developed for the longest oil change intervals.
TITAN CYTRAC PRO S2A 75W-140	TITAN CYTRAC PRO S2A SAE 75W-140	API GL-5 SCANIA STO 1:0	SCANIA STO 2:0 A	-	Premium Performance Gear Oil especially for axle- and differential transmissions in Scania commercial vehicles. Developed for longest oil drain intervals.
TITAN CYTRAC RR 75W-90	TITAN CYTRAC RR SAE 75W-90	API GL-5 API MT-1 SAE J2360	EvoBus 26.000-032 EvoBus 26.000-037 SCANIA STO 1:0 SIEMENS FLENDER Gear Units for Railway Vehicles VOITH 132.00374401 VOITH 132.00374402 VOITH 3.325-340 VOITH 3.325-342 ZF TE-ML 05A, 12L, 12N, 16F, 17B, 19C, 21A ZF 97321	Gmeinder Getriebebau railway applications ZF TE-ML 05B, 21B	Fully synthetic Premium Performance Hypoid Gear Oil for axle drives in railcars and heavy duty vehicles.
	TITAN CYTRAC ETN SAE 40	API MT-1	MERITOR O-81 CONMET EATON PS-386 MACK TO-A PLUS NAVISTAR MPAPS B-6816 TYPE II	EATON PS-164 REV 7	A premium synthetic transmission lubricant designed for extended drain intervals, fuel economy and increased gear life.
	TITAN CYTRAC ETN-EP SAE 80W-140	API MT-1 API GL-5	DANA SHAE 429	ARVIN MERITOR O-80, O-76-B INTERNATIONAL TMS 6816 MACK GO-J SAE J2360 MIL-PRF-2105 E	
TITAN CYTRAC FE SYNTH 75W-85	TITAN CYTRAC FE SYNTH SAE 75W-85	API GL-4	MB-APPROVAL 235.16	-	Premium Performance Gear Oil for gear boxes in commercial vehicles, specially for the latest version of Mercedes-Benz CO ₂ transmissions, formulated with fully-synthetic base oils. Most fuel efficient by improving gearbox efficiency. Suitable for the longest oil change intervals.
TITAN CYTRAC MB SYNTH 75W-90	TITAN CYTRAC MB SYNTH SAE 75W-90	API GL-4	MAN 341 TYPE MB DTRFR 13B110 (MB 235.11) MB-APPROVAL-235.11 MB-APPROVAL 235.21	ZF TE-ML 08	Premium Performance Gear Oil for gear boxes in commercial vehicles, specially developed for Mercedes-Benz Actros vehicles, formulated with fully-synthetic base oils. Reduces fuel consumption by improving gearbox efficiency. Suitable for the longest oil change intervals.
TITAN CYTRAC ULTRA SYNTH 75W-80	TITAN CYTRAC ULTRA SYNTH SAE 75W-80	API GL-4 VOLVO 97307	EvoBus 26.000-030 MAN 341 TYPE Z5 ZF TE-ML 01E, 02E, 16P (ZF008388)	IVECO 18-1807 MGS2 MAN 341 TYPE VR MB 235.29 MB 235.41 VOITH-RETARDER C	Premium Performance Gear Oil for gear boxes in commercial vehicles, especially developed for ZF heavy duty transmissions with and without interarder. Reduces fuel consumption by improving gearbox efficiency.
TITAN CYTRAC MAT 75W-80	TITAN CYTRAC MAT SAE 75W-80	API GL-4	MAN 341 TYPE Z4 ZF TE-ML 01L, 02L, 16K (ZF003373)	IVECO 18-1807 CLASSE MGS1 MAN 341 TYPE E3 MAN 341 TYPE Z3 MAN 341 TYPE Z5 VOLVO 97305 VOLVO 97307 ZF TE-ML 01E, 02D, 02E, 08, 16P	Premium Performance Gear Oil for gear boxes in commercial vehicles, specially developed for manual and automatic ZF-gear boxes, formulated with selected base oils. Reduces fuel consumption by improving gearbox efficiency. Suitable for the longest oil change intervals and compatible with Carbon-Synthetic.
TITAN CYTRAC HSY 75W-90	TITAN CYTRAC HSY SAE 75W-90	API GL-4/GL-5	EvoBus 26.000-032 EvoBus 26.000-037 ZF TE-ML 05A, 12L, 12N, 16F, 17B, 19C, 21A (ZF006642)	MAN 341 TYPE E3 MAN 341 TYPE Z2 MAN M 3343 TYPE S MAN M 3343 TYPE S JOHN DEERE JDM J11E JOHN DEERE JDM J11G SCANIA STO 1:0 ZF TE-ML 05B, 07A, 08A, 09A, 10A, 11A, 12A, 13A, 14A, 15A, 16A, 17A, 18A, 19A, 20A, 21A	Premium Performance Gear Oil for commercial vehicle manual transmissions and axle drives formulated with fully-synthetic base oils.
TITAN GEAR HYP LD 80W-90	TITAN GEAR HYP LD SAE 80W-90	API GL-5 API MT-1 SAE J2360	DETROIT DIESEL 93K219.02 DTRFR 12B110 (MB folgt noch wenn MB Freigabe da ist, Holger) EvoBus 26.000-032 EvoBus 26.000-034 JOHN DEERE JDM J11E MAN 342 TYPE M3 MB-APPROVAL 235.20 SCANIA STO 1:0 VOLVO 97321	MIL-PRF-2105 E ARVIN MERITOR O-76-D MACK GO-J ZF TE-ML 07A	High Performance Gear Oil specially developed for Mercedes-Benz commercial vehicles. Offering enhanced thermal stability and fuel-economy potential.
	Doppelkupplungsgetriebeöl (DCTF)	Double Clutch Transmission Fluids (DCTF)			Double Clutch Transmission Fluids (DCTF)
TITAN FFL-52529	TITAN FFL-52529 BluEV Technology	-	VW TL 52 529-C (G 055 529)	-	Premium Performance DCTF for ultimate friction stability and best fuel economy properties. Specially developed for the wet clutch of the DL382 (0CK) and DL382e transmission of VW group. With BluEV Technology additionally applicable in hybrid vehicles of different manufacturers such as
TITAN FFL-2	TITAN FFL-2 BluEV Technology	-	JAC DTF630 VW TL 52 182 (G 052 182)	-	Premium Performance DCTF. Specially developed for wet clutch DCTs and hybridized DCTs (DQ400e). Provides optimum wear protection and excellent friction properties even under hard conditions and offers best shifting performance over the whole lifetime. With BluEV Technology additionally applicable in hybrid vehicles of different
TITAN FFL-3	TITAN FFL-3 BluEV Technology	-	MB-APPROVAL 236.24 ZF TE-ML 11 (ZF004742)	BMW 83 22 2 156 969 (MTF-LT-5) BMW 83 22 2 167 666 (MTF-LT-5) HYUNDAI 04300K1XA JAGUAR LAND ROVER GX73-M1R564-AA PORSCHE 999 917 080 00	Premium Performance DCTF. Specially developed for wet clutch ZF/Porsche DCTs. Provides optimum wear protection and excellent friction properties even under hard conditions and offers best shifting performance over the whole lifetime. With BluEV Technology additionally applicable in hybrid and electrical vehicles of different
TITAN FFL-4	TITAN FFL-4	-	GETRAG (PWA05043)	BMW 83 22 2 040 214 BMW 83 22 2 147 477 BMW 83 22 2 148 578 BMW 83 22 2 148 579 BMW 83 22 2 446 673 FORD WSS-M2C936-A McLaren: MP4-12C MITSUBISHI DIA QUEEN SSTF-1 PSA 9734 S2 VOLVO 2461000	Premium Performance DCTF. Specially developed for GETRAG/BMW Double Clutch Transmission with wet clutch.
TITAN FFL-7 A	TITAN FFL-7 A BluEV Technology	-	MB-APPROVAL 239.21	BMW 83 22 2 433 157 (DCTF 2) FORD WSS-M2C218-A1 (F-DC) RENAULT 77 11 785 243 (DWS)	Premium Performance DCTF. Specially developed for the third generation wet clutch DCT of Magna GETRAG. With BluEV Technology additionally applicable in hybrid vehicles of different manufacturers.
TITAN FFL-7 A	TITAN FFL-7 A BluEV Technology	-	MB-APPROVAL-239.21	BMW 83 22 2 433 157 (DCTF 2) FORD WSS-M2C218-A1 (F-DC) MB 239.21 RENAULT 77 11 785 243 (DWS)	Premium Performance DCTF. Specially developed for the third generation wet clutch DCT of Magna GETRAG. With BluEV Technology additionally applicable in hybrid vehicles of different manufacturers.
TITAN FFL-8	TITAN FFL-8 BluEV Technology	-	ZF TE-ML 11 (ZF004743)	BENTLEY G 052 524 B2 PORSCHE 000 043 210 44 PORSCHE 971 094 307 02A VW G 055 524	Premium Performance DCTF. Specially developed for wet clutch ZF/Porsche DCTs. Provides optimized friction properties and best load carrying capacity even under hard conditions over the whole lifetime. With BluEV Technology additionally applicable in hybrid vehicles of different manufacturers such as

TITAN FFL-10	TITAN FFL-10 BlueEV Technology	-	MB-APPROVAL 236.22	-	Premium Performance DCTF. Specially developed for wet clutch Mercedes-Benz-8-speed. Provides optimum wear protection and excellent friction properties over the whole lifetime and offers best shifting performance even under hard conditions. With BlueEV Technology additionally applicable in hybrid vehicles of different manufacturers such as
TITAN FFL-RACING	TITAN FFL-RACING	-	-	NISSAN GT-R (R35)	Premium Performance DCTF. Specially developed for highly stressed double clutch transmissions.
	Automatikgetriebeöle (ATF)	Automatic Transmission Fluids (ATF)			Automatic Transmission Fluids (ATF)
TITAN ATF 9134 FE	TITAN ATF 9134 FE BlueEV Technology	-	MB-APPROVAL 236.17	NISSAN MATIC P	Premium Performance ATF with reduced viscosity, especially developed to further optimize fuel-economy and gearbox efficiency of latest generation Mercedes-Benz 9-speed automatic transmissions. Not downwards compatible with previous MB-ATF-Specifications. With BlueEV Technology additionally applicable in hybrid vehicles of different manufacturers.
TITAN ATF 9034	TITAN ATF 9034 BlueEV Technology	-	-	MB 236.17 NISSAN MATIC P	Premium Performance ATF with reduced viscosity, especially developed to further optimize fuel-economy and gearbox efficiency of latest generation Mercedes-Benz 9-speed automatic transmissions. Not downwards compatible with previous MB-ATF-Specifications. With BlueEV Technology additionally applicable in hybrid vehicles of different manufacturers.
TITAN ATF 8400 ULV	TITAN ATF 8400 ULV	-	-	AISIN WARNER AW-2 BMW 83 22 2 413 477 (ATF 7) DEXRON ULV FORD MERCON ULV FORD WSS-M2C949-A PSA 16 350 560 80 VW G 053 001 VW G 060 540 VOLVO 31442323	Premium Performance ATF with extremely reduced viscosity specifically formulated for automatic transmissions of Japanese manufacturers. Product dyeing: red.
TITAN ATF 7134 FE	TITAN ATF 7134 FE	-	MB-APPROVAL 236.15	-	Premium Performance ATF with reduced viscosity, especially developed to further optimize fuel-economy and gearbox efficiency.
TITAN ATF 6400	TITAN ATF 6400 BlueEV Technology	FORD MERCON LV JASO M315 TYPE 1A-LV	DEXRON VI FORD MERCON-LV ZF TE-ML 09	AISIN WARNER/AW-1 BMW 81 22 9 400 272 BMW 81 22 9 400 275 BMW 81 22 9 407 738 BMW 83 22 0 397 114 BMW 83 22 0 403 248 BMW 83 22 0 403 249 BMW 83 22 0 432 807 BMW 83 22 2 163 514 BMW 83 22 2 167 718 BMW 83 22 2 167 720 BMW 83 22 2 355 599 BMW 83 22 2 355 601 BMW 83 22 9 407 858 BMW 83 22 9 407 859 DEXRON HP FIAT 9.55550-AV2 FIAT 9.55550-AV6 GM 9256039/88863400 HONDA DW-1 HYUNDAI NWS 9638 HYUNDAI SP-IV HYUNDAI SP-IV M HYUNDAI SP-IV RR JWS 3324 KIA SP-IV	Premium Performance ATF with reduced viscosity specifically formulated for automatic transmissions of Japanese and American manufacturers. Licensed according to DEXRON VI. With BlueEV Technology additionally applicable in hybrid vehicles of different manufacturers. Product dyeing: red.
TITAN ATF 6009	TITAN ATF 6009 BlueEV Technology ACT	-	-	BMW 83 22 2 152 426 BMW 83 22 2 289 720 (ATF 3+) BMW 83 22 2 305 397 (ATF 3) HONDA ATF TYPE 3.1 JAGUAR 02JDE 26444 LAND ROVER LR023288 NISSAN MATIC R	Premium Performance ATF based on the sustainable FUCHS Advanced Circular Technology (ACT), specially developed to optimize the shifting performance of latest generation ZF automatic transmissions. With BlueEV Technology additionally applicable in hybrid vehicles of different manufacturers.
TITAN ATF 6008	TITAN ATF 6008 BlueEV Technology ACT	-	-	Bentley JNV 862 564 D BMW 83 22 2 152 426 BMW 83 22 2 289 720 (ATF 3+) BMW 83 22 2 305 397 (ATF 3) CHRYSLER 93157995AA FIAT 9.55550-AV5 JAGUAR 02JDE 26444 LAND ROVER LR023288 MB 236.82 VW G 055 162 AWL-COMPO/PEUGEOT Z 000 169756	Premium Performance ATF based on the sustainable FUCHS Advanced Circular Technology (ACT), specially developed to optimize the shifting performance of ZF automatic transmissions incl. hybrid applications. With BlueEV Technology additionally applicable in hybrid vehicles of different manufacturers. Product dyeing: green.
TITAN ATF 6006	TITAN ATF 6006 ACT	-	-	BENTLEY PY112995PA BMW 83 22 0 142 516 BMW 83 22 0 144 137 BMW 83 22 2 305 396 FORD MERCON SP HYUNDAI 040000C90SG JAGUAR FLUID 8432 LAND ROVER TYK500050 MASERATI Z31603 VW G 055 162	Premium Performance ATF based on the sustainable FUCHS Advanced Circular Technology (ACT), specially developed to optimize the shifting performance of ZF automatic transmissions. Product dyeing: none.
TITAN ATF 5668	TITAN ATF 5668	-	ALLISON TES 668® MB-APPROVAL 236.91 MB-APPROVAL 236.92	ALLISON TES 295 ALLISON TES 389 VOLVO 97340 VOLVO 97341	Premium Performance ATF especially developed for highly stressed ALLISON step automatic transmissions in commercial vehicles. Product dyeing: red.
TITAN ATF 5500	TITAN ATF 5500	-	EvoBus 27.000-017 MAN 339 TYPE V1 MAN 339 TYPE V2 MAN 339 TYPE V3 MAN 339 TYPE Z3 MAN 339 TYPE Z12 MB-APPROVAL 236.9 VOITH 150.014524.xx VOLVO 97341	DEXRON III (H) ALLISON TES 295 ALLISON TES 389 IVECO 18-1807 CLASSE AG3/I MAN 339 TYPE Z4 VOITH H55.6336.xx	Premium Performance ATF for automatic transmission in motor vehicles. Outstanding base oil quality for optimal cold temperature properties and high ageing stability. Durable friction properties for excellent wet clutch performance. Product dyeing: none.
TITAN ATF 1	TITAN ATF 1	-	EvoBus 27.000-017 MAN 339 TYPE Z2 VOITH 150.014524.xx ZF TE-ML 04D, 11B, 14B, 17C (ZF003602)	BMW 83 22 2 220 442 (ATF 4) BMW 83 22 9 407 807 (ATF 4) CHRYSLER MS 9602 (ATF +4) CITROËN/PEUGEOT Z 000 169756 DEXRON III IVECO 18-1807 CLASSE AG3/I JAGUAR JLM 20238 MB 236.11 PORSCHE 999.917.547.00 VOITH H55.6336.xx VW TL 521 62 (G 052 162)	Ultra High Performance ATF especially developed for highly stressed step automatic transmissions in passenger cars as well as in commercial vehicles. Product dyeing: none.

TITAN ATF 4400	TITAN ATF 4400 ACT	JASO M315 TYPE 1A	-	DEXRON III (H) BMW MINI 83 22 0 402 413 BMW MINI 83 22 7 542 290 CHRYSLER MS7176E/9602 (ATF +3/+4) DAIHATSU ALUMIX ATF MULTI FIAT 9.55550-AV1/AV4 FORD MERCON FORD MERCON V FORD M2C924-A/M2C922-A1 FORD WSS-M2C919-E FORD WSS-M2C202-B GM 9986195 HONDA ATF Z-I HYUNDAI SP III ISUZU BESCO ATF-III/ATF-III JATCO 3100 PL085/FWD (N402)/JF506E (K17) JWS 3309/TYP E T-IV MAZDA ATF D-III/ATF M-3/M-V MITSUBISHI ATF-J2/SP-II-III NISSAN MATIC C/D/J	Ultra High Performance ATF based on the sustainable FUCHS Advanced Circular Technology (ACT) specifically formulated for Japanese passenger cars and light commercial vehicles, as well as for several European and American manufacturers. The high torque capacity exceeds the performance of many original fluids. Product dyeing: red.
TITAN ATF 4134	TITAN ATF 4134	-	MB-APPROVAL 236.14 SSANGYONG (MB-automatic transmissions)	-	Ultra High Performance ATF, specially developed to optimise shifting performance of Mercedes automatic transmissions. Product dyeing: red.
TITAN ATF 4000	TITAN ATF 4000	-	DEXRON III (H) DTRF 13C100 (MB 236.1) DTRF 13C170 MAN 339 TYPE L1 MAN 339 TYPE V1 MAN 339 TYPE Z1 MB-APPROVAL 236.4 MB-APPROVAL 236.9 VOITH H55.6335.xx VOLVO 97341 ZF TE-ML 04D, 14A (ZF000728)	ALLISON C-4 ALLISON TES 389 BMW 81 22 9 400 272 BMW 81 22 9 400 275 BMW 81 22 9 407 738 BMW 83 22 0 403 248 BMW 83 22 9 407 765 BMW 83 22 9 407 858 BMW 83 22 9 407 859 CAT TO-2 DEXRON III (H) FORD MERCON MB 236.9 OPEL 19 40 707 OPEL 19 40 767 VOLVO 97340	Ultra High Performance ATF for use in automatic transmissions as well as other ATF applications. Improved low-temperature shifting compared to DEXRON II. Product dyeing: red.
TITAN ATF 3353	TITAN ATF 3353	-	MB-APPROVAL 236.12 VW TL 52533 (G 052 533)	DEXRON III BMW 83 22 9 407 765 FORD WSA-M2C195-A FORD WSS-M2C922-A1 SSANG YONG	Ultra High Performance DEXRON III-generation-ATF for automatic transmissions as well as any other ATF-applications. Developed for the MB automatic transmissions and transfer cases according to manufacturer. Offers fuel efficiency potential. Ultra High Performance ATF, specially
TITAN ATF 3292	TITAN ATF 3292	-	DSIH 5M-66 Material Specification Rev 3 SSANG YONG equipped with DSIH Transmissions	-	developed to optimise shifting performance of DSI 6 speed automatic transmissions. Product dyeing: red.
TITAN ATF 3000	TITAN ATF 3000	-	DTRF 13C100 (MB 236.1) MAN 339 TYPE L2 MAN 339 TYPE V1 MAN 339 TYPE Z1 MB-APPROVAL 236.1 VOITH H55.6335.xx ZF TE-ML 04D, 14A (ZF000720)	DEXRON II (D) ALLISON C-4 BMW 81 22 9 400 272 BMW 81 22 9 400 275 BMW 81 22 9 407 738 CAT TO-2 FORD MERCON FORD M2C185-A FORD ESP-M2C138-CJ FORD ESP-M2C166-H FORD M2C9010-A OPEL 19 40 700 OPEL 19 40 707 PSA S71 2102	High Performance DEXRON II (D) ATF for automatic transmissions in commercial vehicles, machinery and passenger cars according to manufacturer's documentation. Product dyeing: red.
TITAN ATF 10	TITAN ATF 10	-	DTRF 13C120 (MB 236.2) MB-APPROVAL 236.2	TASA MAN 339 TYPE A	High Performance ATF for transmissions, power steering systems and hydraulic drives which require a GM-specification TYPE A, Suffix A fluid.
	Getriebeöle für stufenlose Getriebe (CVTF)	Continuously Variable Transmission Fluids (CVTF)			Continuously Variable Transmission Fluids (CVTF)
TITAN CVTF PRO 236.20	TITAN CVTF PRO 236.20	-	MB-APPROVAL 236.20	FORD WSS-M2C928-A	Premium Performance CVTF specially designed for Mercedes-Benz and Ford CVT-gearboxes. Product dyeing: none.
TITAN CVTF FLEX	TITAN CVTF FLEX ACT	-	-	BMW 83 22 0 136 376 BMW 83 22 0 429 154 CHRYSLER CVTF+4 DAIHATSU AMMIX CVTF-DC/DFE DODGE/JEEP NS-2/CVTF+4 FORD WSS-M2C933-A/MERCON C GM 19260800 GM DEX-CVT GM HP CVTF HONDA HCF-2 HYUNDAIKIA SP-CVT1 MAZDA CVTF 3320 MITSUBISHI CVTF-J1/J4 NISSAN NS-1/NS-2/NS-3 SUBARU Lineartronic CV-30/CVTF/CVTF-III/CVTF-HT/E-CVT/CVT SUZUKI TC/NS-2/CVT Green 1/CVT Green 2/CVTF 3320	Premium Performance CVTF based on the sustainable FUCHS Advanced Circular Technology (ACT) specially designed for use in many CVT-gearboxes using push-belts or transmission chains made of steel. Product dyeing: none.
	Getriebeöle für Verteilergetriebe (TCF)	Transfer Case Fluids (TCF)			Transfer Case Fluids (TCF)
TITAN TCF 1	TITAN TCF 1	-	MB-APPROVAL 239.41	BMW 83 22 2 409 710 (BMW D1F 1) BMW 83 22 0 306 816 BMW 83 22 0 397 244 LAND ROVER IYK500010 NISSAN 999-MP-TF0870P PORSCHE 000 043 301 36 PORSCHE 000 043 305 63 VW G 055 015 VW G 052 515	Premium Performance TCF specially designed for use in many transfer cases with wet running clutch.
	Marine Getriebeöle Schmierstoffadditive	Marine Gear Oils Oil Additives			Marine Gear Oils
TITAN LS-CONCENTRATE	TITAN LS-CONCENTRATE	-	-	-	High Performance Oil Additive for limited slip differentials and wet break applications.
	UTTO Öle für Baumaschinen	UTTO Oils for Construction Machinery			UTTO Oils for Construction Machinery
TITAN UTTO PRO 102	TITAN UTTO PRO 102	API GL-4 SAE J306: 75W-75	VOLVO WB 102	ALLISON C-4 CASE NS 1207/1209/1210 CATERPILLAR TO-2 FORD M2C86-C FORD ESN-M2C134-D JOHN DEERE JDM J20C JOHN DEERE JDM J20D KOMATSU AXO 80 (KES 07.866) KUBOTA UDT FLUID MASSEY FERGUSON CMS M 1145, 1143, 1135 VOLVO WB 101 ZF TE-ML 035 055 064 175 215	Premium Performance Multifunctional Oil for gears, axles and hydraulic systems with improved wear protection and wide range of application temperatures. Specially developed and approved for VOLVO axles with built-in wet brakes in construction machinery.

TITAN UTTO WB	TITAN UTTO WB		VOLVO WB 101 ZF-TE-ML 03E, 03F, 05F, 06K (ZF004829)	AGCO Q-1826 (Whitefarm), Powerfluid 821 XL ALLISON C-4 API GL-4 CASE MS 1210, 1209, 1207, 1206, 1205, 1204 CATERPILLAR TO-2 CNH MAT 3505, 3506, 3525 FNHA-2-C-201.00 FORD ESN M2C41-B, M2C53-B, M2C92-A, M2C134-D JOHN DEERE JDM J20C JOHN DEERE JDM J20D KUBOTA UDT FLUID SAE J306: 75W-80	Ultra High Performance Multifunctional Oil (UTTO/MFO) for use in transmission and hydraulic systems with integrated wet brakes, clutches and differentials for construction and agricultural machinery.
TITAN UTTO PLUS	TITAN UTTO PLUS	SAE J300: 5W-30		CASE MS 1207/1209/1210 FORD M2C86-C, ESN-M2C134-D JOHN DEERE JDM J20C JOHN DEERE JDM J20D JOHN DEERE JDM J14 KOMATSU KES 07.868 KUBOTA UDT FLUID MASSEY FERGUSON CMS M 1143, 1135	Ultra High Performance Multifunctional Oil for gears, axles and hydraulic systems on construction and agricultural machinery with or without wet brakes and limited slip differentials.
TITAN UTTO ZF	TITAN UTTO ZF	API GL-4	ZF TE-ML 05F, 06K, 17E, 21F (ZF000661)	VOLVO WB 101 ZF TE-ML 03E	High Performance Gear Oil for ZF axles with limited-slip differentials. Recommended for construction machinery and material-handling vehicles, axles.
	TITAN UTTO TO-4 SAE 5W-30	API GL-4 CAT TO-4		ALLISON C-4 ALLISON TES-439 KOMATSU KES 07.868.1 ZF TE-ML 03C, 07F	High Performance multifunctional transmission lubricant for construction machinery.
TITAN UTTO TO-4 10W	TITAN UTTO TO-4 SAE 10W	API GL-4 CAT TO-4	ZF TE-ML 03C (ZF002186)	ALLISON C-4 KOMATSU KES 07.868.1	High Performance multifunctional lubricant for hydraulics in construction machinery.
TITAN UTTO TO-4 30	TITAN UTTO TO-4 SAE 30	API GL-4 CAT TO-4	ZF TE-ML 03C, 07F (ZF002185)	ALLISON C-4 ALLISON TES-439 KOMATSU KES 07.868.1	High Performance multifunctional transmission lubricant for construction machinery.
	TITAN UTTO TO-4 SAE 40	API GL-4 CAT TO-4		ALLISON C-4 ALLISON TES-439 KOMATSU KES 07.868.1	High Performance multifunctional transmission lubricant for construction machinery.
TITAN UTTO TO-4 50	TITAN UTTO TO-4 SAE 50	API GL-4 CAT TO-4		KOMATSU KES 07.868.1	High Performance multifunctional lubricant for final drives in construction machinery.
	TITAN UTTO TO-4 SAE 60	API GL-4 CAT TO-4			High Performance multifunctional lubricant for final drives in construction machinery.
	UTTO Öle für Agrarmaschinen	UTTO Oils for Agricultural Machinery			UTTO Oils for Agricultural Machinery
AGRIFARM UTTO VT	AGRIFARM UTTO VT	API GL-4	ZF TE-ML 06B, 06D, 06N, 07B (ZF006013)	ACEA E2 API CF-4/CG-4/SF ALLISON C-4 CAT TO-2 FORD M2C159-B/C JOHN DEERE JDM J20C JOHN DEERE JDM J27 MASSEY FERGUSON CMS M 1145 (1144, 1143, 1139, 1135) SAE J300: 10W-30 SAE J306: 80W-80	Premium Performance Multifunctional Oil (UTTO/MFO) for use in transmission and hydraulic systems with integrated wet brakes, clutches and differentials for agricultural and construction machinery.
AGRIFARM UTTO MP	AGRIFARM UTTO MP	API GL-4	DANA-OHTM-UTTO VALTRA G2-08 VOLVO WB 101 ZF TE-ML 03E, 05F, 06K, 17E, 21F (ZF002183)	AGCO Powerfluid 821 XL AGCO Q-186 (Whitefarm) ALLISON C-4 CASE MS 1230, 1210, 1209, 1207, 1206 CAT TO-2 CLAAS / LANDINI / SAME-Transmission CNH MAT 3505, 3506, 3509, 3525, 3526, 3540 DIN 51524: HLP (-D) FNHA-2-C-200.00 / -201.00 FORD M2C48-C3, ESN M2C86-B/C, M2C134-D JOHN DEERE JDM J20C KUBOTA UDT FLUID MASSEY FERGUSON CMS M 1145, 1143, 1141, 1135 NH 410C, 410B	Ultra High Performance Multifunctional Oil (UTTO/MFO) for use in transmission and hydraulic systems with integrated wet brakes, clutches and differentials for agricultural and construction machinery.
AGRIFARM UTTO LN	AGRIFARM UTTO LN	API GL-4 SAE J300: 20W-30		AGCO Powerfluid 821 XL AGCO Q-186 (Whitefarm) ALLISON C-4 CASE MS 1206, 1207, 1209, 1210, 1230 CNH MAT 3505, 3506, 3509, 3525, 3526 FNHA-2-C-200.00 / -201.00 FORD M2C48-C3, M2C86-B/C, M2C134-D JOHN DEERE JDM J20C MASSEY FERGUSON CMS M 1141, 1135 SAE J306: 80W-85 CLAAS / LANDINI / SAME-Transmission	Ultra High Performance Transmission Hydraulic Fluid developed as a problem-solver for tractors in which conventional UTTO oils led to noisy wet brakes.
	STOU Öle für Agrarmaschinen	STOU Oils for Agricultural Machinery			STOU Oils for Agricultural Machinery
AGRIFARM STOU MC PRO 10W-40	AGRIFARM STOU MC PRO SAE 10W-40	SAE J300: 10W-40	DEUTZ DQC III-18	ACEA E7, E8, E4, E5, API CG-4, API GL-3/GL-4/API GL-5 in tractors* MAN 3275 AFNOR NFE 48603 HV, ALLISON C-4 CASE MS 1207, 1209, 1210, 1230 CNH MAT 3505, 3509, 3525, 3526 DIN 51524-3: HVL P (-D) FNHA 2C-200.00, 201.00 FORD M2C48-C3, M2C86-B, M2C134-D, M2C159-B/C JOHN DEERE JDM J20C NEW HOLLAND 82009201/2/3 NH 030C, 330G, 330H, 410C, 410B, 420A, 526C MASSEY FERGUSON CMS M 1145, 1144, 1143, 1139, 1135	Premium Performance Multifunctional Oil (STOU/MFO) of the latest generation for agricultural vehicles.
AGRIFARM STOU MC 10W-30	AGRIFARM STOU MC SAE 10W-30	API GL-4 SAE J300: 10W-30	DEUTZ DQC I-02 ZF TE-ML 06B, 06F, 07B (ZF000733)	AFNOR NFE 48603 HV DIN 51524-3: HVL P (-D) ACEA E3 API CG-4 ALLISON C-4 CASE MS 1207, 1209, 1210, 1230 CNH MAT 3505, 3509, 3525, 3526 FORD M2C48-C3, M2C86-B, M2C134-D, M2C159-B/C JOHN DEERE JDM J20 C NEW HOLLAND 82009201/2/3 NH 410C, 410B, 420A MASSEY FERGUSON CMS M 1145, 1144, 1143, 1139, 1135	MC-synthesis Ultra High Performance Multifunctional Oil (STOU/MFO) for engines, manual gearboxes, wet brakes, hydraulics and turbo-drives in tractors and other agricultural machinery.
AGRIFARM STOU MC 10W-40	AGRIFARM STOU MC SAE 10W-40	API GL-4 SAE J300: 10W-40	DEUTZ DQC I-02 FENDT KDM 17/2012 ZF TE-ML 06B, 06F, 07B (ZF000729)	ACEA E3 API CG-4 MAN 271 AFNOR NFE 48603 HV ALLISON C-4 CASE MS 1207, 1209, 1210, 1230 CNH MAT 3505, 3509, 3525, 3526 DIN 51524-3: HVL P (-D) FORD M2C134-D, M2C159-B/C FNHA 2C-200.00, 201.00, FORD M2C48-C3, M2C-86 B JOHN DEERE JDM J20C NEW HOLLAND 82009201/2/3 NH 030C, 330G, 410C, 410B, 420A, 526C MASSEY FERGUSON CMS M 1145	Ultra High Performance Multifunctional Oil (STOU / MFO) based on MC-base-oil technology for engines, manual gearboxes, wet brakes, hydraulics and turbo-drives in tractors and other agricultural and other commercial vehicles.

AGRIFARM STOU 10W-30	AGRIFARM STOU SAE 10W-30	SAE J300: 10W-30 SAE J306: 80W, 85W SAE 75W-80 API CD/CE API GL-4	-	DIN 51524-3, HVLP(D) STOU/MFO UTTO TOU	High Performance Multifunctional Oil (STOU / MFO) for engines, manual gearboxes, wet brakes, hydraulics in tractors and other agricultural equipment.
AGRIFARM STOU 15W-30	AGRIFARM STOU SAE 15W-30	API GL-4 SAE J300: 15W-30	-	ACEA E2 API CF-4 CNH MAT 3525, 3526 DIN 51524: HLP (-D) FNHA 200.00, 201.00 FORD M2C134-D, M2C159-B/C JOHN DEERE JDM J20C MASSEY FERGUSON CMS M 1145, 1144, 1143, 1139, 1135 NEW HOLLAND 82009201/2/3 NH 420A SAE J306: 80W SDFG OUI 1391, OT 1891	High Performance Multifunctional Oil (STOU / MFO) for engines, manual gearboxes, wet brakes, hydraulics in tractors and other agricultural equipment.
AGRIFARM STOU 15W-40	AGRIFARM STOU SAE 15W-40	API GL-4	FENDT KDM 17/2012	ACEA E2 API CF-4 CNH MAT 3525, 3526 DIN 51524: HLP (-D) FNHA 200.00, 201.00 FORD M2C134-D, M2C159-B/C JOHN DEERE JDM J20C MASSEY FERGUSON CMS M 1145, 1144, 1143, 1139, 1135 NEW HOLLAND 82009201/2/3 NH 420A SAE J306: 80W-90 SDFG OUI 1391, OT 1891	High Performance Multifunctional Oil (STOU / MFO) for engines, manual gearboxes, wet brakes, hydraulics in tractors and other agricultural equipment.
Agrar Motorenöl		Agricultural Engine Oils		Agricultural Engine Oils	
AGRIFARM MOT X-LA 10W-40	AGRIFARM MOT X-LA SAE 10W-40	ACEA E11, E8, E7, E4 API CK-4/CJ-4/CI-4 PLUS/CI-4 CAT ECF-3	DEUTZ DQC IV-18 LA DTFR 15C100 (MB 228.31) DTFR 15C110 (MB 228.51) DTFR 15C120 (MB 228.52)	ACEA E9, E6 CNH MAT 3571 CNH MAT 3521 CUMMINS CES 20086 CUMMINS CES 20081 LIEBHERR LH-00-ENG LA MACK EOS-4.5 MAN M 3477 MAN M 3575 MAN M 3775 RENAULT RLD-4 RENAULT RLD-3	Premium Performance Engine Oil for agricultural vehicles. Universal engine oil for application in modern vehicles with exhaust after treatment as well as in older vehicles. Best engine cleanliness and outstanding wear protection.
AGRIFARM MOT LA 15W-40	AGRIFARM MOT LA SAE 15W-40	ACEA E11 API CK-4/CI-4	-	ACEA E9 CUMMINS CES 20086 DEUTZ DQC III-10 LA MAN M 3775 MAN M 3575 MTU DDC TYPE 2.1	Ultra High Performance Engine Oil for agricultural vehicles. Specially developed for engines with extended service intervals, exhaust after treatment systems and turbocharger. Universal use in new as well as in older vehicles.
AGRIFARM MOT 10W-40	AGRIFARM MOT SAE 10W-40	ACEA E7 API CI-4 GLOBAL DHD-1 JASO DH-1	-	ALLISON C-4 CAT ECF-2 CUMMINS CES 20071/2/6/7/8 DAF DEUTZ DQC III MACK EO-M PLUS MAN M 3275-1 MTU DDC TYPE 2 RENAULT RLD/RDL-2 VOLVO VDS-3	Ultra High Performance Engine Oil of the latest conception of the SAE grade 10W-40. It was developed for advanced diesel engines which made high demands on service intervals and engine cleanliness. Specially recommended for normally aspirated and turbocharged engines.
AGRIFARM MOT 15W-40	AGRIFARM MOT SAE 15W-40	ACEA E7 API CI-4/SL GLOBAL DHD-1 CAT ECF-1a/ECF-2	DEUTZ DQC III-18 DTFR 15B110 (MB 228.3) MB-APPROVAL-228-9	ALLISON C-4 CAT TO-2 CASE MS 1121 CUMMINS CES 20071/2/6/7/8 DETROIT DIESEL 93K215 IVECO 18-1804 CLASSE T2 E7 MACK EO-N MAN M 3275-1 MTU DDC TYPE 2 NH 330H RENAULT RLD/RDL-2 STEYR A-201	Ultra High Performance Engine Oil for normally aspirated and turbocharged diesel engines in tractors and other machinery which make high demands on service intervals and engine cleanliness.
AGRIFARM MOT 15W-40	AGRIFARM MOT SAE 15W-40 ACT	ACEA E7 API CI-4/SL GLOBAL DHD-1 CAT ECF-1a / ECF-2	DEUTZ DQC III-18 DTFR 15B110 (MB 228.3)	ALLISON C-4 CAT TO-2 CUMMINS CES 20071/2/6/7/8 DETROIT DIESEL 93K215 IVECO 18-1804 CLASSE T2 E7 MACK EO-N MAN M 3275-1 MTU DDC TYPE 2 RENAULT RLD/RDL-2 STEYR A-201 VOLVO VDS-3	Ultra High Performance Engine Oil based on the sustainable FUCHS Advanced Circular Technology (ACT) for normally aspirated and turbocharged diesel engines in tractors and other machinery which make high demands on service intervals and engine cleanliness.
Agrar Getriebeöl		Agricultural Gear Oils		Agricultural Gear Oils	
AGRIFARM GEAR 80W-90	AGRIFARM GEAR SAE 80W-90	API GL-4/GL-5	ZF TE-ML 05A, 21A (ZF003624)	MIL-L-2105 D NH 520A STEYR B-101	High Performance Multigrade Gear Oil for synchronesh and non-synchronesh gearboxes as well as axles, power distributors, intermediary and auxiliary gearboxes in
AGRIFARM GEAR 85W-140	AGRIFARM GEAR SAE 85W-140	API GL-4/GL-5	-	MIL-L-2105 D ZF TE-ML 05A, 21A	High Performance Multigrade Gear Oil for synchronesh and non-synchronesh gearboxes as well as axles, power distributors, intermediary and auxiliary gearboxes in
AGRIFARM GEAR LS 80W-90	AGRIFARM GEAR LS SAE 80W-90	API GL-5 SAE J306: 80W-90	-	MIL-L-2105 D FORD M2C104-A JOHN DEERE JDM J11F NH 520B SDFG OP 1705LS VOLVO 97310 ZF TE-ML 05C, 05N, 12C, 21N	High Performance Gear Oil for axles fitted with limited-slip differentials in agricultural machineries.
AGRIFARM GEAR LS 90	AGRIFARM GEAR LS SAE 90	API GL-5 SAE J306: 85W-90	-	NH 520B SDFG OP 1705LS VOLVO 97310 ZF TE-ML 05C, 12C, 16E	High Performance EP Gear Oil for axles fitted with limited-slip differentials in agricultural and other machinery.
Hydrauliköl		Hydraulic Oil		Hydraulic Oil	
AGRIFARM HYDRATEC HVI 46	AGRIFARM HYDRATEC HVI 46	DIN 51524-3: HVLP ISO 6743-4: HV	-	BOSCH REXROTH CASE MS 1230 CINCINNATI MILACRON DENISON HF0 NH 646H SDFG OI 1446 HV US STEEL VICKERS	Ultra High Performance EP-lubricating and hydraulic oil with high viscosity index.
Kettensägenöl		Chain Saw Oil		Chain Saw Oil	
	AGRIFARM CHAIN SAW OIL	-	-	DOLMAR HUSQVARNA SOLO STIHL	High Performance Chain Saw Oil specially developed for all chain saws with pressurized chain oiling.
Agrar Melkmaschinenöl		Agricultural Milking Machine Oil		Agricultural Milking Machine Oil	

AGRIFARM MILKING MACHINE OIL	AGRIFARM MILKING MACHINE OIL			ALFA LAVAL WESTFALIA	Ultra High Performance Milking Machine Oil specially developed for use in the vacuum pumps of milking machines. It contains additives which protect against wear and corrosion and foaming. These features increase the functional reliability of such systems.
	ATV / QUAD Motorenöl	ATV and Quadbike Engine Oil			ATV and Quadbike Engine Oil
AGRIFARM ATV 10W-40	AGRIFARM ATV SAE 10W-40	API SN ACEA A3/B4 JASO MA/MA2			High Performance all-season, 4-stroke engine oil designed for All Terrain Vehicles (ATV) and Quadbikes especially for use in demanding agricultural applications.
	TITAN - Kühlerfrostschutz	TITAN - Antifreezes			TITAN - Antifreezes
TITAN FRICOFIN EVO	TITAN FRICOFIN EVO BluEV Technology	AS 2108:2004 TYPE A ASTM D 3306 TYPE I ASTM D 4985 BS 6580:2010 CUNA NC 956-16 PN-C40007:2000 SAE J1034 ÖNORM V 5123 SANS 1251:2005 China GB 29743-2013	DEUTZ DQC CC-14 VW TL 774-L (G12EVO)	BMW LC-18, LC-97, LC-87 MWM TR 2091 VOLVO CARS (TR-31854114-002)	Premium Performance Coolant Concentrate based on monoethylene glycol. Free of nitrites and amines with PSi-OAT-technology. With BluEV Technology additionally applicable in hybrid and electrical vehicles of different manufacturers. Product dyeing: pink-violet.
TITAN FRICOFIN EVO 50	TITAN FRICOFIN EVO 50 BluEV Technology	AS 2108:2004 TYPE B ASTM D 3306 TYPE III ASTM D 4985 BS 6580:2010 CUNA NC 956-16 PN-C40007:2000 SAE J1034 ÖNORM V 5123 SANS 1251:2005 China GB 29743-2013	DEUTZ DQC CC-14 VW TL 774-L (G12EVO)	BMW LC-18, LC-97, LC-87 MWM TR 2091 VOLVO CARS (TR-31854114-002)	Premium Performance Coolant Ready-Mix based on monoethylene glycol. Free of nitrites, and amines with PSi-OAT-technology. Offers frost protection down to -40°C. With BluEV Technology additionally applicable in hybrid and electrical vehicles of different manufacturers. Product dyeing: pink-violet.
TITAN FRICOFIN LL	TITAN FRICOFIN LL	ASTM D 3306 TYPE I ASTM D 6210 TYPE I-FF BS 6580:2010 SAE J814 FORD WSS-M97B44-D JAGUAR LAND ROVER STJLR.651.5003 FVV Heft R443 KSM 2142 UNE 26-361-88/1	Bez.Reg.Amsbg-E62+2.22.64-2011+ CAT / MWM TR 0199-99-2091 DAF 74002 DEUTZ DQC CB-14 DTFR 29C120 (MB 325.3) DTFR 29D110 (MB 326.3) MAN 324 TYPE SNF MB-APPROVAL-326.3 MTU MTL 5048	AFNOR NFR 15-601 TYPE I AS/NZS 2108:2004 TYPE A ASTM D 4985 SAE J1034 ADE (ATLANTIS DIESEL ENGINES) BAIC GROUP FOTON Q-FPT 2313005-2013 Bez.Reg.Amsbg. E62.12.22.64-2011-1 CATERPILLAR MAK A4.05.09.01 CHRYSLER MS 12106 CNH MAT 3624 CNH MAT 3724 CUMMINS (ISBe engines at DAF and Leyland) CUMMINS CES 14603, CES 14439 DETROIT DIESEL 93K217 FIAT 9.55523 GM GMW 3420 (6277M)/GME L 1301 HYUNDAI MS 591-08 JASO M325 JIS K2234 JOHN DEERE JDM H5 KOMATSU AF-NAC (07.892 (2009)) LIEBHERR MD 1-36-130 MACK 014 GS 17009 MAZDA MFZ MN 121 D PSA B 71 5110	Premium Performance Coolant Concentrate based on monoethylene glycol. Free of nitrites, amines, phosphates and silicates with OAT-technology. Product dyeing: orange.
TITAN FRICOFIN LL-YF	TITAN FRICOFIN LL-YF	ASTM D 3306 TYPE I ASTM D 6210 TYPE I-FF BS 6580:2010 FORD WSS-M97-B44-D JAGUAR LAND ROVER STJLR.651.5003	CNH MAT 3624	AFNOR NFR 15-601 TYPE I AS/NZS 2108:2004 TYPE A ASTM D 4985 SAE J1034 CHRYSLER MS 12106 CUMMINS (ISBe engines at DAF und Leyland) DAF 74002 (different colour) DETROIT DIESEL 93K217 DEUTZ DQC CB-14 FIAT 9.55523 GM 6277M HYUNDAI MS 591-08 JASO M325 JIS K2234 KOMATSU AF-NAC (ready mix) LIEBHERR MD 1-36-130 MAN 324 TYPE SNF CAT / MWM TR 0199-99-2091 PSA B 71 5110	Premium Performance Coolant Concentrate based on monoethylene glycol. Free of nitrites, amines, phosphates and silicates with OAT-technology. Product dyeing: yellow.
TITAN FRICOFIN LL 50	TITAN FRICOFIN LL 50	ASTM D 3306 TYPE III ASTM D 6210 TYPE III-FF BS 6580:2010	CAT / MWM TR 0199-99-2091 DAF 74002 DEUTZ DQC CB-14 DTFR 29D110 (MB 326.3) MAN 324 TYPE SNF MB-APPROVAL-326.3 MTU MTL 5048	AFNOR NFR 15-601 TYPE I AS/NZS 2108:2004 TYPE A ASTM D 4985 SAE J1034 CHRYSLER MS 12106 CUMMINS (ISBe engines at DAF und Leyland) DAF 74002 (different colour) DETROIT DIESEL 93K217 DEUTZ DQC CB-14 FIAT 9.55523 GM 6277M HYUNDAI MS 591-08 JASO M325 JIS K2234 KOMATSU AF-NAC (ready mix) LIEBHERR MD 1-36-130 MACK 014 GS 17009 MAZDA MEZ MN 121 D PSA B 71 5110 RENAULT 41-01-0011- -S Type D SAAB 940 1265	Premium Performance Coolant Ready-Mix based on monoethylene glycol. Free of nitrites, amines, phosphates and silicates with OAT-technology. Offers frost protection down to -40°C. Product dyeing: orange.
TITAN FRICOFIN DP	TITAN FRICOFIN DP BluEV Technology	AFNOR NFR 15-601 TYPE I AS/NZS 2108:2004 TYPE A ASTM D 3306 TYPE I ASTM D 4985 BS 6580:2010 CUNA NC 956-16 JIS K 2234:2006 SAE J814 SAE J1034 SANS 1251:2005	CUMMINS CES 14603 DETROIT DIESEL 93K217 DEUTZ DQC CC-14 DTFR 29C120 (MB 325.5) MAN 324 TYPE SI-OAT MB-APPROVAL 325.6 MTU MTL 5048 VW TL 774-G (G12++) VOITH (172.00225040 - Type SI-OAT)	ASTM D 6210 TYPE I IVECO 18-1830 LIEBHERR LH-01-COL3A PN-C 40007:2000 SCANIA TB 1451 VW TL 774-J (G13)	Premium Performance Coolant Concentrate based on monoethylene glycol. Free of nitrites, amines and phosphates with Si-OAT-technology. With BluEV Technology additionally applicable in hybrid and electrical vehicles of different manufacturers. Product dyeing: pink-violet.
TITAN FRICOFIN DP 50	TITAN FRICOFIN DP 50 BluEV Technology	AFNOR NFR 15-601 TYPE 3 ASTM D 3306 TYPE III ASTM D 4985 BS 6580:2010 SAE J814 CUMMINS-CES-14603 UNE 26-361-88	CUMMINS CES 14603 DETROIT DIESEL 93K217 DEUTZ DQC CC-14 DTFR 29D120 (MB 326.5) MAN 324 TYPE SI-OAT MB-APPROVAL 326.6 MTU MTL 5048 VW TL 774-G (G12++)	ASTM D 6210 TYPE III IVECO 18-1830 SCANIA TB 1451 VW TL 774-J (G13)	Premium Performance Coolant Ready-Mix based on monoethylene glycol. Free of nitrites, amines and phosphates with Si-OAT-technology. Offers frost protection down to -40°C. With BluEV Technology additionally applicable in hybrid and electrical vehicles of different manufacturers.

TITAN FRICOFIN PS	TITAN FRICOFIN PS BluEV Technology	AFNOR NF-R-15-601 TYPE 1 ASTM D3306-20 TYPE I ASTM D4985 BS 6580:2010 FVV Heft R530:2005 JIS K2234:2018 UNE 26-361-88/1		AS/NZS 2108:1-1997 BMW LC-18, LC-87, LC-97 Case IH Agriculture JIC-501 CAT / MWM 0199-99-2091/12 Chrysler MS 7170 CUMMINS 85T8-2 DEUTZ DQC CA-14 DTFR 29C120 (MB 325.5) FIAT 9.55523 FORD ESD-M97B49-A GB 29743-2013 (PC only) GME L1301 (Opel, Vauxhall) INNIO JENBACHER TA 1000-0200 Iveco 18-1830 MAN 324 Type NF MAN 324 Type Si-OAT MB 325.0 MB 325.6 MTU MTL 5048 SKODA 61-0-0257 Tesla (Model S, Model X, Model 3, Model Y) Toyota 1WW/2WW	Premium Performance Coolant Concentrate based on monoethylene glycol. Free of nitrites and amines with PSi-OAT-technology. With BluEV Technology additionally applicable in hybrid and electrical vehicles of different manufacturers. Product dyeing: green.
TITAN FRICOFIN PS 50	TITAN FRICOFIN PS 50 BluEV Technology	AFNOR NF-R-15-601 TYPE 3 ASTM D3306-20 TYPE III ASTM D4985 BS 6580:2010 FVV Heft R530:2005 JIS K2234:2018 UNE 26-361-88/1		AS/NZS 2108:1-1997 BMW LC-18, LC-87, LC-97 Case IH Agriculture JIC-501 CAT / MWM 0199-99-2091/12 Chrysler MS 7170 CUMMINS 85T8-2 DEUTZ DQC CA-14 DTFR 29D120 (MB 326.5) FIAT 9.55523 FORD ESD-M97B49-A GB 29743-2013 (PC only) GME L1301 (Opel, Vauxhall) INNIO JENBACHER TA 1000-0200 Iveco 18-1830 MAN 324 Type NF MAN 324 Type Si-OAT MB-326-6 MB-326-0 MB 326.0 MB 326.6 MTU MTL 5048 SKODA 61-0-0257 Tesla (Model S, Model X, Model 3, Model Y)	Premium Performance Coolant Ready-Mix based on monoethylene glycol. Free of nitrites, and amines with PSi-OAT-technology. Offers frost protection down to -40°C. With BluEV Technology additionally applicable in hybrid and electrical vehicles of different manufacturers. Product dyeing: green.
TITAN FRICOFIN LD	TITAN FRICOFIN LD	ASTM D3306 TYPE I ASTM D6210 TYPE I-FF GB 27943.1-2022 Tata Motors – Jaguar (STJLR.03.5212) VOLVO VCS-2		AS/NZS 2108:1-1997 CNH MAT 3624 CNH MAT 3724 CAT GCM34 CAT EC-1 Chevrolet GMW 3420 DAF 74002 DETROIT DIESEL DFS93K217 DEUTZ DQC CB-14 FORD WSS M97B44-D FIAT 9.55523 GM 6277M GMW 18270 GMW 3420 JOHN DEERE JDM H5 Kobelco Komatsu 07.892 (2017) Leyland Trucks DW03245403 MAN 324 Typ SNF Mahle – Behr MB 325.3 / DTFR 29C110 Mitsubishi MHI MTU MTL 5048 Perkins Isuzu - UD Trucks	Premium Performance Coolant Concentrate based on monoethylene glycol. Free of nitrites, amines, phosphates and silicates with OAT-technology. Product dyeing: orange.
TITAN FRICOFIN LD 50	TITAN FRICOFIN LD 50	ASTM D3306 TYPE III ASTM D6210 TYPE III-FF GB 27943.1-2022 Tata Motors – Jaguar (STJLR.03.5212) VOLVO VCS-2		AS/NZS 2108:1-1997 CNH MAT 3624 CNH MAT 3724 CAT GCM34 CAT EC-1 Chevrolet GMW 3420 DAF 74002 DETROIT DIESEL DFS93K217 DEUTZ DQC CB-14 FORD WSS M97B44-D FIAT 9.55523 GM 6277M GMW 18270 GMW 3420 JOHN DEERE JDM H5 Kobelco Komatsu 07.892 (2017) Leyland Trucks DW03245403 MAN 324 Typ SNF Mahle – Behr MB 326.3 / DTFR 29D110 Mitsubishi MHI MTU MTL 5048 Perkins Isuzu - UD Trucks	Premium Performance Coolant Ready-Mix based on monoethylene glycol. Free of nitrites, amines, phosphates and silicates with OAT-technology. Offers frost protection down to -40°C. Product dyeing: orange.
TITAN FRICOFIN G12 PLUS	TITAN FRICOFIN G12 PLUS	AFNOR NF R 15-601 TYPE 1 ASTM D 3306 TYPE I ASTM D 4985 BS 6580:2010	MAN 324 TYPE SNF MB-APPROVAL 325.3 MTU MTL 5048	DETROIT DIESEL 93K217 GM 6277M SCANIA TI 02-98 0813 T/B/M VW TL 774-D/F (G12+)	Premium Performance Coolant Concentrate based on monoethylene glycol. Free of nitrites, amines, phosphates and silicates with OAT-technology. Product dyeing: pink-violet.
TITAN FRICOFIN G12 PLUS 50	TITAN FRICOFIN G12 PLUS 50	AFNOR NF R 15-601 TYPE 3 ASTM D 3306 TYPE III ASTM D 4985 BS 6580:2010		DETROIT DIESEL 93K217 GM 6277M MAN 324 TYPE SNF MB 326.3 MTU MTL 5048 SCANIA TI 02-98 0813 T/B/M VW TL 774-D/F (G12+)	Premium Performance Coolant Ready-Mix based on monoethylene glycol. Free of nitrites, amines, phosphates and silicates with OAT-technology. Offers frost protection down to -40°C. Product dyeing: pink-violet.
TITAN FRICOFIN	TITAN FRICOFIN	AFNOR NF R 15-601 TYPE 1 AS/NZS 2108:2004 TYPE A ASTM D 3306 TYPE I ASTM D 4985 BS 6580:2010 CUNA NC 956-16 SAE J814 SAE J1034	CAT / MWM TR 0199-99-2091 DEUTZ DQC CA-14 DTFR 29C100 (MB 325.0) INNIO JENBACHER TA 1000-0201 MAN 324 TYPE NF MB-APPROVAL 325.0 MTU MTL 5048	BMW GS 94000 BMW LC-87 DAF 74001 LIEBHERR TLV 035/TLV 23009 A OPEL/GM B 040 0240 PN-C 40007:2000 VW TL 774-C (G11)	Premium Performance Coolant Concentrate based on monoethylene glycol. Free of nitrites, amines and phosphates with hybrid technology. Product dyeing: blue-green.
TITAN FRICOFIN 50	TITAN FRICOFIN 50	AFNOR NF R 15-601 TYPE 3 ASTM D 3306 TYPE III ASTM D 4985 BS 6580:2010 SAE J814	DEUTZ DQC CA-14 DTFR 29D100 (MB 326.0) MB-APPROVAL 326.0 MAN 324 TYPE NF MTU MTL 5048	BMW LC-87 (BMW GS 94000) DAF 74001 GM 1899-M INNIO JENBACHER TA 1000-0201 LIEBHERR TLV 035/TLV 23009 A MAN 324 TYPE NF PRITARDER CAT / MWM TR 0199-99-2091 OPEL/GM B 040 0240 PN-C 40007:2000	Premium Performance Coolant Ready-Mix based on monoethylene glycol. Free of nitrites, amines and phosphates with hybrid technology. Offers frost protection down to -37°C. Product dyeing: blue-green.
TITAN FRICOFIN FP	TITAN FRICOFIN FP	AFNOR NF R 15-601 BS 6580:2010		ASTM D 3306 TYPE I	Premium Performance Coolant Concentrate based on monoethylene glycol. Free of nitrites, amines and borates. Product dyeing: light blue.

TITAN FRICOFIN FP-50	TITAN FRICOFIN FP-50	AFNOR NF R 15-601-BS 6580:2010	-	ASTM D-3306 TYPE III	Premium Performance Coolant Ready-Mix based on monoethylene glycol. Free of nitrates, amines and borates. Product dyeing: light blue.
TITAN FRICOFIN FP 50	TITAN FRICOFIN FP 50	AFNOR NF R 15-601 BS 6580:2010	-	ASTM D 3306 TYPE III	Premium Performance Coolant Ready-Mix based on monoethylene glycol. Free of nitrates, amines and borates. Product dyeing: light blue.
TITAN FRICOFIN ME	TITAN FRICOFIN ME	-	MTU MTL 5049	-	Premium Performance corrosion inhibitor concentrate for water-cooled systems when antifreeze protection is not require. Si-OAT-technology free of nitrates, amines, borates and phosphates. Product dyeing: green
TITAN - Bremsflüssigkeiten		TITAN - Brake Fluids		TITAN - Brake Fluids	
TITAN DOT 514 LV	TITAN DOT 514 LV BlueEV Technology	FMVSS NR. 116 DOT 3/4/5.1 ISO 4925 CLASS 3/4/5-1/6/7 JIS K2233 CLASS 3/4/5/6 SAE J 1703/J1704	-	BMW QV 34001 FORD M6C65-A2 FORD M6C62-A FORD M6C9103-A GM Europa GMW 3356 MB 331.0 PSA S71 2114 RENAULT 41-02-001/-H VW TL 766-X 766-Y 766-Z	Premium Performance Brake Fluid for hydraulic brake systems and clutch actuation in passenger cars, trucks and motorcycles. With BlueEV Technology additionally applicable in hybrid and electrical vehicles of different manufacturers.
TITAN DOT 4 LV	TITAN DOT 4 LV	FMVSS NR. 116 DOT 3/4 ISO 4925 CLASS 3/4/6 JIS K2233 CLASS 3/4/6 SAE J1703/J1704	-	BMW QV 34001 GM Europa GMW 3356	Premium Performance Brake Fluid for hydraulic brake systems and clutch actuation in passenger cars, trucks and motorcycles.
TITAN DOT 5.1	TITAN DOT 5.1	FMVSS NR. 116 DOT 3/4/5.1 ISO 4925 CLASS 3/4/5-1 JIS K2233 CLASS 3/4/5 SAE J1703/J1704	-	MB 331.0	Premium Performance Brake Fluid for hydraulic brake systems and clutch actuation in passenger cars, trucks and motorcycles.
TITAN DOT 4 HT	TITAN DOT 4 HT	FMVSS NR. 116 DOT 3/4 ISO 4925 CLASS 3/4 JIS K2233 CLASS 3/4 SAE J1703/J1704	-	FORD M6C62-A FORD M6C9103-A NH 800A OPEL 19 42 421 VW TL 766-X	Premium Performance Brake Fluid for hydraulic brake systems and clutch actuation in passenger cars, trucks and motorcycles.
TITAN DOT 4	TITAN DOT 4	FMVSS NR. 116 DOT 4 SAE J1703/J1704	-	-	Premium Performance Brake Fluid for hydraulic brake systems and clutch actuation in passenger cars, trucks and motorcycles.
TITAN - Kraftstoffzusätze		TITAN - Fuel Additives		TITAN - Fuel Additives	
TITAN FUEL+ WINTERFIX	TITAN FUEL+ WINTERFIX	-	-	-	Premium Performance Diesel Fuel and Heating Oil Additive to prevent waxing and dilution at low temperatures.
Spezialitäten - Ölbinder		Specialities - Oil Binder		Specialities - Oil Binder	
TITAN ABSORPEX	TITAN ABSORPEX	Reported by Hygiene Institut Gelsenkirchen MPL	-	-	Oil Binder Type III R, Chemical Binder
Zentralhydrauliköle / Lenkgetriebeöl		Central Hydraulic / Power Steering Fluids		Central Hydraulic / Power Steering Fluids	
TITAN CHF 11S	TITAN CHF 11S	FORD WSS-M2C204-A	CHRYSLER MS-11655B DTRF 31B120 (MB 345.0) EvoBus 39.060-001 MAN M 3289 MB-APPROVAL 345.0 PSA S71 2710 ZF TE-ML 02K (ZF004744) VW TL 52 146 (G 002 000)	BENTLEY JNV82564F BMW 81 22 9 407 758 BMW 82 11 1 468 041 BMW 83 29 0 429 576 FENDT X 902 011 622 IVECO 18-1807 CLASSE APU OPEL B 040 0070 PORSCHE 000 043 203 33 SAAB 3032 380	Premium Performance Power Steering and Central Hydraulic Fluid with a wide application and approval profile for various manufacturers. Product dyeing: green.
TITAN CHF 202	TITAN CHF 202 BlueEV Technology	FORD WSS-M2C204-A2	HYUNDAI 00232-19017 OPEL B 040 2012 VW TL 52 146.01 (G 004 000)	AUDI/VW G 004 012 PORSCHE 000 043 206 56 PORSCHE 000 043 305 74 SAAB 93160548 VOLVO 30741424 LAND ROVER LR003401	Premium Performance Power Steering and Central Hydraulic Fluid with a wide application and approval profile for various manufacturers. With BlueEV Technology additionally applicable in hybrid and electrical vehicles of different manufacturers.
TITAN CHF 5364 B	TITAN CHF 5364 B	-	MB-APPROVAL 344.0	-	Premium Performance Central Hydraulic Fluid approved by Mercedes-Benz for level control systems in passenger cars formulated with fully-synthetic base oils. Product dyeing: none.
TITAN LHM+	TITAN LHM+	-	PSA B71 2710	IVECO 18-1823 CNH MAT 3630 NH 610A SDFG OF1611S	Ultra High Performance Central Hydraulic Fluid for use in the comfort and safety area of PSA vehicles. Product dyeing: green-yellow.
TITAN PSF	TITAN PSF	-	DTRF 38B100 (MB 236.3) MB-APPROVAL 236.3	-	High Performance Power Steering Fluid approved by Mercedes-Benz for passenger cars and commercial vehicles. Product dyeing: none.
BlueEV Produkte Dedicated Hybrid Transmission Fluids (DHTF)		BlueEV Products Dedicated Hybrid Transmission Fluids (DHTF)		BlueEV Products Dedicated Hybrid Transmission Fluids (DHTF)	
FUCHS BlueEV DHTF 9	FUCHS BlueEV DHTF 9	-	-	McLaren 8ESSG	Premium Performance Dedicated Hybrid Transmission Fluid specially developed for Hofer hybrid wet dual clutch transmissions as installed in McLaren hyper sports cars.
FUCHS BlueEV DHTF 7430	FUCHS BlueEV DHTF 7430	-	-	-	Premium Performance Dedicated Hybrid Transmission Fluid, specially developed for use in Punch DT2 transmissions, which are installed in Punch Powertrain hybrid DCT applications.
Electric Driveline Fluids (EDF)		Electric Driveline Fluids (EDF)		Electric Driveline Fluids (EDF)	
FUCHS BlueEV EDF 7005	FUCHS BlueEV EDF 7005 ACT	-	-	TESLA EDF-2 (1616951-04-A) TESLA KAF 1 (1646886-04-A)	Premium Performance Electric Driveline Fluid based on the sustainable FUCHS Advanced Circular Technology (ACT) for direct cooled E-motors. Provides heavily increased efficiency compared to current market products.
FUCHS BlueEV EDF 6535	FUCHS BlueEV EDF 6535	-	-	-	Premium Performance Electric Driveline Fluid for E-axles with dry E-motor. Provides high efficiency potential for increased driving range and additionally lowering CO ₂ footprint.
FUCHS BlueEV EDF 5930	FUCHS BlueEV EDF 5930	-	MAN M 3703 SCANIA STO EV	-	Premium Performance Gear Oil specifically for use in hybridized drive trains in commercial vehicles. Developed for the longest oil drain intervals.
Thermal Fluids (TF)		Thermal Fluids (TF)		Thermal Fluids (TF)	
FUCHS BlueEV TF 9262	FUCHS BlueEV TF 9262	-	-	-	Premium Performance Dielectric Thermal Fluid (TF) for direct battery cooling.
PLANTO Schmierstoffe		PLANTO Lubricants		PLANTO Lubricants	
PLANTO MOT 10W-40	PLANTO MOT SAE 10W-40	-	DEUTZ DQC IV-18 LA	ACEA E9, E7, E6 API CK-4 CAT ECF-3 CUMMINS CES 20086 DETROIT DIESEL 93K222 JASO DH-2 MACK EOS-4.5 MAN M 3271-1 MAN M 3477 MB 228.51 MTU TYPE 3.1 RENAULT RLS 2015.4 SAE J300: 10W-40	Low-ash diesel engine oil for modern diesel engines. Biodegradable and especially recommend for use with alternative diesel fuels.
PLANTO HYTRAC PLUS	PLANTO HYTRAC PLUS	SAE J300: 10W-30 SAE J306: 80	-	CASE MS 1207, 1209 FORD M2C134-D JOHN DEERE JDM, J20C NH 410B MASSEY FERGUSON CMS M1127, 1135, 1143 HI-DRIVE ISO VG 32, 46, 68, 100	Biodegradable Premium Performance Multifunctional Oil (UTTO) for tractor gearboxes with or without wet brakes.
Hydrauliköle		Hydraulic Oils		Hydraulic Oils	

TITAN HYD MR 530 MC	TITAN HYD MR 530 MC	DIN 51524-3: HVLPD (Exception: Demulsifying behaviour according to DIN ISO 6614) HVLPD covers SAE 5W to 30 or ISO VG 32 to 68 (100)	-	-	Ultra High Performance multigrade hydraulic oil for construction machinery as well as diverse motor vehicle applications.
TITAN HYD 1030	TITAN HYD 1030	HVLP according to DIN 51 524-3 HV according to ISO 11158	DENISON HF 0	CASE MS 1216	High Performance multigrade hydraulic oil for general machinery and motor vehicle applications.
	Sonderprodukte	Special products			Special products
TITAN EM 530 BW	TITAN EM 530 BW	-	BW TL 9150-0080-4 NATO Code O-1178	BW Code OY1175	High-performance multi-function lubricant based on modern synthesis technology, with very good cold flow properties and fuel-economy characteristics.
SCHMIEROEL VERBRENNUNGSMOTOR O-236	SCHMIEROEL VERBRENNUNGSMOTOR O-236	-	TL-9150-0063 (NATO O-236)	ACEA E3	