

# PRODUCT CATALOG

PASSENGER CARS

*wolf*  
LUBRICANTS


# THE VITAL LUBRICANT

---

**Wolf lubricants quite literally bring engines to life, delivering the highest levels of efficiency and performance, with products that set new standards of reliability and protection.**

With the exponential speed at which new and cleaner engine technologies are being developed, Wolf continues to be at the forefront of these innovations with cutting-edge lubricant products and additive technologies that meet the highest standards and official OEM approvals.

The precision we put into the development of our products is vital in improving the life force of engines.



**WOLF OIL CORPORATION**  
THE COMPANY  
BEHIND THE  
BRAND

We pride ourselves on being a 'pure player' in our industry. We are 100% dedicated to lubricants. We've been creating next-generation products since 1955 and have amassed more than 60 years of knowledge and expertise. As one of Europe's leading independent lubricants companies, we are specialist, focusing on meeting the diverse needs of our customers with high-quality, technology-enhanced lubricants.

We add value with a full-service approach that includes technical advice, real-time supply and on-going training and support.

We are big enough to deliver, yet small enough to care.



OFFICIAL LUBRICANT PARTNER OF THE  
FIA WORLD RALLY CHAMPIONSHIP



## PRECISION DRIVES PERFECTION

WOLF, THE OFFICIAL LUBRICANT PARTNER OF THE FIA  
WORLD RALLY CHAMPIONSHIP

PARTNERSHIP COMMITTED TO THE VERY BEST IN  
VEHICLE PERFORMANCE AND PRECISION

There is nothing in motorsport to match the diversity, spectacle and sheer excitement of the FIA World Rally Championship (WRC), demonstrating motorsport passion and technological innovation.

Since 2019, Wolf is the Official Lubricant Partner of the FIA World Rally Championship. This partnership builds on Wolf's continued drive for exceptional engineering and precision in everything we do.

What may seem trivial to others is important to us. Preparation, knowledge, attention to detail and a strong team can all make a significant difference. In your business, just as in motorsport, you need to be well-prepared and perfectly in tune with what needs to happen next. It's about leaving nothing to chance. It's about anticipation and taking anything risky out of the equation altogether.



THE ULTIMATE PLATFORM TO DEVELOP  
THE LUBRICANTS OF TOMORROW

WE BRING RACING TECHNOLOGY FROM  
RACE TO ROAD

What does this mean for you? Developing lubricants for such prestigious partnerships allows us to engineer sophisticated formulations that will later be introduced in our regular product ranges. Especially with the downsizing of today's engines, it will be key to your success to have products at your disposal that are tested in the most demanding conditions and developed with the latest technologies.

# KEEPS ENGINES YOUNG

## WOLF MULTIFACTOR OIL SERUM – OUR EXCLUSIVE PRODUCT TECHNOLOGY

Modern high performance engines require a new generation of lubricants capable of maintaining their qualities. To this effect, we have developed our own proprietary technology that contains as many as 20 active ingredients.

Wolf's MultiFactor Oil Serum increases the lifespan of lubricants and keeps engines young. This state-of-the-art technology can be compared to a cosmetic product. It's the sophisticated balance and combined interactions of these active ingredients that have a vitalising effect on the oil over time.

This ensures Wolf lubricants maintain their properties for longer, so that engines can deliver optimum performance between increasingly long service intervals.



**IN A RAPIDLY CHANGING  
MARKET, PRECISION MAKES ALL  
THE DIFFERENCE. IT'S ABOUT  
MAKING EVERY SINGLE DETAIL  
COUNT AND LEAVING NOTHING  
FOR GRANTED.**



KEEPS **ENGINES** CLEAN



IMPROVES **ENGINE** PROTECTION



EXTENDS **DRAIN INTERVALS**



REDUCES **FUEL** CONSUMPTION




LOWERS **CO<sup>2</sup>** EMISSIONS

# OUR DIGITAL PLATFORMS


## OUR WEBSITE

Today's lubricants market is very complex. Knowledge is key and that's why we provide online guidance that brings you peace-of-mind. Our website offers the perfect mix between improved product information, recommendation tools and clear technico-commercial content.

[www.wolflubes.com](http://www.wolflubes.com)




## PRODUCT RECOMMENDATION TOOL



By using the Product Recommendation Tool you can find the most suitable oil for each application. The recommendation tool is based on the vehicle, model, type, brand or VIN number and follows the OEM specifications.

## WOLFLUBES LUBRICANT FINDER



Elevate your maintenance by always having the right product at your fingertips. **Download the WolfLubes Lubricant Finder now!**



## OUR SOCIAL MEDIA

Connect with us on social media. Follow us and get updates delivered to your favorite social media channel. Scan the QR code!

# HOW TO READ OUR LABELS

## THE PRODUCT NAME

The complete product name starts with a sub-category product classification followed by the viscosity grade and API/ACEA classification.

## COMPOSITION OF THE PRODUCT

The specific formulations of the products are classified as mineral, semi-synthetic or full synthetic motor oil.

## THE EMISSION SYSTEM PROTECTION (ESP) LOGO

The Emission System Protection logo is applied on products that maintain and protect the after-treatment devices of the vehicle.

## PACKAGING CONTENT

Indicates the volume of content of the specific package size.

## USAGE, HEALTH AND ENVIRONMENTAL INFORMATION

Safety guidelines for the usage of oils and fluids, as well as information about environmental and waste disposal legislation. We provide this information in 27 languages.

## EMERGENCY PHONE NUMBER

This is a phone number for emergencies.

## ARTICLE EAN CODE

The EAN code is the identification code and barcode of the article.

## ENVIRONMENTAL PICTOGRAMS

These pictograms highlight country-specific environmental legislation.



## THE LOGO

The WOLF logo represents the fluidity and technical innovation of our extensive product range.

## THE OEM SPECIFICATION LEVEL

For each product range, the OEM specification level and approvals are listed here.

## THE FEATURES

These are the key product benefits when using WOLF motor oil.

## THE PRODUCT CATEGORY

The image shown here represents the application of the product. If no image is shown, the product covers various categories.

## THE API & ACEA CLASSIFICATION AND SEGMENTATION

Highlights the ACEA and API classification of the product with a color code according to each product sub-category.



## THE PRODUCT NAME

The complete product name consists of the product classification in a sub-category, followed by the viscosity grade and API/ACEA classification.

## PACKAGING CONTENT

Indicates the volume of content of the specific package size.

## PART NUMBER

The Part Number (PN) is the identification code of a WOLF product in a specific packaging unit. This PN is the reference through all the documentations, tariffs and order forms.

## SPECIFICATION LEVEL

The specification level indicates the performance of the lubricant. It is composed of API and ACEA classifications, and complemented with OEM specifications, if applicable. We highlight clearly whether the product carries the official OEM approval.





## A

ANTIFREEZE EVO LL 37  
 ANTIFREEZE G11 38  
 ANTIFREEZE G12+ LL 38  
 ALL-PURPOSE EP NR.00 44  
 ALL-PURPOSE EP NR.0 44

## B

BW FLUID GEN II + 34  
 BRAKE FLUID DOT 3&4 35  
 BRAKE FLUID DOT 4 LV 35  
 BRAKE FLUID DOT 5.1 35  
 BRAKE FLUID DOT 5.1 35  
 BRAKE FLUID DOT 3&4 36  
 BRAKE CLEANER 41

## C

CENTRAL HYDRAULIC FLUID 36  
 COOLANT G12+ LL -36°C 37  
 COOLANT ASIAN LL -36°C 37  
 COOLANT EVO LL -36°C 37  
 COOLANT G11 -36°C 38  
 COLDCLEANER 41  
 CALCIUM LITHIUM EP2 HEAVY 45

## D

DIESEL PARTICULATE FILTER CLEANER 40  
 DIESEL TREATMENT 40

## E

ECOTECH 0W30 C3 FE 11  
 ECOTECH 0W30 FE 11  
 ECOTECH 0W20 SP/RC D1-3 11  
 ECOTECH 0W16 SP/RC G6 XFE 11  
 ECOTECH 0W-8 GLV-1 11  
 ECOTECH 10W30 SP/RC G6 HC 12  
 ECOTECH 5W30 SP/RC D1-3 12  
 ECOTECH 5W20 SP/RC D1-3 12  
 ECOTECH 0W40 FE 12  
 EXTENDTECH 10W40 HM 20  
 EXTENDTECH 5W40 HM 20  
 ESSENTIAL SN/CF C3 5W40 PI 24  
 ESSENTIAL SN C2/C3 5W30 24  
 ESSENTIAL SL/CF 10W40 B4 25  
 ESSENTIAL SN/CF 5W40 25  
 ECOTECH 75W PREMIUM 26  
 EXTENDTECH 75W90 LS GL 5 27  
 EXTENDTECH 80W90 GL 5 28  
 EXTENDTECH 75W90 GL 5 28  
 EXTENDTECH 75W80 GL 5 28  
 EXTENDTECH 85W140 LS GL 5 28  
 EXTENDTECH 80W90 LS GL 5 28  
 ECOTECH DSG FLUID 30  
 ECOTECH CVT FLUID 30  
 ECOTECH MULTI VEHICLE ATF FE 30  
 ELECTRUM E-DCT FLUID 30  
 ELECTRUM MULTI E-ATF FLUID 30  
 ESSENTIAL ATF DEXRON III 33  
 EXTENDTECH ATF D II LD 33  
 EXTENDTECH ATF D II 33  
 ELECTRUM BRAKE FLUID 35  
 ELECTRUM COOLANT 37  
 ENGINE FLUSH 40  
 ELECTRUM E-MOTOR GREASE 43  
 ELECTRUM HUB GREASE 43

## G

GUARDTECH 15W50 SL/CF 21  
 GUARDTECH 15W40 SF/CD 21  
 GUARDTECH 15W40 SL/CF 21  
 GUARDTECH 10W40 B4 DIESEL 21  
 GUARDTECH 10W40 B4 21  
 GUARDTECH SAE 50 SF/CD 22  
 GUARDTECH SAE 40 SF/CD 22  
 GUARDTECH 20W50 SF/CD 22  
 GUARDTECH 20W50 SL/CF 22  
 GUARDTECH 20W50 SN/CF 22  
 GUARDTECH SAE 50 23  
 GUARDTECH SAE 40 23  
 GUARDTECH SAE 140 GL 1&3 29  
 GUARDTECH 80W90 GL 1&3 29  
 GUARDTECH 80W90 GL 4 29  
 GUARDTECH 80W GL 4 29  
 GUARDTECH ATF D 33  
 GUARDTECH ATF F/G 33  
 GASOLINE TREATMENT 40

## H

HIGH TEMPERATURE GREASE 2 46

## L

LDS FLUID 36  
 LITHIUM GREASE EP 2 43  
 LITHIUM GREASE EP 1 43  
 LITHIUM COMPLEX EP 2 43  
 LITHIUM GREASE EP 3 44  
 LITHIUM GREASE EPA 45  
 LITHIUM CALCIUM EP2 GREEN 45

## M

MINERAL FLUID LHM 36  
 MULTISPRAY 41  
 MULTIPURPOSE GREASE 3 44  
 MULTIPURPOSE GREASE 2 44  
 MULTI MOLY EP 0 ARCTIC 45  
 MULTI MOLY GREASE 2 45

## O

OFFICIALTECH 0W20 LS-FE 12  
 OFFICIALTECH 0W20 C5 RFE 13  
 OFFICIALTECH 0W20 MS-V 13  
 OFFICIALTECH 0W-20 C5 P 13  
 OFFICIALTECH 0W20 LL FE 13  
 OFFICIALTECH 0W20 C6 F 13  
 OFFICIALTECH 0W-40 C3 SP 14  
 OFFICIALTECH 0W30 LL III FE 14  
 OFFICIALTECH 0W30 MS-FFE 14  
 OFFICIALTECH 0W30 MS-BHDI 14  
 OFFICIALTECH 0W30 SP 14  
 OFFICIALTECH 5W30 C3 SP EXTRA 15  
 OFFICIALTECH 5W30 C2 15  
 OFFICIALTECH 5W30 C1 15  
 OFFICIALTECH 5W-30 C2/C3 P/RN 15  
 OFFICIALTECH 5W20 MS-FE 15  
 OFFICIALTECH 5W30 FS-M 16  
 OFFICIALTECH 5W30 MS-F 16  
 OFFICIALTECH 5W30 C3 LL III 16  
 OFFICIALTECH 5W30 C4 16  
 OFFICIALTECH 5W30 C2/C3 16  
 OFFICIALTECH 10W-40 CP 17  
 OFFICIALTECH 5W40 C3 17  
 OE LEVELTECH 5W30 C4 23

OE LEVELTECH 5W30 C3 23  
 OE LEVELTECH 0W-30 MS-BHDI 23  
 OE LEVELTECH 5W40 PI C3 24  
 OE LEVELTECH 5W30 MS-F 24  
 OE LEVELTECH 5W30 LL III 24  
 OFFICIALTECH 75W140 LS GL 5 26  
 OFFICIALTECH 75W90 MV 26  
 OFFICIALTECH 75W80 ZF 26  
 OFFICIALTECH 75W80 26  
 OFFICIALTECH 85W90 M GL 5 27  
 OFFICIALTECH ATF 9G 31  
 OFFICIALTECH ATF D VI 31  
 OFFICIALTECH ATF LIFE PROTECT 8 31  
 OFFICIALTECH ATF LIFE PROTECT 6 31  
 OFFICIALTECH ATF D/M ULV 31  
 OFFICIALTECH ATF MB FE 32  
 OFFICIALTECH ATF MB 32  
 OIL LEAK STOP 41

## R

RACING 10W-60 ESTER 20  
 RACING 0W-40 ESTER 20  
 RACING TRANS 75W-140 ESTER 27  
 RACING TRANS 75W-90 ESTER 27  
 RADIATOR SEALER & CONDITIONER 40  
 RADIATOR CLEANER 41

## S

SILICONE CLEAN 42

## V

VITALTECH 5W-30 SP 17  
 VITALTECH 0W-40 SP 17  
 VITALTECH 0W30 V 17  
 VITALTECH 5W40 B4 DIESEL 18  
 VITALTECH 5W40 18  
 VITALTECH 5W40 PI C3 18  
 VITALTECH 5W-40 SP 18  
 VITALTECH 5W30 18  
 VITALTECH 5W30 GAS 19  
 VITALTECH 10W60 19  
 VITALTECH 10W60 M 19  
 VITALTECH 10W-50 F-A 19  
 VITALTECH 5W50 19  
 VITALTECH 5W40 GAS 20  
 VITALTECH 75W-80 MV PREMIUM 27  
 VITALTECH ATF D III 32  
 VITALTECH ATF D III PC 32  
 VITALTECH MULTI VEHICLE ATF 32

## W

WINDSCREEN WASHER SUMMER READY TO USE 39  
 WINDSCREEN CONCENTRATE 39



## ECOTECH OW-8 GLV-1

PRODUCT CODE 65653  
FULL SYNTHETIC



### SPECIFICATIONS

JASO - GLV-1

### DESCRIPTION

Very low viscosity oil with enhanced fuel economy and LSPI protection.

1L	1051194	20L	1051242	205L	1051244
5L	1051241	60L	1051243	1000L	1051245

## ECOTECH OW16 SP/RC G6 XFE

PRODUCT CODE 16152  
FULL SYNTHETIC



### SPECIFICATIONS

API - SN Plus/RC  
API - SP  
TOYOTA - .  
API - SN Plus  
API - SP/RC  
ILSAC - GF-6 B

### DESCRIPTION

Thanks to its low viscosity this oil significantly reduces wear and ensures fuel savings and lower CO2 emissions. It reduces soot and deposits and keeps the engine clean.

1L	1047248	20L	1047249	205L	1048830
5L	1047250	60L	1048829	1000L	1051189

## ECOTECH OW20 SP/RC D1-3

PRODUCT CODE 16173  
FULL SYNTHETIC



### SPECIFICATIONS

API - SP  
FIAT - 9.55535-GSX  
FORD - WSS-M2C962-A1  
API - SP/RC  
ILSAC - GF-6 A  
GM - Dexos1™ Gen 3

### DESCRIPTION

This oil significantly reduces wear and ensures fuel savings and lower CO2 emissions. It reduces soot and deposits. Suitable for hybrid cars.

1L	1049889	20L	1049894	205L	1049896
4L	1049891	20L BIB	1051080	1000L	1049897
5L	1049892	60L	1049895	Bulk	1049898

## ECOTECH OW30 FE

PRODUCT CODE 14105  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B4  
API - SN/CF  
BMW - LONGLIFE-01  
MB - 229.3  
VW - 502 00  
VW - 505 00

### DESCRIPTION

Full synthetic engine oil of the latest generation. It offers excellent fluidity, which ensures immediate lubrication after starting. Because of its low viscosity, it is fuel-saving.

1L	8309205	20L	8311451	1000L	8311857
4L	8309304	60L	8311659	Bulk	8311956
5L	8309403	205L	8311758		

## ECOTECH OW30 C3 FE

PRODUCT CODE 16105  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - C3  
API - SN/CF  
BMW - LONGLIFE-04  
FIAT - 9.55535-DS1  
FIAT - 9.55535-GS1  
MB - 229.51

### DESCRIPTION

Full synthetic "low saps" and low viscosity engine for the lubrication of gasoline and diesel engines. Significant fuel economy can be obtained, compared to standard motor oils.

1L	8332302	60L	8329241	Bulk	8333002
5L	8332500	205L	8320651		
20L	8324000	1000L	8332906		

**ECOTECH 0W40 FE**

PRODUCT CODE 16106  
FULL SYNTHETIC



**SPECIFICATIONS**

- ACEA - A3/B4
- BMW - LONGLIFE-01
- MB - 229.5
- VW - 502 00
- VW - 505 00

**DESCRIPTION**

Full synthetic engine oil of the latest generation, with a large field of application. It offers an excellent fluidity at low temperature, which ensures instant lubrication after starting. This will bring wear to a minimum. Because of its low viscosity, it is fuel-saving.

1L	8320507	20L	8321306	1000L	8321207
4L	8320705	60L	8321405	Bulk	8321108
5L	8320903	205L	8321504		

**ECOTECH 5W20 SP/RC D1-3**

PRODUCT CODE 16174  
FULL SYNTHETIC



**SPECIFICATIONS**

- API - SP
- FIAT - 9.55535-CR1
- GM - Dexos1™ Gen 3
- API - SP/RC
- ILSAC - GF-6 A

**DESCRIPTION**

This oil significantly reduces wear and ensures fuel savings and lower CO2 emissions. It reduces soot and deposits. Suitable for hybrid cars.

1L	1050523	20L	1050524	1000L	1050529
4L	1050525	60L	1050527		
5L	1050526	205L	1050528		

**ECOTECH 5W30 SP/RC D1-3**

PRODUCT CODE 16175  
FULL SYNTHETIC



**SPECIFICATIONS**

- API - SP
- FIAT - 9.55535-CR1
- FORD - WSS-M2C961-A1
- API - SP/RC
- ILSAC - GF-6 A
- GM - Dexos1™ Gen 3

**DESCRIPTION**

This oil significantly reduces wear and ensures fuel savings and lower CO2 emissions. It reduces soot and deposits. Suitable for hybrid cars.

1L	1049900	20L	1049903	205L	1049905
4L	1049901	20L BIB	1051078	1000L	1049906
5L	1049902	60L	1049904	Bulk	1049907

**ECOTECH 10W30 SP/RC G6 HC**

PRODUCT CODE 16157  
SEMI SYNTHETIC



**SPECIFICATIONS**

- API - SN/RC
- API - SP
- ILSAC - GF-5
- API - SN Plus
- API - SP/RC
- ILSAC - GF-6 A

**DESCRIPTION**

This semi-synthetic oil significantly reduces wear and ensures fuel savings and lower CO2 emissions. It reduces soot and deposits and keeps the engine clean.

1L	1047328	20L	1047660	205L	1047661
4L	1047329	60L	1047330		

**OFFICIALTECH 0W20 LS-FE**

PRODUCT CODE 65631  
FULL SYNTHETIC



**SPECIFICATIONS**

- ACEA - C5
- ACEA - C6
- API - SN Plus
- BMW - LONGLIFE-17FE+
- MB - 229.71
- OPEL - OV 040 1547 - A20
- VOLVO - VCC RBS0-2AE

**DESCRIPTION**

This full synthetic engine oil is specifically developed to meet the Opel OV 040 1547 - A20 specification. It enables reaching the predetermined fuel-economy goals and keeps the engine clean and protected.

1L	8339271	20L	8330483	205L	8330681
4L	8339370	20L BIB	1051056	1000L	8330780
5L	8339479	60L	8330582	Bulk	8330889

OFFICIALTECH OW20 C6 F

PRODUCT CODE 65645  
FULL SYNTHETIC



SPECIFICATIONS

- ACEA - C6
- API - SP
- ILSAC - GF-6 A
- FORD - WSS-M2C952-A1
- GM - DexosD™
- OPEL - OV 040 1547 - A20
- JAGUAR-LAND ROVER -

DESCRIPTION

This is a full synthetic lubricant mandatory for the newest engines requiring ACEA C6. It is developed to prolong the life and maintain the efficiency of emission systems. It is also designed to provide outstanding engine cleanliness, wear protection and strong durability to keep your engine running like new.

1L	1048794	20L BIB	1051063	Bulk	1048904
5L	1048795	60L	1048827		
20L	1048813	205L	1048796		

OFFICIALTECH OW20 LL FE

PRODUCT CODE 65621  
FULL SYNTHETIC



SPECIFICATIONS

- ACEA - C6
- API - SP
- FORD - WSS-M2C956-A1
- VW - TL 525 77
- PORSCHE - C20
- VW - 508 00/509 00

DESCRIPTION

This is a full synthetic lubricant mandatory for the newest engines of VW/Audi . It provides outstanding engine cleanliness, wear protection, strong durability and Fuel Economy.

1L	8331138	20L BIB	1051057	1000L	8331534
5L	8331336	60L	8331831	Bulk	8331633
20L	8331732	205L	8331930		

OFFICIALTECH OW-20 C5 P

PRODUCT CODE 65657  
FULL SYNTHETIC



SPECIFICATIONS

- ACEA - C5
- API - SP
- ILSAC - GF-6 A
- FIAT - 9.55535-DM1
- OPEL - OV 040 1547 - A20
- PSA - B71 2010-22

DESCRIPTION

A low SAPS ACEA C5 passenger car engine oil focused on the most recent Stellantis / PSA specification B71 2010.

1L	1052064	60L	1052067	Bulk	1052070
5L	1052065	205L	1052068		
20L	1052066	1000L	1052069		

OFFICIALTECH OW20 MS-V

PRODUCT CODE 65617  
FULL SYNTHETIC



SPECIFICATIONS

- ACEA - A1/B1-12
- ACEA - C5-16
- API - SN
- FIAT - 9.55535-DM1
- FIAT - 9.55535-DSX
- VOLVO - VCC RBS0-2AE

DESCRIPTION

Full synthetic lubricant for gasoline and diesel direct injection Volvo Engine Architecture engines. Ensures oil drain intervals of up to 30000 km. Fuel economy benefit over a reference oil of 3,4 %.

1L	8332517	60L	8333316	Bulk	8333019
5L	8332715	205L	8333118		
20L	8333217	1000L	8332913		

OFFICIALTECH OW20 C5 RFE

PRODUCT CODE 65635  
FULL SYNTHETIC



SPECIFICATIONS

- ACEA - C5
- RENAULT - RN17 FE

DESCRIPTION

This synthetic low SAPS ACEA C5 lubricant meets the new fuel economy specification RN17 FE of Renault. The very low viscosity grade SAE OW20 enables the engine to run at very high fuel-efficiency. This engine oil optimizes wear protection and engine cleanliness.

1L	1042488	20L	1048322	205L	1047633
5L	1042489	60L	1049308	Bulk	1047162

**OFFICIALTECH OW30 SP**

PRODUCT CODE 65646  
FULL SYNTHETIC



**SPECIFICATIONS**  
 ACEA - C2  
 API - SP  
 FORD - WSS-M2C950-A  
 OPEL - OV 040 1547 - G30  
 DAIMLER TRUCK - DTFR  
 15D100  
 MB - 227.61

**DESCRIPTION**  
 This oil is formulated to meet both the BMW Longlife-12 FE and the Ford WSS M2C950-A specification. It is adapted to meet the requirements of the latest technology, highly engineered turbo engines.

1L	1049042	20L	1049044	205L	1049046
5L	1049043	60L	1049045	Bulk	1049047

**OFFICIALTECH OW30 MS-BHDl**

PRODUCT CODE 65615  
FULL SYNTHETIC



**SPECIFICATIONS**  
 ACEA - C2  
 FIAT - 9.55535-DS1  
 FIAT - 9.55535-GS1  
 IVECO - 18-1811 Classe  
 SC1 LV  
 PSA - B71 2312-2022

**DESCRIPTION**  
 This is a full synthetic lubricant based on carefully selected very high quality base oils, specially developed for the PSA EURO VI Blue HDi DW10F engines. 4,2% Fuel Economy over a 5W40 reference oil.

1L	8323393	20L BIB	1051065	1000L	8323690
5L	8323591	60L	8323997	Bulk	8323799
20L	8323898	205L	8324093		

**OFFICIALTECH OW30 MS-FFE**

PRODUCT CODE 65618  
FULL SYNTHETIC



**SPECIFICATIONS**  
 ACEA - C2  
 FIAT - 9.55535-DS1  
 FIAT - 9.55535-GS1  
 FORD - WSS-M2C950-A  
 TOYOTA - .  
 JAGUAR-LAND ROVER -  
 STJLR.03.5007

**DESCRIPTION**  
 Full synthetic lubricant for EURO 6 TDCI Duratorq engines of Ford models from 2014 onwards. Ensures long oil drain intervals, has special elastomer compatibility and anti chain wear characteristics.

1L	8333712	20L BIB	1051066	1000L	8334115
5L	8333910	60L	8334412	Bulk	8334214
20L	8334313	205L	8334511		

**OFFICIALTECH OW30 LL III FE**

PRODUCT CODE 65620  
FULL SYNTHETIC



**SPECIFICATIONS**  
 ACEA - C3  
 FIAT - 9.55535-DS1  
 VW - TL 525 45  
 BMW - LONGLIFE-04  
 MB - 229.51  
 PORSCHE - C30  
 VW - 504 00/507 00

**DESCRIPTION**  
 This is a full synthetic lubricant meeting the VW 504.00 and 507.00. It provides protection to the Diesel Particulate Filter. This viscosity grade provides a proven fuel economy over a 5W30 grade.

1L	1044342	20L BIB	1051064	1000L	1044356
5L	1044344	60L	1044354	Bulk	1044357
20L	1044353	205L	1044355		

**OFFICIALTECH OW-40 C3 SP**

PRODUCT CODE 65655  
FULL SYNTHETIC



**SPECIFICATIONS**  
 ACEA - C3  
 PORSCHE - C40  
 VW - 511 00  
 VW - G 052 579  
 API - SP  
 MB - 229.52

**DESCRIPTION**  
 This is a full synthetic lubricant based on carefully selected very high quality base oils of the latest generation, with a large field of application.

1L	1052018	60L	1052038	Bulk	1052043
5L	1052036	205L	1052041		
20L	1052037	1000L	1052042		

## OFFICIALTECH 5W20 MS-FE

PRODUCT CODE 65612  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - A1/B1-12  
ACEA - C5  
FORD - WSS-M2C948-A  
FORD - WSS-M2C948-B  
JAGUAR-LAND ROVER -  
STJLR.03.5004

### DESCRIPTION

Full synthetic motor oil meeting the requirements of the new Ford EcoBoost petrol engines. Ensures reduced fuel consumption and exhaust emission reduction, combined with excellent cold start behavior.

1L	8329975	20L	8324611	205L	8321917
4L	8320187	20L BIB	1051067	1000L	8322570
5L	8320385	60L	8324512	Bulk	8324413

## OFFICIALTECH 5W-30 C2/C3 P/RN

PRODUCT CODE 65658  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - C2  
ACEA - C3  
API - SP  
MB - 229.52  
PSA - B71 2290-2022  
RENAULT - RN17

### DESCRIPTION

This synthetic engine oil formulation guarantees a cleaner and better performing engine without lowering the oil drain interval. The broad applicability of this lubricant enables you to offer perfect maintenance to different vehicles of several major brands.

1L	1052548	20L	1052551	205L	1052553
4L	1052549	20L BIB	1052905	1000L	1052554
5L	1052550	60L	1052552	Bulk	1052555

## OFFICIALTECH 5W30 C1

PRODUCT CODE 65605  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - C1-16  
ACEA - C2  
JASO - DL-1  
FORD - WSS-M2C934-B  
JAGUAR-LAND ROVER -  
STJLR.03.5005

### DESCRIPTION

Full synthetic, fuel economy "Low SAPS" motor oil for gasoline/LPG and diesel engines of passenger cars with or without turbo, requiring the lowest levels of sulphated ash, phosphorus and sulfur.

1L	8307713	20L	8317279	1000L	8317675
4L	8307812	60L	8317477	Bulk	8317774
5L	8307911	205L	8317576		

## OFFICIALTECH 5W30 C2

PRODUCT CODE 65610  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - C2  
API - SN/CF  
FIAT - 9.55535-S1  
PSA - B71 2290-2014  
RENAULT - RN 0700

### DESCRIPTION

This is a full synthetic high-performance engine oil with low viscosity, especially developed to provide the highest fuel economy and lowest CO2 emissions.

1L	8308918	20L	8319679	205L	8319976
4L	8309014	20L BIB	1051071	1000L	8310089
5L	8309113	60L	8319877	Bulk	8310188

## OFFICIALTECH 5W30 C3 SP EXTRA

PRODUCT CODE 65648  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - C2  
ACEA - C3  
API - SP  
BMW - LONGLIFE-04  
MB - 229.52  
OPEL - OV 040 1547 - D30  
OPEL - OV 040 1547 - G30

### DESCRIPTION

This is a full synthetic lubricant combines fuel economy with an extended service life. The reduced ash formulation protects particulate filters and exhaust after-treatment devices.

1L	1049358	20L	1049244	205L	1049365
4L	1049359	20L BIB	1051081	1000L	1049366
5L	1049360	60L	1049364	Bulk	1049367

## OFFICIALTECH 5W30 C2/C3

PRODUCT CODE 65629  
FULL SYNTHETIC



**SPECIFICATIONS**  
 ACEA - C2  
 ACEA - C3  
 RENAULT - RN17 Level  
 BMW - LONGLIFE-04  
 GM - dexos2™  
 MB - 229.52  
 OPEL - OV 040 1547 - D30

**DESCRIPTION**

This synthetic engine oil formulation guarantees a cleaner and better performing engine without lowering the oil drain interval, offering perfect maintenance to different vehicles of several brands.

1L	8332371	20L	8332777	205L	8332975
4L	1053105	20L BIB	1051072	1000L	8333071
5L	8332579	60L	8332876	Bulk	8333170

## OFFICIALTECH 5W30 C4

PRODUCT CODE 65608  
FULL SYNTHETIC



**SPECIFICATIONS**  
 ACEA - C3  
 ACEA - C4  
 FIAT - 9.55535-S4  
 RENAULT - RN 0720  
 MB - 226.51  
 MB - 229.51

**DESCRIPTION**

This is a latest generation, full synthetic high-performance lubricant, especially formulated to provide superior protection of the after-treatment systems of Renault engines.

1L	8308314	20L	8318474	205L	8318771
4L	8308413	20L BIB	1051068	1000L	8318870
5L	8308512	60L	8318672	Bulk	8318979

## OFFICIALTECH 5W30 C3 LL III

PRODUCT CODE 65644  
FULL SYNTHETIC



**SPECIFICATIONS**  
 ACEA - C3  
 API - SN Plus  
 API - SP  
 BMW - LONGLIFE-04  
 MB - 229.52  
 PORSCHE - C30  
 VW - 504 00/507 00

**DESCRIPTION**

This is a full synthetic lubricant formulated to meet the most demanding VW specifications available today - VW 504.00 and 507.00. It meets Euro 4, 5 and 6 norms and provides protection to the Diesel Particulate Filter. THIS PRODUCT REPLACES 5W30 LL III

1L	1048179	20L	1048186	205L	1047666
4L	1048180	20L BIB	1051073	1000L	1048188
5L	1048181	60L	1048187	Bulk	1048189

## OFFICIALTECH 5W30 MS-F

PRODUCT CODE 65609  
FULL SYNTHETIC



**SPECIFICATIONS**  
 ACEA - A1/B1-12  
 ACEA - A5/B5  
 API - CF  
 JAGUAR-LAND ROVER - STJLR.03.5003  
 API - SL  
 FORD - WSS-M2C913-C/D

**DESCRIPTION**

Full synthetic motor oil developed for the requirements of Ford WSS-M2C913-C/D specification. It is characterized by significantly improved lubricating properties and provides Fuel Economy (>3%).

1L	8308611	20L	8319075	205L	8319372
4L	8308710	20L BIB	1051070	1000L	8319471
5L	8308819	60L	8319273	Bulk	8319570

## OFFICIALTECH 5W30 FS-M

PRODUCT CODE 65625  
FULL SYNTHETIC



**SPECIFICATIONS**  
 ACEA - A1/B1-12  
 ACEA - A5/B5  
 API - SL  
 MB - 229.6

**DESCRIPTION**

A synthetic lubricant for the newest Mercedes-Benz AMG engines MB 229.6. The low viscosity grade enables the engine to run at high fuel-efficiency. Optimized wear protection and engine cleanliness.

1L	1042411	205L	8335174
----	---------	------	---------



## OFFICIALTECH 5W40 C3

PRODUCT CODE 65630  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - C3  
BMW - LONGLIFE-04  
GM - dexos2™  
MB - 229.52  
PORSCHE - C40  
VW - 511 00

### DESCRIPTION

This synthetic engine oil is developed to suit the needs of high performing petrol engines. It offers improved fuel economy and complete protection of the most demanding engine designs.

1L	8333279	20L BIB	1051074	1000L	8333972
5L	8333477	60L	8333774	Bulk	8334078
20L	8333675	205L	8333873		

## OFFICIALTECH 10W-40 CP

PRODUCT CODE 33127  
SEMI SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B4  
PSA - B71 2300-2022  
API - SN  
MB - 229.3  
VW - 501 01  
VW - 505 00

### DESCRIPTION

This is a semi synthetic lubricant developed to meet ACEA A3/B4 requirements and to fulfill Euro 4 norms. For four-stroke gasoline and diesel cars, including diesel engines with direct injection such as Common Rail, HDI, CDI, etc.

1L	1052860	60L	1052863	Bulk	1052934
5L	1052861	205L	8337642		
20L	1052862	1000L	1052864		

## VITALTECH 0W30 V

PRODUCT CODE 22105  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - A5/B5  
ACEA - A7/B7  
API - SN/CF  
BMW - LONGLIFE-01 FE  
VOLVO - VCC 95200377

### DESCRIPTION

Full synthetic oil meeting the requirements of Volvo cars. It has increased lubricating properties and better fuel economy. It procures a reduced fuel consumption and a longer lifetime of the engine.

1L	8324062	60L	8326806	Bulk	8326950
5L	8324260	205L	8326905		
20L	8326707	1000L	8326851		

## VITALTECH 0W-40 SP

PRODUCT CODE 16165  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B4  
API - SP  
BMW - LONGLIFE-01  
MB - 229.5  
PORSCHE - A40  
VW - 502 00  
VW - 505 00

### DESCRIPTION

This oil meets the new API SP specification. The low viscosity grade enables the engine to run at high fuel-efficiency. It delivers excellent wear protection and engine cleanliness.

1L	1048897	60L	1048907	1000L	1048909
4L	1048898	205L	1048908		

## VITALTECH 5W-30 SP

PRODUCT CODE 16164  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B4  
API - SP  
BMW - LONGLIFE-01  
RENAULT - RN 0700  
RENAULT - RN 0710  
MB - 229.5

### DESCRIPTION

This oil meets the new API SP specification. The low viscosity grade enables the engine to run at high fuel-efficiency. It delivers excellent wear protection and engine cleanliness.

1L	1048885	5L	1048887	1000L	1048891
4L	1048886	60L	1048889		

## VITALTECH 5W30

PRODUCT CODE 14115  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B4  
MB - 229.3  
OPEL - GM-LL-B-025  
VW - 502 00  
VW - 505 00  
API - SL

### DESCRIPTION

Full synthetic engine oil of the latest generation for gasoline and diesel engines with turbocharging. Due to the excellent fluidity and low resistance at start this product is fuel saving.

1L	8309809	20L	8312656	1000L	8313059
4L	8309908	60L	8312854	Bulk	8313158
5L	8300011	205L	8312953		

## VITALTECH 5W-40 SP

PRODUCT CODE 16166  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B4  
API - SP  
BMW - LONGLIFE-01  
MB - 229.5  
PSA - B71 2296  
VW - 502 00  
VW - 505 00

### DESCRIPTION

This is a full synthetic lubricant specially designed to meet the new API SP standard. It provides a very low resistance when starting, has a very high thermal stability and delivers excellent wear protection.

1L	1048899	60L	1048910	1000L	1048912
5L	1048901	205L	1048911		

## VITALTECH 5W40 PI C3

PRODUCT CODE 21116  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - C3  
API - CF  
BMW - LONGLIFE-04  
GM - dexos2™  
MB - 229.51  
VW - 505 01

### DESCRIPTION

This is a full synthetic, high-performance Mid SAPS engine oil. It meets the requirements of VW 505.01 specification, corresponds to Euro 4 and Euro 5 norms, and protects the DPF.

1L	8302817	20L	8310461	205L	8310768
4L	8302916	20L BIB	1051075	1000L	8310867
5L	8303012	60L	8310669	Bulk	8310966

## VITALTECH 5W40

PRODUCT CODE 16116  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B4  
BMW - LONGLIFE-01  
MB - 229.3  
PSA - B71 2296  
VW - 505 00

### DESCRIPTION

Full synthetic engine oil designed to meet the strict requirements of manufacturers. It provides excellent fluidity at low temperatures, a very low resistance when starting and an exceptional VI.

1L	8311093	20L	8311895	205L	8312090
4L	8311192	20L BIB	1051076	1000L	8312199
5L	8311291	60L	8311994	Bulk	8312298

## VITALTECH 5W40 B4 DIESEL

PRODUCT CODE 26116  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B4-10  
API - SN/CF  
BMW - LONGLIFE-01  
MB - 229.3  
PSA - B71 2296  
RENAULT - RN 0710

### DESCRIPTION

This is a full synthetic lubricant based on carefully selected very high quality base oils and additives of the latest generation, specially designed to meet the strict requirements of manufacturers.

1L	8333903	20L	8334306	1000L	8334603
4L	8334009	60L	8334405	Bulk	8334702
5L	1042635	205L	8334504		

## VITALTECH 5W50

PRODUCT CODE 23117  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B4-08  
API - SN/CF  
BMW - LONGLIFE-01  
MB - 229.3  
VW - 501 01  
VW - 505 00

### DESCRIPTION

Full synthetic engine oil with excellent cold start properties and a high viscosity at hot engine.

1L	8314629	60L	8315992	Bulk	8316296
5L	8314728	205L	8316098		
20L	8315893	1000L	8316197		

## VITALTECH 10W-50 F-A

PRODUCT CODE 65650  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - C3  
API - SN Plus  
API - SP  
API - SP/RC

### DESCRIPTION

This ester and PAO synthetic based racing oil is fortified with a precisely balanced additive system delivering high levels of anti-wear and friction reduction.

1L	1050218	20L	1053239	60L	1053240
----	---------	-----	---------	-----	---------

## VITALTECH 10W60 M

PRODUCT CODE 16128  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B4  
API - SN/CF  
BMW - M-MODELS  
MB - 229.3 Level  
VW - 501 01  
VW - 505 00

### DESCRIPTION

This is a full synthetic lubricant based on carefully selected very high quality base oils. This passenger car engine oil is for severe duty use, like racing and hot climates.

1L	8335709	60L	8336201	Bulk	8336508
5L	8335808	205L	8336300		
20L	8327056	1000L	8336409		

## VITALTECH 10W60

PRODUCT CODE 24118  
SEMI SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B4  
API - SN/CF  
VW - 501 01  
VW - 505 00

### DESCRIPTION

Semi synthetic motor oil for gasoline and diesel engines used for racing and hot climate use, ensuring a perfect lubrication.

1L	8314827	60L	8316494	Bulk	8316791
5L	8314926	205L	8316593		
20L	8316395	1000L	8316692		

## VITALTECH 5W30 GAS

PRODUCT CODE 22114  
FULL SYNTHETIC



### SPECIFICATIONS

ACEA - C3  
API - SN/CF  
MB - 229.51  
VW - 502 00

### DESCRIPTION

This is a full synthetic lubricant designed to meet the strict requirements of LPG, CNG and Dual Fuel powered passenger cars. It protects the valves and neutralizes the acid compounds created.

1L	1048500	205L	1048505
----	---------	------	---------

VITALTECH 5W40 GAS

PRODUCT CODE 22116  
FULL SYNTHETIC



SPECIFICATIONS

ACEA - C3  
API - SN/CF  
FIAT - 9.55535-T2  
MB - 229.51  
VW - 502 00

DESCRIPTION

This is a full synthetic lubricant based on carefully selected very high quality base oils and additives of the latest generation. It is specially designed to meet the strict requirements of LPG, CNG and Dual Fuel powered passenger cars. The gas engines give higher combustion temperatures and therefore need this special technology to protect the valves and neutralize the acid compounds created.

1L	8325892	60L	8326592	Bulk	8326394
5L	8326097	205L	8326691		
20L	8326493	1000L	8326295		

RACING 0W-40 ESTER

PRODUCT CODE 65513  
FULL SYNTHETIC



SPECIFICATIONS

PORSCHE - C40 GT

DESCRIPTION

This full synthetic ester enriched racing lubricant covers a large part of the racing car market. Its great fluidity at low temperatures ensures complete protection of all parts right after starting the engine. It is blue colored.

1L	1050548	20L	1050550
5L	1050549	60L	1050551

RACING 10W-60 ESTER

PRODUCT CODE 65510  
FULL SYNTHETIC



SPECIFICATIONS

/ - /

DESCRIPTION

This PAO synthetic based racing oil is fortified with ester and a precisely balanced component-blended additive system delivering high levels of anti-wear and friction reducing characteristics. This advanced protection is engineered to help deliver optimum horsepower.

1L	1050545	20L	1043339
5L	1050546	60L	1044224

EXTENDTECH 5W40 HM

PRODUCT CODE 28116  
FULL SYNTHETIC



SPECIFICATIONS

ACEA - A3/B4  
API - SN/CF  
MB - 229.5  
PSA - B71 2296  
VW - 502 00  
VW - 505 00

DESCRIPTION

Full synthetic engine oil for the lubrication of most petrol and diesel engines with turbocharging.

1L	8321184	20L	8321986	1000L	8321788
4L	8321382	60L	8322181	Bulk	8321887
5L	8321580	205L	8322082		

EXTENDTECH 10W40 HM

PRODUCT CODE 15127  
SEMI SYNTHETIC



SPECIFICATIONS

ACEA - A3/B4  
API - SM/CF  
MB - 229.3  
RENAULT - RN 0700  
RENAULT - RN 0710  
VW - 505 00

DESCRIPTION

Semi synthetic motor oil for gasoline and diesel engines with direct fuel injection. Meets the API SM specification for gasoline engines with extended oil drain intervals.

1L	8302114	20L	8318054	1000L	8318450
4L	8302213	60L	8318252	Bulk	8318559
5L	8302312	205L	8318351		

## GUARDTECH 10W40 B4

PRODUCT CODE 23127  
SEMI SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B4  
API - SN/CF  
MB - 229.1  
RENAULT - RN 0700  
VW - 501 01  
VW - 505 00

### DESCRIPTION

This is a semi synthetic lubricant based on carefully selected highly refined base oils. This oil is an advanced engine oil developed to meet ACEA A3/B4 requirements and to fulfill Euro 4 norms.

1L	8303616	20L	8313462	205L	8313769
4L	8303814	20L BIB	1051077	1000L	8313868
5L	8304019	60L	8313660	Bulk	8313967

## GUARDTECH 10W40 B4 DIESEL

PRODUCT CODE 23126  
SEMI SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B3  
ACEA - A3/B4  
API - SL/CF  
MB - 229.1  
VW - 505 00

### DESCRIPTION

Semi synthetic engine oil for diesel engines with direct injection like HDI or CDI. Its high-quality components ensure a great fluidity at low temperature and a stable viscosity at high temperature.

1L	8303517	20L	8312861	1000L	8313264
4L	8303715	60L	8313066	Bulk	8313363
5L	8303913	205L	8313165		

## GUARDTECH 15W40 SL/CF

PRODUCT CODE 14136  
MINERAL



### SPECIFICATIONS

ACEA - A3/B3  
ACEA - A3/B4  
API - SL/CF  
MB - 229.1  
VW - 501 01 Level  
VW - 505 00 Level

### DESCRIPTION

This is a very high-quality mineral oil with proven performance, suitable for a wide range of applications. It can be used in most 4-stroke gasoline and diesel cars and light trucks.

1L	8300110	20L	8313257	1000L	8313653
4L	8300219	60L	8313455	Bulk	8313752
5L	8300318	205L	8313554		

## GUARDTECH 15W40 SF/CD

PRODUCT CODE 1336  
MINERAL



### SPECIFICATIONS

API - SF/CD  
MIL - L-46152 B

### DESCRIPTION

Multigrade engine oil for the lubrication of gasoline and diesel engines of passenger cars with natural aspiration or turbocharging. This oil is characterized by a combination of good detergent and dispersion properties, together with a low ash content.

5L	8325458	60L	8317491	1000L	8325953
20L	8326158	205L	8326257	Bulk	8326059

## GUARDTECH 15W50 SL/CF

PRODUCT CODE 14138  
SEMI SYNTHETIC



### SPECIFICATIONS

ACEA - A3/B3-10  
ACEA - A3/B4-08  
API - SL/CF  
MB - 229.1

### DESCRIPTION

Semi synthetic oil of the highest quality. Its adapted composition ensures optimal cleanliness of the engine in all conditions. It protects the catalyst and ensures optimal performance.

5L	8300516	60L	8314056	1000L	8314254
20L	8313851	205L	8314155	Bulk	8314353

## GUARDTECH 20W50 SN/CF

PRODUCT CODE 16147  
MINERAL



### SPECIFICATIONS

ACEA - A3/B3-16  
ACEA - A3/B4  
API - SN/CF  
MB - 229.1  
VW - 501 01  
VW - 505 00

### DESCRIPTION

A very high quality motor oil, suitable for most of gasoline and diesel cars and light trucks. It has a very good resistance to oxidation and optimal detergent and dispersion properties are obtained.

1L	8326790	20L	8327391	1000L	8327193
4L	8326998	60L	8327490	Bulk	8327292
5L	8332180	205L	8327599		

## GUARDTECH 20W50 SL/CF

PRODUCT CODE 14147  
MINERAL



### SPECIFICATIONS

ACEA - A3/B3  
ACEA - A3/B4  
API - SL/CF  
MB - 229.1  
VW - 501 01 Level  
VW - 505 00 Level

### DESCRIPTION

A very high quality mineral engine oil for most 4-stroke engines. Provides very good resistance to oxidation and has optimal detergent and dispersion properties. Has very high lubricating power.

1L	8300615	20L	8314452	1000L	8314858
4L	8300714	60L	8314650	Bulk	8314957
5L	8300813	205L	8314759		

## GUARDTECH 20W50 SF/CD

PRODUCT CODE 1347  
MINERAL



### SPECIFICATIONS

API - SF/CD  
MIL - L-46152 B

### DESCRIPTION

Multigrade engine oil for the lubrication of gasoline and diesel engines of passenger cars with natural aspiration or turbo charging. This oil is characterized by a combination of good detergent and good dispersion properties, together with a low ash content.

1L	8325250	60L	8326653	Bulk	8326455
5L	8325656	205L	8326752		
20L	8326554	1000L	8326356		

## GUARDTECH SAE 40 SF/CD

PRODUCT CODE 184  
MINERAL



### SPECIFICATIONS

API - SF/CD  
MIL - L-46152 B  
MB - 226.0

### DESCRIPTION

Light detergent monograde oil, made of paraffinic base oils and selected additives. It offers good protection against oxidation and corrosion.

1L	8300004	60L	8301223	1000L	8301421
20L	8301025	205L	8301322	Bulk	8301520

## GUARDTECH SAE 50 SF/CD

PRODUCT CODE 185  
MINERAL



### SPECIFICATIONS

API - SF/CD  
MIL - L-46152 B  
MB - 226.0

### DESCRIPTION

Monograde engine oil for the lubrication of gasoline and diesel engines of passenger cars. Characterized by good detergent and dispersant properties, together with a low ash content.

20L	8301629	205L	8301926	Bulk	8302121
60L	8301827	1000L	8302022		

## GUARDTECH SAE 40

PRODUCT CODE 4704  
MINERAL



**SPECIFICATIONS**  
API - SA

**DESCRIPTION**

This is a straight mineral oil, made of highly refined base oils.

20L	8305894	205L	8306198	Bulk	8306396
60L	8306099	1000L	8306297		

## GUARDTECH SAE 50

PRODUCT CODE 4705  
MINERAL



**SPECIFICATIONS**  
API - SA

**DESCRIPTION**

This is a straight mineral oil, made of highly refined base oils.

20L	8306495	205L	8306792	Bulk	8306990
60L	8306693	1000L	8306891		

## OE LEVELTECH 0W-30 MS-BHDl

PRODUCT CODE 75637  
FULL SYNTHETIC



**SPECIFICATIONS**  
ACEA - C2  
FIAT - 9.55535-DS1  
FIAT - 9.55535-GS1  
IVECO - 18-1811 Classe  
SC1 LV  
PSA - B71 2312

**DESCRIPTION**

This lubricant is based on carefully selected very high quality base oils, specially developed for the PSA EURO VI Blue HDi DW10F engines with exhaust after treatment and turbocharger.

1L	1052488	60L	1052493	Bulk	1052506
5L	1052490	205L	1052494		
20L	1052492	1000L	1052495		

## OE LEVELTECH 5W30 C3

PRODUCT CODE 75607  
FULL SYNTHETIC



**SPECIFICATIONS**  
ACEA - C3  
BMW - LONGLIFE-04  
GM - dexos 2  
MB - 229.51  
MB - 229.52  
VW - 505 00

**DESCRIPTION**

This synthetic based engine oil meets the specifications of different OEMs. Its mid SAPS formulation combines excellent low viscosity properties with highly protective additives, enabling the engine to run more fuel efficient.

1L	1043900	20L	1043920	1000L	1043923
4L	1049810	60L	1043921		
5L	1043901	205L	1043922	Bulk	1043924

## OE LEVELTECH 5W30 C4

PRODUCT CODE 75614  
FULL SYNTHETIC



**SPECIFICATIONS**  
ACEA - C3  
ACEA - C4  
FIAT - 9.55535-S4  
MB - 226.51  
MB - 229.51  
RENAULT - RN 0720

**DESCRIPTION**

This full synthetic engine oil is formulated to meet the specifications of different OEMs. The low SAPS formula guarantees complete DPF protection. Furthermore, its fluidity at low temperatures guarantee easy starting in winter conditions.

1L	1043904	60L	1043926	Bulk	8334382
5L	1043905	205L	8341526		
20L	1043925	1000L	8334481		

**OE LEVELTECH 5W30 LL III**

PRODUCT CODE 75602  
FULL SYNTHETIC



**SPECIFICATIONS**

- ACEA - C3
- BMW - LONGLIFE-04
- MB - 229.51
- PORSCHE - C30
- VW - 504 00/507 00
- API - SN

**DESCRIPTION**

This full synthetic engine oil is formulated to meet the specifications of different OEMs. It reaches ACEA and API requirements by balancing excellent fluidity with advanced engine protecting, regardless the driving conditions. This product may not be available in your region. Please, consult your local sales contact for more information.

1L	1043892	60L	1043895	Bulk	1042519
5L	1043893	205L	1043896		
20L	1043894	1000L	1043897		

**OE LEVELTECH 5W30 MS-F**

PRODUCT CODE 75623  
FULL SYNTHETIC



**SPECIFICATIONS**

- ACEA - A1/B1-12
- ACEA - A5/B5
- API - SN/CF
- FORD - WSS-M2C913-C/D
- JAGUAR-LAND ROVER - STJLR.03.5003
- RENAULT - RN 0700

**DESCRIPTION**

This is a full synthetic lubricant based on carefully selected very high quality base oils, especially developed for the requirements of Ford WSS-M2C913-C/D specifications. It is characterized by significantly improved lubricating properties and provides Fuel Economy (>3%). This oil replaces the M2C-913-A/B specifications. This product may not be available in your region. Please, consult your local sales contact for more information.

1L	1043906	60L	1043928	Bulk	1043931
5L	1043907	205L	1043929		
20L	1043927	1000L	1043930		

**OE LEVELTECH 5W40 PI C3**

PRODUCT CODE 75619  
FULL SYNTHETIC



**SPECIFICATIONS**

- ACEA - C3
- BMW - LONGLIFE-04
- GM - dexos2™
- MB - 229.51
- VW - 505 01

**DESCRIPTION**

This full synthetic lubricant meets the demanding requirements of the VW 505.01 specification in terms of resistance to oxidation, oil thickening and the formation of sludge in the engine. It is a Mid SAPS oil providing reliable protection of after-treatment devices and Diesel Particulate Filters. This product may not be available in your region. Please, consult your local sales contact for more information.

1L	1044238	60L	1044257	Bulk	1044245
5L	1044239	205L	1044243		
20L	1044242	1000L	1044244		

**ESSENTIAL SN C2/C3 5W30**

PRODUCT CODE 75601  
FULL SYNTHETIC



**SPECIFICATIONS**

- ACEA - C2
- ACEA - C3
- API - SN/CF
- MB - 229.31

**DESCRIPTION**

This full synthetic engine oil is designed to meet the core requirements of ACEA and API for passenger cars. It offers complete protection of both the aftertreatment system and the engine, regardless the driving conditions. This product may not be available in your region. Please, consult your local sales contact for more information.

1L	1048633	60L	1048635	Bulk	8334962
4L	1048634	205L	1047585		
5L	1047677	1000L	8334863		

**ESSENTIAL SN/CF C3 5W40 PI**

PRODUCT CODE 75608  
FULL SYNTHETIC



**SPECIFICATIONS**

- ACEA - C3
- API - SN/CF
- MB - 229.31
- MB - 229.51
- VW - 505 00
- VW - 505 01

**DESCRIPTION**

This full synthetic engine oil meets the core requirements of ACEA and API for passenger cars. It keeps soot particles dispersed and prevents the formation of piston deposits.

1L	1048681	20L	1048670	1000L	8337161
4L	1048682	60L	1048671	Bulk	8337260
5L	1048683	205L	1048672		



ESSENTIAL SN/CF 5W40

PRODUCT CODE 75603  
FULL SYNTHETIC



SPECIFICATIONS

ACEA - A3/B3-16  
ACEA - A3/B4  
API - SN/CF  
MB - 229.1  
VW - 502 00  
VW - 505 00

DESCRIPTION

This is a full synthetic lubricant providing an excellent fluidity at low temperatures, a very low resistance when starting and a very high thermal stability.

1L	8331688	60L	1042526	<b>Bulk</b>	8336768
4L	8331787	205L	1042825		
5L	1047678	1000L	8336669		

ESSENTIAL SL/CF 10W40 B4

PRODUCT CODE 75610  
SEMI SYNTHETIC



SPECIFICATIONS

ACEA - A3/B3-16  
ACEA - A3/B4  
API - SL/CF  
MB - 229.1  
VW - 501 01  
VW - 505 00

DESCRIPTION

This engine oil meets the core requirements of ACEA and API for passenger cars. It offers excellent engine cleanliness and complete protection to all engine components.

1L	1047541	20L	1047545	<b>1000L</b>	8335464
4L	1049620	60L	1053007	<b>Bulk</b>	8335563
5L	1047542	205L	1047588		

# AXLE AND MANUAL TRANSMISSION OILS

## ECOTECH 75W PREMIUM

PRODUCT CODE 2218  
FULL SYNTHETIC



**SPECIFICATIONS**  
API - GL-4 +  
BMW - MTF LT-5  
FORD - WSD-M2C200-D  
MB - 235.71  
NISSAN - LV MTF-1  
VW - G 070 726

### DESCRIPTION

This is a full synthetic low viscosity lubricant used in manual gearboxes of passenger cars, achieving the highest fuel economy. Optimized cold start properties and stable viscosity/temperature behavior.

1L	1048869	60L	1048856	1000L	1048858
20L	1048855	205L	1048857	Bulk	1048859

## OFFICIALTECH 75W80

PRODUCT CODE 23300  
MINERAL



**SPECIFICATIONS**  
API - GL-5  
BMW - 23007533513/818  
FORD - WSD-M2C200-C/  
C2/C3  
OPEL - GM 1940776  
VOLVO - 97308  
VW - 501 50

### DESCRIPTION

An extreme-pressure lubricant for gear boxes, specially formulated to satisfy the highest service conditions: high speed, shockloads, high torque at low speeds and multiple synchromesh compatibility.

1L	8338953	60L	8339455	Bulk	8339752
5L	8339059	205L	8339554		
20L	8339356	1000L	8339653		

## OFFICIALTECH 75W80 ZF

PRODUCT CODE 2202  
FULL SYNTHETIC



**SPECIFICATIONS**  
MAN - 341 E-3  
MAN - 341 Z-4  
MB - 235.4  
VOLVO - 97307  
ZF - TE-ML 01L  
ZF - TE-ML 02L

### DESCRIPTION

This full synthetic gear oil is used in manual synchromesh transmissions, procuring improved shift comfort, low temperature fluidity and longer service life.

1L	8325601	60L	8326509	1000L	8326202
20L	8326400	205L	8326608	Bulk	8326301

## OFFICIALTECH 75W90 MV

PRODUCT CODE 2216  
FULL SYNTHETIC



**SPECIFICATIONS**  
API - GL-4 +  
BMW - MTF LT-4  
FORD - WSD-M2C200-D  
MB - 235.72  
VW - 501 50  
VW - G 51

### DESCRIPTION

This is a full synthetic lubricant based avoids gear squawk and prolongs the lifetime of the gear lubricant. It improves low temperature gear shifts and gear change at high temperature.

1L	1049036	60L	1049038	1000L	1049040
20L	1049037	205L	1049039	Bulk	1049041

## OFFICIALTECH 75W140 LS GL 5

PRODUCT CODE 2307  
SEMI SYNTHETIC



**SPECIFICATIONS**  
API - GL-5  
MIL - L-2105 C  
MIL - L-2105 D  
BMW - MSP/A  
FORD - WSS-M2C192-A  
FORD - WSS-M2C192A+/  
M2C118-A

### DESCRIPTION

This is a high performance semi synthetic transmission oil for all differentials, including "limited slip". It has exceptionally high viscosity stability and very high fluidity at low temperature.

1L	8304200	60L	8305856	1000L	8306051
20L	8305658	205L	8305955	Bulk	8306150

## OFFICIALTECH 85W90 M GL 5

PRODUCT CODE 23310  
MINERAL



### SPECIFICATIONS

API - GL-5  
MAN - 342 M-1  
VOLVO - 97310  
VOLVO - 97316  
ZF - TE-ML 07A  
MB - 235.0

### DESCRIPTION

This gear oil is specifically designed to meet the Mercedes Benz 235.0 requirement. It has excellent properties during prolonged operation under heavy load and high temperatures.

20L	8318986	205L	8319181	Bulk	8319389
60L	8319082	1000L	8319280		

## VITALTECH 75W-80 MV PREMIUM

PRODUCT CODE 2219  
SEMI SYNTHETIC



### SPECIFICATIONS

API - GL-4 +  
FORD - WSS-M2C200-D2  
PSA - B71 2330  
VW - G 052 171  
VW - G 052 726

### DESCRIPTION

This is a high quality semi synthetic transmission oil, suitable for nearly all manual gearboxes of passenger cars reducing the complexity and storage of gearbox oils.

1L	1048400	60L	1048403	Bulk	1048399
5L	1048401	205L	1048404		
20L	1048402	1000L	1048405		

## RACING TRANS 75W-90 ESTER

PRODUCT CODE 65521  
FULL SYNTHETIC



### SPECIFICATIONS

API - GL-5

### DESCRIPTION

This advanced full synthetic PAO based transmission oil with ester for racing vehicles has an excellent viscosity at low temperatures guarantees quick protection.

1L	1050557	20L	1050559
5L	1050558	60L	1050560

## RACING TRANS 75W-140 ESTER

PRODUCT CODE 65520  
FULL SYNTHETIC



### SPECIFICATIONS

API - GL-5  
API - GL-6  
BMW - 83221470080  
BMW - 8322282583  
BMW - MSP/A  
DREXLER -

### DESCRIPTION

This is a full synthetic gearbox and transaxle lubricant, enriched with ester, for racing vehicles offers excellent anti-wear protection and better resistance at high temperatures.

1L	1050554	20L	1049684
5L	1050555	60L	1049685

## EXTENDTECH 75W90 LS GL 5

PRODUCT CODE 2410  
SEMI SYNTHETIC



### SPECIFICATIONS

API - GL-5  
MIL - L-2105 C  
MIL - L-2105 D

### DESCRIPTION

This is a semi synthetic lubricant based on carefully selected highly refined base oils. This oil is an extreme-pressure lubricant for differentials equipped with a limited slip or lock-up mechanism.

1L	8300721	60L	8300660	1000L	8300868
20L	8300462	205L	8300769	Bulk	8300967

## EXTENDTECH 80W90 LS GL 5

PRODUCT CODE 2408  
MINERAL



**SPECIFICATIONS**  
API - GL-5  
MIL - L-2105 C  
MIL - L-2105 D

### DESCRIPTION

Mineral oil based on specific base oils and selected sulfur-phosphorus additives. These components ensure good performance in differentials equipped with a "limited-slip" mechanism.

1L	8300622	60L	8309458	1000L	8309656
20L	8309250	205L	8309557	Bulk	8309755

## EXTENDTECH 85W140 LS GL 5

PRODUCT CODE 2409  
MINERAL



**SPECIFICATIONS**  
API - GL-5  
MIL - L-2105 C  
MIL - L-2105 D

### DESCRIPTION

Mineral oil composed of paraffinic base oils and selected additives based on sulfur-phosphorus. A special friction additive imparts to this oil the necessary properties to be used in differentials, which are equipped with a "limited-slip" mechanism.

20L	8309854	205L	8300165	Bulk	8300363
60L	8300066	1000L	8300264		

## EXTENDTECH 75W80 GL 5

PRODUCT CODE 2300  
MINERAL



**SPECIFICATIONS**  
API - GL-5  
MIL - L-2105 C  
MIL - L-2105 D

### DESCRIPTION

This is an extreme-pressure lubricant for gear boxes, specially formulated to satisfy the highest service conditions: high speed, shockloads and high torque at low speeds.

1L	8303807	60L	8304057	Bulk	8304354
5L	8337772	205L	8304156		
20L	8303852	1000L	8304255		

## EXTENDTECH 75W90 GL 5

PRODUCT CODE 2209  
SEMI SYNTHETIC



**SPECIFICATIONS**  
API - GL-4  
API - GL-5  
MIL - L-2105 D

### DESCRIPTION

Semi synthetic transmission oil with an exceptionally high viscosity index. It exhibits excellent fluidity at low temperatures and ensures a long life of the oil and gears.

1L	8303302	20L	8302053	1000L	8302459
4L	8323461	60L	8302251	Bulk	8302558
5L	8303500	205L	8302350		

## EXTENDTECH 80W90 GL 5

PRODUCT CODE 2308  
MINERAL



**SPECIFICATIONS**  
API - GL-5  
MAN - 342 M-1  
MAN - 342 M-2  
ZF - TE-ML 05A  
ZF - TE-ML 16C  
ZF - TE-ML 19B

### DESCRIPTION

This is an extreme-pressure lubricant for gear boxes, specifically formulated to satisfy the highest service conditions: high speed, shockloads and high torque at low speeds.

1L	8304309	20L	8306259	1000L	8306655
4L	8323867	60L	8306457	Bulk	8306754
5L	8304507	205L	8306556		

## GUARDECH 80W GL 4

PRODUCT CODE 2201  
MINERAL



### SPECIFICATIONS

API - GL-4  
MIL - L-2105

### DESCRIPTION

This is a gear oil for mechanical transmissions with moderate "extreme pressure" characteristics and is specifically developed to avoid corrosion of copper alloys.

1L	8303104	60L	8309847	1000L	8300059
20L	8309649	205L	8309946	Bulk	8300158

## GUARDECH 80W90 GL 4

PRODUCT CODE 2208  
MINERAL



### SPECIFICATIONS

API - GL-4  
MIL - L-2105

### DESCRIPTION

This is a gear oil for mechanical transmissions with moderate "extreme pressure" characteristics and is specifically developed to avoid corrosion of copper alloys.

20L	8301452	205L	8301759	Bulk	8301957
60L	8301650	1000L	8301858		

## GUARDECH 80W90 GL 1&3

PRODUCT CODE 2108  
MINERAL



### SPECIFICATIONS

API - GL-1  
API - GL-3  
VOLVO - 97305

### DESCRIPTION

This is a lubricant for gearboxes and rear axles with conical teeth or screw type. This is made with highly refined base oils and anti-wear additives and an additive to lower the pour point.

20L	8309045	205L	8309342	Bulk	8309540
60L	8309243	1000L	8309441		

## GUARDECH SAE 140 GL 1&3

PRODUCT CODE 2104  
MINERAL



### SPECIFICATIONS

API - GL-1  
API - GL-3  
VOLVO - 97305

### DESCRIPTION

This is a lubricant for gearboxes and rear axles with conical teeth or screw type. This is made with highly refined base oils and anti-wear additives and an additive to lower the pour point.

20L	8308444	205L	8308741	Bulk	8308949
60L	8308642	1000L	8308840		

## ELECTRUM MULTI E-ATF FLUID

PRODUCT CODE 65305  
FULL SYNTHETIC



**SPECIFICATIONS**  
/ - /

**DESCRIPTION**

E-motor and transmission fluid for use with battery electric vehicles.

1L	1050872
----	---------

## ELECTRUM E-DCT FLUID

PRODUCT CODE 65300  
FULL SYNTHETIC



**SPECIFICATIONS**  
/ - /

**DESCRIPTION**

Premium E-DCT transmission and reduction gear fluid for electrified transmissions.

1L	1050870
----	---------

## ECOTECH MULTI VEHICLE ATF FE

PRODUCT CODE 3014  
FULL SYNTHETIC



**SPECIFICATIONS**

- AISIN-WARNER - JWS 3324
- BMW - M-1375.4
- FORD - MERCON SP
- MB - 236.14
- VW - G 055 162
- VW - G 060 162

**DESCRIPTION**

Full synthetic Automatic Transmission Fluid meeting the requirements of most American, Japanese and European manufacturers. It has excellent oxidation stability and superior anti-wear properties.

1L	8329449	60L	8320156	Bulk	8320354
20L	8320057	205L	8320255		
20L	1051612	1000L	8329944		

## ECOTECH CVT FLUID

PRODUCT CODE 3020  
FULL SYNTHETIC



**SPECIFICATIONS**

- AUDI - TL 52180
- FORD - WSS-M2C928-A
- HYUNDAI - SP-CVT1
- MITSUBISHI - CVTF J-1
- NISSAN - NS-1/NS-2/NS-3/ Matic W
- TOYOTA - TC

**DESCRIPTION**

Full synthetic fluid designed for most CVT (Continuously Variable Transmission) gearboxes with steel push-belts or chains. It offers superior anti-wear protection and stable friction characteristics.

1L	8306006	60L	8306068	Bulk	8306365
4L	1051004	205L	8306167		
20L	8305863	1000L	8306266		

## ECOTECH DSG FLUID

PRODUCT CODE 5080  
FULL SYNTHETIC



**SPECIFICATIONS**

- BMW - DCTF-1
- BMW - MTF LT-5
- FORD - WSS-M2C936-A
- MB - 236.21
- VW - G 052 182
- VW - G 052 529
- VW - G 055 529

**DESCRIPTION**

This is a full synthetic transmission fluid, specifically developed for the dual clutch transmissions (DCT) of modern passenger cars. It ensures trouble-free operation of these gearboxes.

1L	8308604	60L	8314445	1000L	8314643
20L	8314247	205L	8314544	Bulk	8314742

## OFFICIALTECH ATF D/M ULV

PRODUCT CODE 3027  
FULL SYNTHETIC



### SPECIFICATIONS

FORD - MERCON ULV  
FORD - WSS-M2C949-A  
GM - DEXRON ULV

### DESCRIPTION

This is a full synthetic lubricant based on carefully selected very highly refined base oils for automatic transmissions with a high viscosity index, excellent oxidation stability, excellent friction and anti-wear properties providing supreme fuel economy and meeting the requirements of most of the newest Ford and GM automatic transmissions.

20L	1050212
-----	---------

## OFFICIALTECH ATF LIFE PROTECT 6

PRODUCT CODE 3012  
FULL SYNTHETIC



### SPECIFICATIONS

BMW - 83220142516  
BMW - M-1375.4  
HYUNDAI - 040000C905G  
LAND ROVER - TYK500050  
VW - G 055 005  
ZF - TE-ML 11

### DESCRIPTION

A full synthetic lubricant formulated with high quality base oils specifically developed for ZF 6-speed automatic transmissions ensuring a trouble-free operation and smooth gear shifting.

1L	8305900	60L	8305467	1000L	8305665
20L	8305269	205L	8305566	Bulk	8305764

## OFFICIALTECH ATF LIFE PROTECT 8

PRODUCT CODE 3016  
FULL SYNTHETIC



### SPECIFICATIONS

BMW - 83222152426  
CHRYSLER - 68157995AA  
FIAT - 9.55550-AV5  
JAGUAR - 02JDE26444  
LAND ROVER - LR023288  
VW - G 060 162

### DESCRIPTION

This is a full synthetic lubricant based on carefully selected very high quality base oils that has been specifically developed for ZF 6, 8 and 9-speed automatic transmissions.

1L	8326479	60L	8326776	1000L	8326974
20L	8326677	205L	8326875	Bulk	8327070

## OFFICIALTECH ATF D VI

PRODUCT CODE 3008  
FULL SYNTHETIC



### SPECIFICATIONS

GM - DEXRON VI  
MB - 236.41  
VOITH - H55.6335xx

### DESCRIPTION

Full synthetic Automatic Transmission Fluid. Meets the requirements of the General Motors Dexron VI specification. It can be used in applications where Dexron II and Dexron III are recommended.

1L	8305504	60L	8303661	Bulk	8303968
5L	1044605	205L	8303760		
20L	8303463	1000L	8303869		

## OFFICIALTECH ATF 9G

PRODUCT CODE 3017  
FULL SYNTHETIC



### SPECIFICATIONS

MB - 236.17

### DESCRIPTION

Synthetic ATF ensuring the smooth functioning of automatic transmissions of Mercedes-Benz. Developed for 9-gear automatic transmissions of Mercedes-Benz vehicles.

1L	8332364	60L	8332869	Bulk	8333163
5L	8332463	205L	8332968		
20L	8332760	1000L	8333064		

## OFFICIALTECH ATF MB

PRODUCT CODE 3011  
FULL SYNTHETIC



**SPECIFICATIONS**  
MB - 236.14

**DESCRIPTION**

This is a full synthetic Automatic Transmission Fluid, mainly intended for all MB 7-speed and NAG-V Sport transmissions. It provides excellent frictional durability and superior performance.

1L	8305801	60L	8304866	1000L	8305061
20L	8304668	205L	8304965	Bulk	8305160

## OFFICIALTECH ATF MB FE

PRODUCT CODE 3013  
FULL SYNTHETIC



**SPECIFICATIONS**  
MB - 236.15

**DESCRIPTION**

This is a full synthetic lubricant, intended for the latest MB 7-speed automatic transmissions from MB (NAG2FE+). It provides excellent frictional durability, superior performance and fuel economy.

1L	8336140	60L	8328893	1000L	8328596
20L	8328794	205L	8328992	Bulk	8328695

## VITALTECH MULTI VEHICLE ATF

PRODUCT CODE 3010  
FULL SYNTHETIC



**SPECIFICATIONS**  
AISIN-WARNER - JWS 3309  
CHRYSLER - ATF +3 AND +4  
FORD - MERCON V  
GM - DEXRON III-H  
TOYOTA - TYPE T-IV  
VW - G 055 025

**DESCRIPTION**

A full synthetic lubricant based on carefully selected very highly refined base oils for automatic transmissions, meeting the requirements of most American, Japanese and European manufacturers.

1L	8305603	60L	8304262	Bulk	8304569
5L	8305702	205L	8304361		
20L	8304064	1000L	8304460		

## VITALTECH ATF D III PC

PRODUCT CODE 3009  
SEMI SYNTHETIC



**SPECIFICATIONS**  
DAIMLER TRUCK - DTFR 13C120  
FORD - ESP-M2C138-CJ  
FORD - ESP-M2C166-H  
FORD - MERCON  
GM - DEXRON III-H  
MB - 236.2

**DESCRIPTION**

This is a semi synthetic lubricant for most automatic transmissions. Ensuring optimum performance providing smooth switching and driving comfort.

1L	1050700	60L	1050811	Bulk	1050814
5L	1050701	205L	1050812		
20L	1050810	1000L	1050813		

## VITALTECH ATF D III

PRODUCT CODE 3006  
SEMI SYNTHETIC



**SPECIFICATIONS**  
FORD - MERCON  
GM - 6417-M DEXRON III-G  
MAN - 339 V1/Z1  
MB - 236.5  
MB - 236.9  
VOITH - H55.6335xx

**DESCRIPTION**

Semi synthetic oil suitable for most automatic transmissions. Its optimal fluidity at low temperatures and exceptional frictional characteristics provide smooth switching and driving comfort.

1L	8305306	60L	8303067	Bulk	8303364
5L	8305405	205L	8303166		
20L	8302862	1000L	8303265		



## EXTENDTECH ATF D II

PRODUCT CODE 3003  
MINERAL



### SPECIFICATIONS

DAIMLER TRUCK - DTFR 13C140  
FORD - M2C-138CJ, Mercon  
GM - 6137-M DEXRON II-D  
MAN - 339 V1/Z1  
MB - 236.7  
VOITH - H55.6335xx

### DESCRIPTION

This is an oil with a high viscosity index for automatic transmissions. It has a high chemical stability, increased anti-wear properties and an excellent resistance to ageing.

1L	8305108	60L	8302466	Bulk	8302763
5L	8305207	205L	8302565		
20L	8302268	1000L	8302664		

## EXTENDTECH ATF D II LD

PRODUCT CODE 3023  
SEMI SYNTHETIC



### SPECIFICATIONS

DAIMLER TRUCK - DTFR 13C120  
FORD - ESP-M2C138-CJ  
FORD - MERCON  
GM - 6032-M DEXRON  
GM - 6137-M DEXRON II-D  
GM - DEXRON TYPE A,

### DESCRIPTION

This is an oil with a high viscosity index for automatic transmissions. It is characterized by a increased anti-wear properties.

1L	1049497	20L	1049499	205L	1049501
5L	1049498	60L	1049500	1000L	1049502

## GUARDECH ATF F/G

PRODUCT CODE 3002  
MINERAL



### SPECIFICATIONS

FORD - ESP-M2C33-G  
FORD - ESW-M2C33-F  
FORD - SQM2-9007-AA  
JD - JDM J21A  
VOLVO - 97330

### DESCRIPTION

ATF TYPE F/G oil has been specifically designed for the automatic FORD-transmissions (GLIDE). It has a very high viscosity index and low pour point, which ensure optimal performance in a broad temperature range.

20L	8301667	205L	8301964	Bulk	8302169
60L	8301865	1000L	8302060		

## GUARDECH ATF D

PRODUCT CODE 3001  
MINERAL



### SPECIFICATIONS

ATF - TYPE A SUFFIX A  
DAIMLER TRUCK - DTFR 13C120  
GM - 6032-M DEXRON  
MB - 236.2

### DESCRIPTION

This is a high viscosity index oil for the first generation of General Motors automatic transmissions. Very good anti-wear, detergent qualities, anti-foam and anti-corrosion.

20L	8301063	60L	8301261	1000L	8301469
-----	---------	-----	---------	-------	---------

## ESSENTIAL ATF DEXRON III

PRODUCT CODE 75952  
SEMI SYNTHETIC



### SPECIFICATIONS

CATERPILLAR - TO-2  
DAIMLER TRUCK - DTFR 13C120  
FORD - ESP-M2C138-CJ  
FORD - MERCON  
GM - DEXRON III-H  
MB - 236.2

### DESCRIPTION

This ATF fluid has a high viscosity index to ensure great fluidity on engine start and guaranteed component protection at high temperatures.

1L	1047673	20L	1047675	1000L	8338267
5L	1047674	205L	1047676		

## BW FLUID GEN II +

PRODUCT CODE 5096

FULL SYNTHETIC



### SPECIFICATIONS

GM - 93165387  
VOLVO - 31367940  
(1161641)  
VW - G 052 175  
VW - G 055 175  
VW - G 060 175

### DESCRIPTION

This fluid is developed for Borg Warner All-Wheel drive coupling applications. It ensures optimum lubrication during the life time of its clutches, with both organic and sinter plates.

0,85L

1047986

## ELECTRUM BRAKE FLUID

PRODUCT CODE 65360



### SPECIFICATIONS

FMVSS - 116 DOT 4  
 FMVSS - 116 DOT3  
 ISO - 4925 Class 3,4&6  
 SAE - J 1703  
 SAE - J 1704

### DESCRIPTION

Low viscosity brake fluid with a high boiling point and outstanding performance at very low temperatures.

1L	1051771
----	---------

## BRAKE FLUID DOT 5.1

PRODUCT CODE 5038



### SPECIFICATIONS

FMVSS - 116 DOT 4  
 FMVSS - 116 DOT 5.1  
 FMVSS - 116 DOT3  
 ISO - 4925 Class 3&4  
 ISO - 4925 Class 5.1  
 SAE - J 1704

### DESCRIPTION

Synthetic brake fluid, intended for hydraulic brake systems, where a superior quality is required. Its composition provides a high chemical stability, excellent resistance against residues, high resistance against oxidation and can be used with all materials, normally used in brake systems.

1L	8308307
----	---------

## BRAKE FLUID DOT 5.1

PRODUCT CODE 5075



### SPECIFICATIONS

FMVSS - 116 DOT 4  
 FMVSS - 116 DOT 5.1  
 FMVSS - 116 DOT3  
 ISO - 4925 Class 3&4  
 ISO - 4925 Class 5.1  
 SAE - J 1704

### DESCRIPTION

Synthetic brake fluid, intended for hydraulic brake systems, where a superior quality is required. Its composition provides a high chemical stability, excellent resistance against residues, high resistance against oxidation and can be used with all materials, normally used in brake systems.

20L	8312441	205L	8312748	Bulk	8312946
60L	8312649	1000L	8312847		

## BRAKE FLUID DOT 4 LV

PRODUCT CODE 5093



### SPECIFICATIONS

FMVSS - 116 DOT 4  
 FMVSS - 116 DOT3  
 ISO - 4925 Class 3,4&6  
 SAE - J 1703  
 SAE - J 1704  
 VW - 501 14

### DESCRIPTION

Especially recommended for use in hydraulic brake and clutch systems of vehicles fitted with ESP and ABS giving outstanding performance at very low temperatures.

0,25L	1047754	5L	1047759	205L	1047764
0,5L	1047756	20L	1047760	1000L	1047765
1L	1047758	60L	1047761		

## BRAKE FLUID DOT 3&4

PRODUCT CODE 5039



### SPECIFICATIONS

FMVSS - 116 DOT 4  
 FMVSS - 116 DOT3  
 ISO - 4925 Class 3&4  
 SAE - J 1703  
 SAE - J 1704

### DESCRIPTION

Brake fluid, intended for hydraulic brake systems. Its composition provides a high chemical stability, excellent resistance against residue formation, very good stability towards oxidation and is compatible with all materials present in the circuit.

0,25L	8307607	1L	8307805
0,5L	8307706	5L	8311482

## BRAKE FLUID DOT 3&4

PRODUCT CODE 5015



### SPECIFICATIONS

FMVSS - 116 DOT 4  
 FMVSS - 116 DOT3  
 ISO - 4925 Class 3&4  
 SAE - J 1703  
 SAE - J 1704

### DESCRIPTION

Brake fluid, intended for hydraulic brake systems. Its composition provides a high chemical stability, excellent resistance against residue formation, very good stability towards oxidation and is compatible with all materials present in the circuit.

20L	8307690	205L	8307997
60L	8307898	1000L	8308093

## MINERAL FLUID LHM

PRODUCT CODE 5077

MINERAL



### SPECIFICATIONS

AFNOR - NF E 48-602 HV  
 AFNOR - NF E 48-603 HV  
 PSA - B71 2710

### DESCRIPTION

This is a mineral hydraulic fluid for Peugeot and Citroen vehicles. It can be used until -40°C, has a high boiling temperature and is insensible to humidity. Not aggressive towards usual elastomers.

1L	8308406	60L	8313240	1000L	8313448
20L	8313042	205L	8313349	Bulk	8313547

## CENTRAL HYDRAULIC FLUID

PRODUCT CODE 5078

FULL SYNTHETIC



### SPECIFICATIONS

DAIMLER TRUCK - DTRF 31B120  
 FORD - WSS-M2C204-A  
 MAN - M3289  
 MB - 345.0  
 OPEL - GM 1940766  
 VOLVO - 1161529-1

### DESCRIPTION

Full synthetic hydraulic "multipurpose" fluid for all circuits and in a temperature range between -40°C and 130°C. It reduces friction-induced wear and the noise production of the hydraulic pump.

1L	8308505	60L	8313844	Bulk	8314148
20L	8313646	205L	8313943		

## LDS FLUID

PRODUCT CODE 5090

FULL SYNTHETIC



### SPECIFICATIONS

DIN - 51524 T3  
 ISO - 7308  
 PSA - S71 2710

### DESCRIPTION

Full synthetic hydraulic fluid for modern vehicles, e.g. Citroën. For extreme ambient temperatures and full performance from -40 °C to over 130 °C system temperature. Not compatible with LHM.

1L	8300226	60L	8312885	1000L	8313080
20L	8312687	205L	8312984	Bulk	8313189

ELECTRUM COOLANT

PRODUCT CODE 65340



SPECIFICATIONS

- ASTM - D3306
- ASTM - D4985
- ASTM - D6210
- SAE - J1034

DESCRIPTION

Premium "Iobrid" MEG based battery coolant .

5L	1052699
----	---------

COOLANT EVO LL -36°C

PRODUCT CODE 50154



SPECIFICATIONS

- VW - TL 774-C (G11)
- VW - TL 774-D (G12)
- VW - TL 774-F (G12+)
- VW - TL 774-G (G12++)
- VW - TL 774-J (G13)
- VW - TL 774-L (G12 EVO)

DESCRIPTION

High-performing ready-to-use coolant based on ethylene glycol with state-of-the-art PSi-OAT corrosion protection technology, for modern high performance engines. This G12 evo coolant can be used in G13, G12++, G12+, and G11 applications.

1L	1052678	20L	1052642	205L	1052680
5L	1052661	60L	1052679	1000L	1052580

ANTIFREEZE EVO LL

PRODUCT CODE 50054



SPECIFICATIONS

- VW - TL 774-C (G11)
- VW - TL 774-D (G12)
- VW - TL 774-F (G12+)
- VW - TL 774-G (G12++)
- VW - TL 774-J (G13)
- VW - TL 774-L (G12 EVO)

DESCRIPTION

High-performing coolant concentrate based on ethylene glycol with state-of-the-art PSi-OAT corrosion protection technology, for modern high performance engines. This G12 evo coolant concentrate can be used in G13, G12++, G12+, and G11 applications.

1L	1052681	20L	1052683	205L	1052685
5L	1052682	60L	1052684	1000L	1053176

COOLANT ASIAN LL -36°C

PRODUCT CODE 50155



SPECIFICATIONS

- HONDA - TYPE 2
- LEXUS - .
- MAZDA - FL 22
- MITSUBISHI - DIA QUEEN SUPER LL COOLANT
- NISSAN - L255N
- TOYOTA - TSK 2601G-8A

DESCRIPTION

High-performing ready-to-use coolant based on ethylene glycol with state-of-the-art P-OAT corrosion protection technology, for modern high performance engines.

1L	1052693	20L	1052695	205L	1052697
5L	1052694	60L	1052696	1000L	1052698

COOLANT G12+ LL -36°C

PRODUCT CODE 50151



SPECIFICATIONS

- ASTM - D3306
- ASTM - D4985
- SAE - J1034
- DAIMLER TRUCK - DTFR 29C110
- MAN - 324 SNF
- MB - 325.3

DESCRIPTION

An ethylene glycol based coolant. It is nitrite, amine, phosphate, borate and silicate free. It contains Organic Acid inhibitor (OAT) offering permanent cooling system protection.

1L	1052656	20L	1052623	205L	1052625
5L	1052660	60L	1052624	1000L	1052626

## ANTIFREEZE G12+ LL

PRODUCT CODE 50051



### SPECIFICATIONS

ASTM - D3306  
 ASTM - D4985  
 SAE - J1034  
 DAIMLER TRUCK - DTFR  
 29C110  
 MAN - 324 SNF  
 MB - 325.3

### DESCRIPTION

An ethylene glycol based antifreeze. It is nitrite, amine, phosphate, borate and silicate free. It contains Organic Acid inhibitor Technology (OAT) offering permanent cooling system protection.

1L	1052652	20L	1052629	205L	1052631
5L	1052658	60L	1052630	1000L	1052632

## COOLANT G11 -36°C

PRODUCT CODE 50150



### SPECIFICATIONS

ASTM - D3306  
 ASTM - D4985  
 SAE - J1034  
 DAIMLER TRUCK - DTFR  
 29C100  
 MAN - 324 NF  
 MB - 325.0

### DESCRIPTION

An ethylene glycol based coolant. It is nitrite, amine and phosphate free and includes borate and silicate. It contains Inorganic Acid inhibitor (IAT) offering permanent cooling system protection.

1L	1052655	20L	1052594	205L	1052596
5L	1052659	60L	1052595	1000L	1052597

## ANTIFREEZE G11

PRODUCT CODE 50050



### SPECIFICATIONS

ASTM - D3306  
 ASTM - D4985  
 SAE - J1034  
 DAIMLER TRUCK - DTFR  
 29C100  
 MAN - 324 NF  
 MB - 325.0

### DESCRIPTION

An ethylene glycol based antifreeze. It is nitrite, amine and phosphate free and includes borate and silicate. It contains Inorganic Acid inhibitor (IAT) offering permanent cooling system protection.

1L	1052651	20L	1052611	205L	1052613
5L	1052657	60L	1052612	1000L	1053177

WINDSCREEN CONCENTRATE

PRODUCT CODE 50200



SPECIFICATIONS

ASTM - D1177

DESCRIPTION

An undiluted powerful windscreen washer antifreeze concentrate that can be used during the whole year with frost protection at your choice once diluted with water.

0,5L	8322587	20L	8323188	1000L	8323485
1L	8322785	60L	8323287		
5L	1043343	205L	8323386		

WINDSCREEN WASHER SUMMER READY TO USE

PRODUCT CODE 50220



SPECIFICATIONS

ASTM - D1177

DESCRIPTION

A powerful windscreen washer ready to use that can be used with outside temperatures not below 0 °C. Special formula with anti-insect action, which is indispensable in summer period.

5L	1043345
----	---------

## RADIATOR SEALER & CONDITIONER

PRODUCT CODE 70316



### SPECIFICATIONS

/ - /

### DESCRIPTION

This product seals and permanently prevents hair cracks and leakages in the radiator, the water pump, the cylinder head gasket and the engine block.

0,325L	1052365
--------	---------

## GASOLINE TREATMENT

PRODUCT CODE 70310



### SPECIFICATIONS

/ - /

### DESCRIPTION

Cleans the complete fuel system including valves, dirty carburetors and clogged injectors. Restores power and performance.

0,325L	8315084
--------	---------

## DIESEL TREATMENT

PRODUCT CODE 70311



### SPECIFICATIONS

/ - /

### DESCRIPTION

Cleans the complete fuel system, increases cetane number and restores power and performance. Improves combustion and reduces fuel consumption. Lubricates the diesel pump in case of low sulphur fuel.

0,325L	8315183	60L	8330834
20L	8330735	205L	8330933

## DIESEL PARTICULATE FILTER CLEANER

PRODUCT CODE 70312



### SPECIFICATIONS

/ - /

### DESCRIPTION

This product is an organo-metallic diesel fuel additive to be used as a catalyst for the regeneration of diesel particulate filters.

0,325L	8315282
--------	---------

## ENGINE FLUSH

PRODUCT CODE 70313  
MINERAL



### SPECIFICATIONS

/ - /

### DESCRIPTION

Completely cleans the engine interior by eliminating sludge, gum, rust and varnish. Removes carbon deposits, soot, water and unburnt fuel. Reduces fuel consumption and exhaust emissions.

0,325L	8315381
--------	---------



**OIL LEAK STOP**

PRODUCT CODE 70314



**SPECIFICATIONS**

/ - /

**DESCRIPTION**

This product prevents and stops oil leakage through the seals. It makes seals swell back to their original size and regain pliability.

0,325L	8315480
--------	---------

**RADIATOR CLEANER**

PRODUCT CODE 70315



**SPECIFICATIONS**

/ - /

**DESCRIPTION**

This product has been developed to clean the entire cooling system and to improve the heat transfer from the engine to the cooling system.

0,325L	8315589
--------	---------

**COLD CLEANER**

PRODUCT CODE 5002



**SPECIFICATIONS**

ISO - 6743/10

**DESCRIPTION**

This is a solvent and cleaning product, based on an aliphatic solvent, emulsifiers and tensio-actives. It is emulsifiable with water and suitable for the removal of oily, greasy and asphalt pollutions.

20L	8307096	205L	8307393
60L	8307294	1000L	8307492

**BRAKE CLEANER**

PRODUCT CODE 55524



**SPECIFICATIONS**

/ - /

**DESCRIPTION**

This product removes all stains from drum and disc brakes, as well as oil, tar and grease from linings, shoes, cylinders.

0,4L	8329487
------	---------

**MULTISPRAY**

PRODUCT CODE 55564



**SPECIFICATIONS**

/ - /

**DESCRIPTION**

This is a high-quality lubricant based on mineral oils and PTFE. Resistant to seawater and applicable in a broad temperature range: -50°C and 250°C.

0,4L	8329586
------	---------

## SILICONE CLEAN

PRODUCT CODE 55544



### SPECIFICATIONS

/ - /

### DESCRIPTION

This product polishes and revives the colours of plastic and varnish: fairing, dashboard, wheels, mudguards.

0,4L

8329685

## ELECTRUM HUB GREASE

PRODUCT CODE 65321



### SPECIFICATIONS

DIN - 51502  
 DIN - KPHC2N-40  
 ISO - 12924  
 ISO - L-XD(F)DIB2

### DESCRIPTION

A lithium complex thickened lubricating synthetic grease for wheel bearings.

0,4KG	1050874
-------	---------

## ELECTRUM E-MOTOR GREASE

PRODUCT CODE 65320



### SPECIFICATIONS

DIN - 51502  
 DIN - KPHC2N-55  
 ISO - 12924  
 ISO - L-XE(F)DIB2

### DESCRIPTION

A lithium complex thickened lubricating synthetic grease for E-motor bearings.

0,4KG	1050873
-------	---------

## LITHIUM COMPLEX EP 2

PRODUCT CODE 9141  
 MINERAL



### SPECIFICATIONS

DIN - 51502  
 DIN - KP2.5N-30  
 ISO - 12924  
 ISO - L-XC(F)DIB2.5  
 MAN - 284 Li-H2

### DESCRIPTION

Lithium-Complex grease with "Extreme Pressure" additives without lead, especially developed for the lubrication of roller bearings of vehicles.

0,4KG	8321993	50KG	8322198
18KG	8322099	180KG	8322297

## LITHIUM GREASE EP 1

PRODUCT CODE 9126  
 MINERAL



### SPECIFICATIONS

DIN - 51502  
 DIN - KP1K-30  
 ISO - 6743  
 ISO - L-XCCFB1

### DESCRIPTION

This is a grease with high-pressure properties, for heavily loaded applications in general. This grease has a good oxidation stability and anti-wear properties. It ensures long-lasting lubrication.

18KG	8330803
------	---------

## LITHIUM GREASE EP 2

PRODUCT CODE 9130  
 MINERAL



### SPECIFICATIONS

DIN - 51502  
 DIN - KP2K-30  
 ISO - 6743  
 ISO - L-XCCIB2

### DESCRIPTION

This is a lithium thickened lubricating grease. It contains antioxidants, corrosion inhibitors and EP/AW additives. It is a typical multipurpose EP grease that can be used in various applications.

0,4KG	8321498	50KG	8321795
18KG	8321696	180KG	8321894

**LITHIUM GREASE EP 3**

PRODUCT CODE 9115  
MINERAL



**SPECIFICATIONS**

DIN - 51502  
DIN - KP3K-30  
ISO - 6743  
ISO - L-XCCFB3

**DESCRIPTION**

This is a grease with high-pressure properties, for heavily loaded applications. This grease has a good oxidation stability and anti-wear properties. It can ensure long-lasting lubrication.

0,4KG	8330407	18KG	8330506	180KG	8330605
-------	---------	------	---------	-------	---------

**MULTIPURPOSE GREASE 2**

PRODUCT CODE 9100  
MINERAL



**SPECIFICATIONS**

DIN - 51502  
DIN - K2K-30  
ISO - 6743  
ISO - L-XCEA2

**DESCRIPTION**

This is a lubricating grease for general applications, where no specific requirements are made. This lithium based grease has a good oxidation stability, so that it can ensure long-lasting lubrication. It is water-resistant and has good temperature characteristics. Therefore it can be used at high temperatures and it stays pumpable at low temperatures making it suitable for bearing lubrication.

0,4KG	8320590	50KG	8320897
18KG	8320798	180KG	8320996

**MULTIPURPOSE GREASE 3**

PRODUCT CODE 9103  
MINERAL



**SPECIFICATIONS**

DIN - 51502  
DIN - K3K-30  
ISO - 6743  
ISO - L-XCCFA3

**DESCRIPTION**

Lubricating grease for general applications. It has good oxidation stability and corrosion protection. It provides temperature protection within a certain range and can be used in wet environment.

18KG	8330308
------	---------

**ALL-PURPOSE EP NR. 0**

PRODUCT CODE 9182  
MINERAL



**SPECIFICATIONS**

DIN - 51502  
DIN - KP0K-30  
ISO - 6743  
ISO - L-XCCFB0

**DESCRIPTION**

This is a lithium thickened grease. It has antioxidants, corrosion inhibitors and EP/AW additives. It is a high quality multipurpose grease that is used in industrial and automotive applications.

18KG	8339509	50KG	8331503
------	---------	------	---------

**ALL-PURPOSE EP NR. 00**

PRODUCT CODE 9180  
MINERAL



**SPECIFICATIONS**

DIN - 51502  
DIN - KP00K-30  
ISO - 6743  
ISO - L-XCCHB00

**DESCRIPTION**

This is a lithium thickened grease. It contains antioxidants, corrosion inhibitors and EP/AW additives. It's a multipurpose EP grease which can be used in various applications.

18KG	8331107	50KG	8331206	180KG	8331305
------	---------	------	---------	-------	---------

## CALCIUM LITHIUM EP2 HEAVY

PRODUCT CODE 9183  
MINERAL



### SPECIFICATIONS

DIN - 51502  
DIN - KP2K-20  
ISO - 12924  
ISO - L-XB(F)CHB2

### DESCRIPTION

This is a lithium calcium thickened grease. It contains antioxidants, corrosion inhibitors and EP/AW additives.

0,4KG	8331602	50KG	8331800
18KG	8331701	180KG	1052885

## LITHIUM CALCIUM EP2 GREEN

PRODUCT CODE 9184  
MINERAL



### SPECIFICATIONS

DIN - 51502  
DIN - KP2K-30  
ISO - 12924  
ISO - L-XC(F)CIB2

### DESCRIPTION

This lithium-calcium grease is characterized by improved water resistance and rust protection. Also suitable for the lubrication of heavily loaded bearings running at medium speed.

0,4KG	8337529	50KG	8338021
18KG	8337925	180KG	8338120

## LITHIUM GREASE EPA

PRODUCT CODE 9140  
MINERAL



### SPECIFICATIONS

DIN - 51350:4  
DIN - KPF2K-30  
ISO - 6743  
ISO - L-XCCEB2

### DESCRIPTION

This is a lithium thickened grease with antioxidants, corrosion inhibitors and EP/AW additives. It is a multipurpose "moly" grease which can be used in various applications.

0,4KG	8336706	18KG	8333606	50KG	8333705
-------	---------	------	---------	------	---------

## MULTI MOLY GREASE 2

PRODUCT CODE 9120  
MINERAL



### SPECIFICATIONS

DIN - 51502  
DIN - KPF2K-30  
ISO - 6743  
ISO - L-XCCIB2

### DESCRIPTION

This is a multipurpose grease, containing molybdenum disulphide (MoS<sub>2</sub>) that contributes to its extreme pressure and anti-wear characteristics, even at the heaviest loads and the most violent shocks.

0,4KG	8321092	50KG	8321290
18KG	8321191	180KG	8321399

## MULTI MOLY EP 0 ARCTIC

PRODUCT CODE 9185  
MINERAL



### SPECIFICATIONS

DIN - 51502  
DIN - OGFP0G-50  
ISO - 12924  
ISO - L-XE(F)BIB0

### DESCRIPTION

This is a calcium complex and lithium complex thickened lubricating grease based on mineral oil. It contains antioxidants, corrosion inhibitors and molybdenum disulphide.

18KG	1042137	50KG	1053143	180KG	1042138
------	---------	------	---------	-------	---------

## HIGH TEMPERATURE GREASE 2

PRODUCT CODE 9150  
MINERAL



### SPECIFICATIONS

DIN - 51502  
DIN - KP2N-30  
ISO - 6743  
ISO - L-XCDAB2

### DESCRIPTION

This grease is based on high viscosity mineral base oils with high flash point. Clay is used as inorganic thickener that makes the product suitable for a wide range of temperatures.

18KG

8330902

50KG

8331008



## WOLF LUBRICANTS

Georges Gilliotstraat 52  
2620 Hemiksem  
Belgium  
T. +32 (0)3 870 00 00  
F. +32 (0)3 870 00 99

[wolflubes.com](http://wolflubes.com)

